

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**



## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name

**2215 Antistatic Degreasing Wipe**



chemius.net/Bhoed

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cleaning wipes.

Uses advised against

No information.

### 1.3. Details of the supplier of the safety data sheet

Supplier

SILCO, D.O.O.

Address: Šentrupert 5 a, 3303 Gomilsko, Slovenia

Phone: +386 3 703 3180

Fax: +386 3 703 3188

E-mail: n.cvilak@silco-automotive.com

Point of contact for safety info: Nejc Cvilak

### 1.4. Emergency telephone number

Emergency

112

Supplier

+386 3 703 3180

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 Flammable liquid and vapour.

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## 2.2 Label elements

### 2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



Signal word: **Warning**

H226 Flammable liquid and vapour.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains (R)-p-mentha-1,8-diene; 2-methylundecanal. May produce an allergic reaction.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P370 + P378 In case of fire: Use carbon dioxide, water spray, dry chemical powder for extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

### 2.2.2. Contains:

-

### 2.2.3. Special provisions

Special hazards are not known or expected.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

For mixtures see 3.2.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## 3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
ethanol	64-17-5 200-578-6 603-002-00-5	>10-<25	Flam. Liq. 2; H225 Eye Irrit. 2; H319		-
2-methylundecanal	110-41-8 203-765-0 -	<0,5	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410		-
ethyl acetate	141-78-6 205-500-4 607-022-00-5	<0,5	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336		-
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 601-029-00-7	<0,5	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410		-
propan-2-ol	67-63-0 200-661-7 603-117-00-0	<0,5	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336		-

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General notes

When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician. Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency.

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. Loosen tight clothing such as a collar, tie, belt. Victim should rest in a warm place. Obtain professional medical help!

#### Following skin contact

Wash affected skin areas thoroughly with plenty of water and soap. Take off all contaminated clothing. If symptoms develop and persist, seek medical attention.

#### Following eye contact

If the patient is wearing contact lenses, remove them immediately. Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

#### Following ingestion

Do not induce vomiting! Consult a physician. Show the physician the safety data sheet or label. Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

#### Skin contact

Contact with skin may cause irritation (redness, itching).

#### Eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## Ingestion

May cause abdominal discomfort.  
May cause nausea/vomiting and diarrhea.  
May cause headache, nausea, dizziness.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **SECTION 5. FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

#### Unsuitable extinguishing media

No special precautions required.

### **5.2. Special hazards arising from the substance or mixture**

#### Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

### **5.3. Advice for firefighters**

#### Protective actions

Prolonged heating can cause an explosion. Vapours can form explosive mixtures with air. In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray. If possible remove containers from endangered area.

#### Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

#### Additional information

Contaminated firefighting water and fire residues must be disposed of in accordance with the local regulations.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### 6.1.1. For non-emergency personnel

##### **Protective equipment**

Use personal protective equipment (Section 8).

##### **Emergency procedures**

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking! Prevent access to unprotected personnel. No action shall be taken involving any personal risk or without suitable training. Evacuate the danger zone. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

Use personal protective equipment.

### **6.2. Environmental precautions**

Do not allow product to reach water/drains/sewage systems or permeable soil. In case of release into the environment, inform the relevant authorities.

### **6.3. Methods and material for containment and cleaning up**

#### 6.3.1. For containment

-

Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## 6.3.2. For cleaning up

Take up mechanically and collect in suitable container and dispose according to current regulations. Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Clean contaminated area with plenty of water. Ventilate the premises. Use spark-proof tools. Prevent release into the sewer, water, basements or confined areas.

## 6.3.3. Other information

-

## **6.4. Reference to other sections**

See also Sections 8 and 13.

# SECTION 7. HANDLING AND STORAGE

## **7.1. Precautions for safe handling**

### 7.1.1. Protective measures

#### **Measures to prevent fire**

Ensure adequate ventilation. Take precautionary measures against static discharges. Keep away from sources of ignition - no smoking. Use spark-proof tools.

#### **Measures to prevent aerosol and dust generation**

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

#### **Measures to protect the environment**

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

### 7.1.2. Advice on general occupational hygiene

Do not eat, drink or smoke while working. Do not breathe vapours/mist. Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see Section 8.

## **7.2. Conditions for safe storage, including any incompatibilities**

### 7.2.1. Technical measures and storage conditions

Store in accordance with local regulations. Keep out of the reach of children. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising substances. Keep away from sources of ignition - no smoking. Keep in a cool, dry and well ventilated place. Storage temperature +5°C to 35°C.

### 7.2.2. Packaging materials

Store only in original container.

### 7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

### 7.2.4. Storage class

-

### 7.2.5. Further information on storage conditions

-

## **7.3. Specific end use(s)**

#### **Recommendations**

-

#### **Industrial sector specific solutions**

-

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Name (CAS)	Limit values		Short-term exposure limit		Remarks	Biological Tolerance Values
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>		
Ethanol (64-17-5)	1000	1920	-	-		
Ethyl acetate (141-78-6)	200	734	400	1468		
Propan-2-ol (67-63-0)	400	999	500	1250		

#### 8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

#### 8.1.3. DNEL/DMEL values

No information.

#### 8.1.4. PNEC values

No information.

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering control

##### Substance/mixture related measures to prevent exposure during identified uses

Do not breathe vapours/aerosols. Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes.

##### Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse. Keep eyewash bottles or personal eyewash units and emergency showers available.

##### Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

#### 8.2.2. Personal protective equipment

##### Eye and face protection

Safety glasses with side protection (EN 166).

##### Hand protection

Protective gloves (EN 374). The penetration time is determined by the protective glove manufacturer and must be observed. Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

##### Appropriate materials

Material	Thickness	Penetration Time	Remark
Butyl rubber			
Neoprene			
Nitrile			
PVC			
Natural rubber			

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

## Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

## Thermal hazards

-

## 8.2.3. Environmental exposure controls

### Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

-	<b>Physical state:</b>	liquid; liquid-impregnated tissue
-	<b>Colour:</b>	colourless
-	<b>Odour:</b>	pleasant

### Important health, safety and environmental information

-	<b>pH</b>	6,5
-	<b>Melting point/freezing point</b>	No information.
-	<b>Initial boiling point/boiling range</b>	No information.
-	<b>Flash point</b>	42 °C
-	<b>Evaporation rate</b>	No information.
-	<b>Flammability (solid, gas)</b>	No information.
-	<b>Explosion limits (vol%)</b>	No information.
-	<b>Vapour pressure</b>	No information.
-	<b>Vapour density</b>	No information.
-	<b>Density</b>	<b>Relative density:</b> 0,986
-	<b>Solubility</b>	No information.
-	<b>Partition coefficient</b>	No information.
-	<b>Auto-ignition temperature</b>	No information.
-	<b>Decomposition temperature</b>	No information.
-	<b>Viscosity</b>	No information.
-	<b>Explosive properties</b>	No information.
-	<b>Oxidising properties</b>	No information.

### 9.2. Other information

-	<b>Remarks:</b>	
---	-----------------	--

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

Stable under recommended transport or storage conditions.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## 10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

## 10.3. Possibility of hazardous reactions

Vapours and air can form flammable or explosive mixtures.

## 10.4. Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks. Do not mix with other chemicals.

## 10.5. Incompatible materials

Oxidants.

## 10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### (a) Acute toxicity

Name	Exposure route	Type	Species	Time	Value	Method	Remark
ethanol (64-17-5)	dermal	LD <sub>50</sub>	rat		6200 mg/kg		
ethanol (64-17-5)	dermal	LD <sub>50</sub>			2000 mg/kg		
ethyl acetate (141-78-6)	oral	LD <sub>50</sub>	rat		5600 mg/kg		
ethyl acetate (141-78-6)	dermal	LD <sub>50</sub>	rabbit		18000 mg/kg		
(R)-p-mentha-1,8-diene (5989-27-5)	oral	LD <sub>50</sub>			4400 mg/kg		
(R)-p-mentha-1,8-diene (5989-27-5)	dermal	LD <sub>50</sub>			5000 mg/kg		
propan-2-ol (67-63-0)	oral	LD <sub>50</sub>	rat		4570 mg/kg		
propan-2-ol (67-63-0)	dermal	LD <sub>50</sub>	rabbit		13400 mg/kg		

**Additional information:** The product is not classified for acute toxicity.

#### (b) Skin corrosion/irritation

**Additional information:** The product is not classified as irritating to skin and eyes.

#### (c) Serious eye damage/irritation

No information.

#### (d) Respiratory or skin sensitisation

**Additional information:** The product is not classified as sensitising.

#### (e) (Germ cell) mutagenicity

No information.

#### (f) Carcinogenicity

No information.

#### (g) Reproductive toxicity

No information.

#### Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.



# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## (h) STOT-single exposure

**Additional information:** STOT SE (single exposure): Not classified.

## (i) STOT-repeated exposure

**Additional information:** STOT RE (repeated exposure): Not classified.

## (j) Aspiration hazard

**Additional information:** Aspiration hazard: Not classified.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### 12.1.1. Acute (short-term) toxicity

##### **For components**

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
ethanol (64-17-5)	LC <sub>50</sub>	11400 mg/L	24 h	fish			
	EC <sub>50</sub>	5000 mg/L	24 h	algae			
(R)-p-mentha-1,8-diene (5989-27-5)	LC <sub>50</sub>	0,7 mg/L	96 h	fish			

#### 12.1.2. Chronic (long-term) toxicity

No information.

### 12.2. Persistence and degradability

#### 12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

#### 12.2.2. Biodegradation

No information.

### 12.3. Bioaccumulative potential

#### 12.3.1. Partition coefficient

No information.

#### 12.3.2. Bioconcentration factor (BCF)

No information.

### 12.4. Mobility in soil

#### 12.4.1. Known or predicted distribution to environmental compartments

No information.

#### 12.4.2. Surface tension

No information.

#### 12.4.3. Adsorption/Desorption

No information.

### 12.5. Results of PBT and vPvB assessment

No evaluation.

### 12.6. Other adverse effects

No information.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

## 12.7. Additional information

### For product

Do not allow to reach ground water, water courses or sewage system.

Harmful to aquatic life with long lasting effects.

Volatile.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### 13.1.1. Product / Packaging disposal

##### **Waste chemical**

Dispose of in accordance with applicable waste disposal regulation. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste. Do not allow product to reach drains/sewage systems.

##### **Packaging**

Dispose of in accordance with applicable waste disposal regulation. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents. Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers should not be perforated, cut or welded. Empty containers represent a fire hazard as they may contain flammable product residues and vapour.

#### 13.1.2. Waste treatment-relevant information

-

#### 13.1.3. Sewage disposal-relevant information

-

#### 13.1.4. Other disposal recommendations

-

## SECTION 14. TRANSPORT INFORMATION

### 14.1. UN number

UN 3175

### 14.2. UN proper shipping name

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ethanol, ethyl acetate)

### 14.3. Transport hazard class(es)

4.1

### 14.4. Packing group

II

### 14.5. Environmental hazards

NO.

### 14.6. Special precautions for user

#### **Limited quantities**

1 kg

#### **Tunnel restriction code**

(E)

#### **IMDG flashpoint**

42 °C, c.c.



# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

IMDG EmS

F-A, S-I

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

VC1, VC2, AP2

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

#### 15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

#### 15.1.2. Special instructions

Observe the regulations on employment and protection against dangerous substances for young people, pregnant women and nursing mothers.

#### 15.1.3. Ingredients according to Regulation EC 648/2004 on detergents

< 5%: anionic surfactants; perfumes

### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16. OTHER INFORMATION

#### Indication of changes

-

#### Abbreviations and acronyms

ATE - Acute Toxicity Estimate  
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
CEN - European Committee for Standardisation  
C&L - Classification and Labelling  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
CAS# - Chemical Abstracts Service number  
CMR - Carcinogen, Mutagen, or Reproductive Toxicant  
CSA - Chemical Safety Assessment  
CSR - Chemical Safety Report  
DMEL - Derived Minimal Effect Level  
DNEL - Derived No Effect Level  
DPD - Dangerous Preparations Directive 1999/45/EC  
DSD - Dangerous Substances Directive 67/548/EEC  
DU - Downstream User  
EC - European Community  
ECHA - European Chemicals Agency  
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)  
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)  
EEC - European Economic Community  
EINECS - European Inventory of Existing Commercial Substances  
ELINCS - European List of notified Chemical Substances  
EN - European Standard  
EQS - Environmental Quality Standard  
EU - European Union

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**

Euphrac - European Phrase Catalogue  
EWC - European Waste Catalogue (replaced by LoW – see below)  
GES - Generic Exposure Scenario  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG - International Maritime Dangerous Goods  
IMSBC - International Maritime Solid Bulk Cargoes  
IT - Information Technology  
IUCLID - International Uniform Chemical Information Database  
IUPAC - International Union for Pure Applied Chemistry  
JRC - Joint Research Centre  
Kow - octanol-water partition coefficient  
LC<sub>50</sub> - Lethal Concentration to 50 % of a test population  
LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose)  
LE - Legal Entity  
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)  
LR - Lead Registrant  
M/I - Manufacturer / Importer  
MS - Member States  
MSDS - Material Safety Data Sheet  
OC - Operational Conditions  
OECD - Organization for Economic Co-operation and Development  
OEL - Occupational Exposure Limit  
OJ - Official Journal  
OR - Only Representative  
OSHA - European Agency for Safety and Health at work  
PBT - Persistent, Bioaccumulative and Toxic substance  
PEC - Predicted Effect Concentration  
PNEC(s) - Predicted No Effect Concentration(s)  
PPE - Personal Protection Equipment  
(Q)SAR - Qualitative Structure Activity Relationship  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
RIP - REACH Implementation Project  
RMM - Risk Management Measure  
SCBA - Self-Contained Breathing Apparatus  
SDS - Safety data sheet  
SIEF - Substance Information Exchange Forum  
SME - Small and Medium sized Enterprises  
STOT - Specific Target Organ Toxicity  
(STOT) RE - Repeated Exposure  
(STOT) SE - Single Exposure  
SVHC - Substances of Very High Concern  
UN - United Nations  
vPvB - Very Persistent and Very Bioaccumulative

## Key literature references and sources for data

-

## List of relevant H phrases

H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **2215 Antistatic Degreasing Wipe**

Creation date: **24.5.2018** · Revision: **28.5.2018** · Version: **1**



- ☒ Provided correct labelling of the product
- ☒ Compliance with the local legislation
- ☒ Provided correct classification of the product
- ☒ Provided adequate transport data

© BENS Consulting | [www.bens-consulting.com](http://www.bens-consulting.com)

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.