Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

3130 Accelerator

chemius.net/YxI6c

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Hardener

Uses advised against

No information.

1.3. Details of the supplier of the safety data sheet

Manufacturer

SILCO, D.O.O.

Address: Šentrupert 5 a, 3303 Gomilsko, Slovenia

Phone: +386 3 703 3180 Fax: +386 3 703 3188

E-mail: n.cvilak@silco-automotive.com Point of contact for safety info: Nejc Cvilak

1.4. Emergency telephone number

Emergency

112

Supplier

+386 3 703 3180

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 Flammable liquid and vapour.

Skin Irrit. 2; H315 Causes skin irritation.

Skin Sens. 1; H317 May cause an allergic skin reaction.

Eye Dam. 1; H318 Causes serious eye damage.

STOT SE 3; H336 May cause drowsiness or dizziness.

Muta. 2; H341 Suspected of causing genetic defects.

Repr. 1A; H360FD May damage fertility. May damage the unborn child.

STOT SE 2; H371 May cause damage to organs.

STOT RE 2; H373 May cause damage to organs through prolonged or repeated exposure by ingestion.

Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

Print date: 23.8.2019 Page 1 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]











Signal word: Danger

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H360FD May damage fertility. May damage the unborn child.

H371 May cause damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure by ingestion.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

P202 Do not handle until all safety precautions have been read and understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulation.

2.2.2. Contains:

Dibutyltin dilaurate (CAS: 77-58-7, EC: 201-039-8)

Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4-piperidinyl) ester (CAS: 41556-26-7, EC: 255-437-1)

n-butyl acetate (CAS: 123-86-4, EC: 204-658-1, Index: 607-025-00-1)

2.2.3. Special provisions

Special hazards are not known or expected.

2.3. Other hazards

No information.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

For mixtures see 3.2.

Print date: 23.8.2019 Page 2 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



3.2. Mixtures

| Name | CAS EC Index | % | Classification according to Regulation (EC) No 1272/2008 (CLP) | Specific Conc. Limits | REACH Registration No. |
|--|---------------------------------------|-------|--|--------------------------|------------------------------|
| n-butyl acetate | 123-86-4 204-658-1 607-025-00-1 | > 90 | Flam. Liq. 3; H226 STOT SE 3; H336 EUH066 | | - |
| Dibutyltin dilaurate | 77-58-7 201-039-8 - | 1-5 | Skin Corr. 1B; H314 Skin Sens. 1; H317 Muta. 2; H341 Repr. 1A; H360FD STOT SE 1; H370 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | | - |
| Mixture of polytiols | - | < 2,5 | Acute Tox. 4; H302 Aquatic Chronic 2; H411 | | - |
| Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4-piperidinyl) ester | 41556-26-7 255-437-1 | < 2,5 | Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | | - |
| Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | 82919-37-7 280-060-4 - | < 2,5 | Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | | - |

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency.

Following inhalation

Remove patient to fresh air - move out of dangerous area. If victim is not breathing give artificial respiration. Seek medical help immediately.

Following skin contact

Wash affected skin areas thoroughly with plenty of water and soap. Immediately remove contaminated clothing. Consult a physician.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. Consult a physician immediately!

Following ingestion

Consult a physician. Show the physician the safety data sheet or label. Rinse mouth thoroughly with water. Do not induce vomiting without prior consultation with a doctor.

4.2. Most important symptoms and effects, both acute and delayed

<u>Inhalation</u>

Vapours may cause drowsiness and dizziness.

Skin contact

May cause sensitisation by skin contact (symptoms: itching, redness, rashes).

Eye contact

-

Print date: 23.8.2019 Page 3 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



Ingestion

-

4.3. Indication of any immediate medical attention and special treatment needed

-

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

-

5.3. Advice for firefighters

Protective actions

Cool containers at risk with water spray. If possible remove containers from endangered area. In case of fire or heating do not breathe fumes/vapours.

Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Emergency procedures

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

6.1.2. For emergency responders

_

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

-

6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor.

6.3.3. Other information

_

Print date: 23.8.2019 Page 4 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation. Keep away from sources of ignition - no smoking. Use spark-proof tools. Take precautionary measures against static discharges.

Measures to prevent aerosol and dust generation

-

Measures to protect the environment

_

7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin and eyes. Do not breathe vapours/mist.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Keep in cool and well ventilated area. Keep unauthorized personnel away. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs.

7.2.2. Packaging materials

-

7.2.3. Requirements for storage rooms and vessels

-

7.2.4. Storage class

_

7.2.5. Further information on storage conditions

-

7.3. Specific end use(s)

Recommendations

-

Industrial sector specific solutions

-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational exposure limit values

| Name (CAS) | Limit values | | Short-term ex | posure limit | Remarks | Biological Tolerance Values |
|--------------------------|----------------------------|-------------------|----------------------------|-------------------|---------|-----------------------------|
| | ml/m ³ (ppm) | mg/m ³ | ml/m ³ (ppm) | mg/m ³ | | |
| Butyl acetate (123-86-4) | 150 | 724 | 200 | 966 | | |

Print date: 23.8.2019 Page 5 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

8.1.3. DNEL/DMEL values

No information.

8.1.4. PNEC values

No information.

8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

8.2.2. Personal protective equipment

Eye and face protection

Tight fitting protective goggles (EN 166).

Hand protection

Protective gloves (EN 374). (material: nitrilerubber)

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

Protective masks (EN 136) or half masks (EN 140) with filter A (EN 14387).

Thermal hazards

8.2.3. Environmental exposure controls

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| - | Physical state: | liquid |
|---|-----------------|----------------|
| - | Colour: | colourless |
| - | Odour: | characteristic |

Print date: 23.8.2019 Page 6 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



Important health, safety and environmental information

| - | рН | No information. |
|---|-------------------------------------|-----------------|
| - | Melting point/freezing point | No information. |
| - | Initial boiling point/boiling range | No information. |
| - | Flash point | 26 °C |
| - | Evaporation rate | No information. |
| - | Flammability (solid, gas) | No information. |
| - | Explosion limits (vol%) | 1,7 – 7,6 vol % |
| - | Vapour pressure | No information. |
| - | Vapour density | No information. |
| - | Density | No information. |
| - | Solubility | No information. |
| - | Partition coefficient | No information. |
| - | Auto-ignition temperature | No information. |
| - | Decomposition temperature | No information. |
| - | Viscosity | No information. |
| - | Explosive properties | No information. |
| - | Oxidising properties | No information. |

9.2. Other information

- Remarks:

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

-

10.4. Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

10.5. Incompatible materials

Follow the general rule of incompatible chemicals.

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

Print date: 23.8.2019 Page 7 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

(a) Acute toxicity

| Name | Exposure route | Туре | Species | Time | Value | Method | Remark |
|----------------------------|----------------|------------------|---------|------|-------------|--------|--------|
| n-butyl acetate (123-86-4) | oral | LD ₅₀ | mouse | | 6 mg/kg | | |
| n-butyl acetate (123-86-4) | oral | LD ₅₀ | rat | | 10768 mg/kg | | |

(b) Skin corrosion/irritation

| Name | Species | Time | Result | Method | Remark |
|----------------------------|---------|------|-------------|--------|--------|
| n-butyl acetate (123-86-4) | | | Irritating. | | |

(c) Serious eye damage/irritation

| Name | Species | Time | Result | Method | Remark |
|----------------------------|---------|------|-------------|--------|--------|
| n-butyl acetate (123-86-4) | | | Irritating. | | |

(d) Respiratory or skin sensitisation

No information.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

| Name | Reproductive toxicity type | Туре | Species | Time | Value | Result | Method | Remark |
|-------------|----------------------------|------|---------|------|-------|---------------------------------|--------|--------|
| For product | | | | | | May impair fertility. | | |
| For product | | | | | | May cause harm to unborn child. | | |

Summary of evaluation of the CMR properties

Possible risk of irreversible effects. May impair fertility. May cause harm to the unborn child.

(h) STOT-single exposure

| Name | Exposure route | Туре | Species | Time | Organ | Value | Result | Method | Remark |
|----------------------------|----------------|------|---------|------|-------|-------|-------------------------------|--------|--------|
| n-butyl acetate (123-86-4) | inhalation | | | | | | Irritates respiratory system. | | |

(i) STOT-repeated exposure

No information.

(j) Aspiration hazard

No information.

Print date: 23.8.2019 Page 8 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

| Substance (CAS Nr.) | Туре | Value | Exposure time | Species | Organism | Method | Remark |
|----------------------------|------------------|---------|---------------|-----------|----------|--------|--------|
| n-butyl acetate (123-86-4) | EC ₅₀ | 32 mg/L | 48 h | crustacea | | | |
| | LC ₅₀ | 18 mg/L | 96 h | fish | | | |

12.1.2. Chronic (long-term) toxicity

No information.

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

12.2.2. Biodegradation

No information.

12.3. Bioaccumulative potential

12.3.1. Partition coefficient

No information.

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

No information.

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Other adverse effects

No information.

12.7. Additional information

For product

Do not allow to reach ground water, water courses or sewage system. \\

Danger to drinking water if even small quantities leak into ground water.

Print date: 23.8.2019 Page 9 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

Waste chemical

Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste. Do not dispose together with household garbage.

Packaging

Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents.

13.1.2. Waste treatment-relevant information

13.1.3. Sewage disposal-relevant information

.

13.1.4. Other disposal recommendations

-

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

UN 1992

14.2. UN proper shipping name

FLAMMABLE LIQUID, TOXIC, N.O.S. (n-butyl acetate)

14.3. Transport hazard class(es)

3

14.4. Packing group

Ш

14.5. Environmental hazards

Additional labeling: ENVIRONMENTALLY HAZARDOUS

IMDG: MARINE POLLUTANT

14.6. Special precautions for user

Limited quantities

5 L

Tunnel restriction code

(D/E)

IMDG flashpoint

26 °C, c.c.

IMDG EmS

F-E, S-D

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Goods may not be carried in bulk in bulk containers, containers or vehicles.



Print date: 23.8.2019 Page 10 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-quideline)

Not applicable.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances

ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWC - European Waste Catalogue (replaced by LoW - see below)

GES - Generic Exposure Scenario

GHS - Globally Harmonized System

IATA - International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG - International Maritime Dangerous Goods

IMSBC - International Maritime Solid Bulk Cargoes

IT - Information Technology

IUCLID - International Uniform Chemical Information Database

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

Print date: 23.8.2019 Page 11 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1



LC₅₀ - Lethal Concentration to 50 % of a test population

LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)

LE - Legal Entity

LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR - Lead Registrant

M/I - Manufacturer / Importer

MS - Member States

MSDS - Material Safety Data Sheet

OC - Operational Conditions

OECD - Organization for Economic Co-operation and Development

OEL - Occupational Exposure Limit

OJ - Official Journal

OR - Only Representative

OSHA - European Agency for Safety and Health at work

PBT - Persistent, Bioaccumulative and Toxic substance

PEC - Predicted Effect Concentration

PNEC(s) - Predicted No Effect Concentration(s)

PPE - Personal Protection Equipment

(Q)SAR - Qualitative Structure Activity Relationship

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP - REACH Implementation Project

RMM - Risk Management Measure

SCBA - Self-Contained Breathing Apparatus

SDS - Safety data sheet

SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises

STOT - Specific Target Organ Toxicity

(STOT) RE - Repeated Exposure

(STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

UN - United Nations

vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

-

List of relevant H phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H360FD May damage fertility. May damage the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure .

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Print date: 23.8.2019 Page 12 of 13

Product name: 3130 Accelerator

Creation date: 20.4.2011 · Revision: 31.5.2019 · Version: 1





- ☑ Provided correct labelling of the product
- ☑ Compliance with the local legislation
- ☑ Provided correct classification of the product
- ☑ Provided adequate transport data

© BENS Consulting | www.bens-consulting.com

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.

Print date: 23.8.2019 Page 13 of 13