Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



chemius.net/WOWdc

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

3202 Moxi AH, orange

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Abrasive paste

Uses advised against

No information.

1.3. Details of the supplier of the safety data sheet

Supplier

SILCO, D.O.O.

Address: Šentrupert 5 a, 3303 Gomilsko, Slovenia

Phone: +386 3 703 3180 Fax: +386 3 703 3188

E-mail: n.cvilak@silco-automotive.com Point of contact for safety info: Nejc Cvilak

1.4. Emergency telephone number

Emergency

112

Supplier

+386 3 703 3180

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

According to the regulation, the product is not classified as hazardous.

2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]

EUH210 Safety data sheet available on request.

P102 Keep out of reach of children.

2.2.2. Contains:

_

2.2.3. Special provisions

EUH208: Contains: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

The product is a treated article and contains the following preservatives: 5-chloro-2-methyl-2H-isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6).

2.3. Other hazards

No information.

Print date: 4.5.2020 Page 1 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

For mixtures see 3.2.

3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	- 926-141-6 -	15-<20	Asp. Tox. 1; H304 EUH066		01-2119456620-43
white mineral oil	8042-47-5 232-455-8 -	10-<15	Asp. Tox. 1; H304		01-2119487078-27

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes

When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician.

Following inhalation

Remove patient to fresh air - move out of dangerous area. If symptoms develop and persist, seek medical attention.

Following skin contact

Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. If symptoms develop and persist, seek medical attention.

Following eye contact

Remove contact lenses, if present and easy to do. Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. Consult a physician. Show the physician the safety data sheet or label. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

Coughing, sneezing, nasal discharge, labored breathing.

Skin contact

Contact with skin may cause irritation (redness, itching).

May cause sensitisation by skin contact (symptoms: itching, redness, rashes).

Eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

Ingestion

May cause abdominal discomfort.

May cause nausea/vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Print date: 4.5.2020 Page 2 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

5.3. Advice for firefighters

Protective actions

In case of fire or heating do not breathe fumes/vapours. Prevent spillage of extinguishing agents into sewers and water courses. Use water to cool exposed surfaces and to protect the firefighters.

Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated extinguishing agents must be disposed of in accordance with the regulations; do not allow to reach the sewage system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Emergency procedures

Ensure adequate ventilation. Prevent access to unprotected personnel. No action shall be taken involving any personal risk or without suitable training. Evacuate the danger zone. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Use personal protective equipment.

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

Stem the spill if this does not pose risks.

6.3.2. For cleaning up

Prevent release into the sewer, water, basements or confined areas. Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Make sure the leakage site is well aired.

6.3.3. Other information

See Section 7: safe handling.

Print date: 4.5.2020 Page 3 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation. Keep away from sources of ignition - no smoking.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

7.1.2. Advice on general occupational hygiene

Use good personal hygiene practices - wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Store in accordance with local regulations. Keep away from food, drink and animal feeding stuffs. Keep in a cool, dry and well ventilated place. Keep in tightly closed container. Keep away from oxidising substances. Store away from strong acids. Store away from strong bases. Store between +15°C to 25°C.

7.2.2. Packaging materials

Store only in original container.

7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

7.2.4. Storage class

7.2.5. Further information on storage conditions

7.3. Specific end use(s)

Recommendations

Industrial sector specific solutions

Print date: 4.5.2020 Page 4 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational exposure limit values

Name (CAS)		/alues	Short-term exposure limit		Remarks	Biological Tolerance Values
		mg/m ³	ml/m ³ (ppm)	mg/m ³		
Glycerol, mist (56-81-5)		10				
Aluminium oxides respirable dust (1344-28-1)		4				
Aluminium oxides inhalable dust (1344-28-1)		10				

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

8.1.3. DNEL/DMEL values

For components

Name	Туре	Exposure route	Exposure frequency	Value	Remark
white mineral oil (8042-47-5)	Worker	inhalation	long term (systemic effects)	164,56 mg/m ³	
white mineral oil (8042-47-5)	Worker	dermal	long term (systemic effects)	217,05 mg/kg bw/day	
white mineral oil (8042-47-5)	Consumer	inhalation	long term (systemic effects)	34,78 mg/m ³	
white mineral oil (8042-47-5)	Consumer	dermal	long term (systemic effects)	93,02 mg/kg bw/day	
white mineral oil (8042-47-5)	Consumer	oral	long term (systemic effects)	25 mg/kg bw/day	

8.1.4. PNEC values

No information.

8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Handle in accordance with good industrial hygiene and safety practice. Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/aerosols. Avoid contact with skin, eyes and clothes. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

8.2.2. Personal protective equipment

Eye and face protection

Safety glasses with side protection (EN 166).

Print date: 4.5.2020 Page 5 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



Hand protection

Protective gloves (EN 374). EN 420:2003+A1:2009: Protective gloves - General requirements and test methods. Protective gloves (EN 388: 2003). The penetration time is determined by the protective glove manufacturer and must be observed. Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

Thermal hazards

_

8.2.3. Environmental exposure controls

Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

-	Physical state:	liquid; paste
-	Colour:	bright orange
-	Odour:	fruity

Important health, safety and environmental information

-	рН	7,8 at 20 °C
-	Melting point/freezing point	No information.
-	Initial boiling point/boiling range	100 °C
-	Flash point	> 70 °C
-	Evaporation rate	No information.
-	Flammability (solid, gas)	No information.
-	Explosion limits (vol%)	0,6 – 7 vol %
-	Vapour pressure	< 1 hPa at 20 °C
-	Vapour density	1
-	Density	Density: 0,96 g/cm ³ at 20 °C
-	Solubility	Water: miscible
-	Partition coefficient	No information.
-	Auto-ignition temperature	> 200 °C
-	Decomposition temperature	No information.
-	Viscosity	Dynamic : 7000 – 12000 mPas
-	Explosive properties	No information.
-	Oxidising properties	Not oxidising.

Print date: 4.5.2020 Page 6 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



9.2. Other information

-	Weight organic solvents	28,59 %
-	Remarks:	

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended transport or storage conditions.

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

The product is stable under recommended storage and handling conditions.

10.4. Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

10.5. Incompatible materials

Oxidants.

Strong acids.

Strong bases.

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

(a) Acute toxicity

Species Tin	Exposure route Type Species Time	Value	Method	Remark
rat	-alkanes, isoalkanes, cyclics, <2% oral LD ₅₀ rat	> 5000 mg/kg	OECD 401	
rabbit	-alkanes, isoalkanes, cyclics, <2% dermal LD ₅₀ rabbit	> 5000 mg/kg	OECD 402	
rat	-alkanes, isoalkanes, cyclics, <2% inhalation (vapours) LC ₅₀ rat	> 5000 mg/l	OECD 403	
rat	oral LD ₅₀ rat	> 5000 mg/kg	OECD 401	
rabbit	5) dermal LD ₅₀ rabbit	> 2000 mg/kg	OECD 402	
rat 4 h	5) inhalation (aerosol) LC ₅₀ rat 4 h	> 5,09 mg/l	OECD 403	
	(aerosol) The product is not classified for acute toxicity.		mg/l	mg/l 403

(b) Skin corrosion/irritation

Additional information: The product is not classified as irritating to the skin.

Print date: 4.5.2020 Page 7 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



(c) Serious eye damage/irritation

Additional information: The product is not classified as an irritant to the eyes.

(d) Respiratory or skin sensitisation

Additional information: The product is not classified as sensitising. It contains at least one ingredient that can cause sensitisation. Can cause allergic reaction.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

Additional information: STOT SE (single exposure): Not classified.

(i) STOT-repeated exposure

Additional information: STOT RE (repeated exposure): Not classified.

(j) Aspiration hazard

Additional information: Aspiration hazard: Not classified.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

Substance (CAS Nr.)	Туре	Value	Exposure time	Species	Organism	Method	Remark
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (-)	LC ₅₀	> 1000 mg/L	96 h	fish	Oncorhynchus mykiss		
	ErC ₅₀	> 1000 mg/L	72 h	algae	Pseudokirchneriella subcapitata		
	EC ₅₀	> 10000 mg/L	48 h	crustacea	Chaetogammarus marinus		
	NOEC	1000 mg/L	72 h	algae	Pseudokirchneriella subcapitata		
white mineral oil (8042-47-5)	LL50	> 10 mg/L	96 h	fish	Leuciscus idus	OECD 203	
	EL ₅₀	> 100 mg/L	48 h	crustacea	Daphnia magna	OECD 202	
	NOEC	≥ 100 mg/L	72 h	algae	Pseudokirchneriella subcapitata	OECD 201	

Print date: 4.5.2020 Page 8 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



12.1.2. Chronic (long-term) toxicity

For components

Substance (CAS Nr.)	Туре	Value	Exposure time	Species	Organism	Method	Remark
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (-)	NOEC	1,22 mg/l	21 days	crustacea	Daphnia magna		

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

12.2.2. Biodegradation

For components

Substance (CAS Nr.)	Туре	Rate	Time	Evaluation	Method	Remark
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (-)	biodegradability	69 %	28 days	readily biodegradable	OECD 301 F	
white mineral oil (8042-47-5)	biodegradability	31 %	28 days	not readily biodegradable	OECD 301 F	

12.3. Bioaccumulative potential

12.3.1. Partition coefficient

For components

Substance (CAS Nr.)	Media	Value	Temperature	рН	Concentration	Method
white mineral oil (8042-47-5)	Octanol-water (log Pow)	> 4				

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

No information.

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Other adverse effects

No information.

12.7. Additional information

For product

Product is not classified as dangerous for environment.

Do not allow to reach ground water, water courses or sewage system.

Water hazard class 1 (self-assessment): slightly hazardous for water.

Print date: 4.5.2020 Page 9 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

Waste chemical

Dispose of in accordance with applicable waste disposal regulation. Dispose the product to an authorised collector/remover of waste/company performing waste recovery. Do not allow product to reach drains/sewage systems.

Packaging

Dispose of in accordance with applicable waste disposal regulation. Deliver completely emptied containers to approved waste disposal authorities. Cleaned uncontaminated packaging may be taken for recycling.

13.1.2. Waste treatment-relevant information

13.1.3. Sewage disposal-relevant information

13.1.4. Other disposal recommendations

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

Not applicable.

14.2. UN proper shipping name

ADR, RID, IMDG, ADN, IATA: Not dangerous according to transport regulations.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

NO.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Print date: 4.5.2020 Page 10 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

-

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances

ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWC - European Waste Catalogue (replaced by LoW - see below)

GES - Generic Exposure Scenario

GHS - Globally Harmonized System

IATA - International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG - International Maritime Dangerous Goods

IMSBC - International Maritime Solid Bulk Cargoes

IT - Information Technology

IUCLID - International Uniform Chemical Information Database

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

LC₅₀ - Lethal Concentration to 50 % of a test population

LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)

LE - Legal Entity

LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR - Lead Registrant

M/I - Manufacturer / Importer

MS - Member States

MSDS - Material Safety Data Sheet

OC - Operational Conditions

OECD - Organization for Economic Co-operation and Development

Print date: 4.5.2020 Page 11 of 12

Product name: 3202 Moxi AH, orange

Creation date: 28.10.2019 · Revision: 24.3.2020 · Version: 1



OEL - Occupational Exposure Limit

OJ - Official Journal OR - Only Representative

OSHA - European Agency for Safety and Health at work PBT - Persistent, Bioaccumulative and Toxic substance

PEC - Predicted Effect Concentration

PNEC(s) - Predicted No Effect Concentration(s)

PPE - Personal Protection Equipment

(Q)SAR - Qualitative Structure Activity Relationship

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP - REACH Implementation Project

RMM - Risk Management Measure

SCBA - Self-Contained Breathing Apparatus

SDS - Safety data sheet

SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises

STOT - Specific Target Organ Toxicity

(STOT) RE - Repeated Exposure

(STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

UN - United Nations

vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

_

List of relevant H phrases

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.



- ☑ Provided correct labelling of the product
- ☑ Compliance with the local legislation
- ☑ Provided correct classification of the product
- ☑ Provided adequate transport data

© BENS Consulting | www.bens-consulting.com

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.

Print date: 4.5.2020 Page 12 of 12