

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **7080 M8 Acryfill**

Creation date: **25.7.2014** · Revision: **29.8.2019** · Version: **1**

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name

**7080 M8 Acryfill**



chemius.net/p8h06

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Primer filler

Uses advised against

No information.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer

SILCO, D.O.O.

Address: Šentrupert 5 a, 3303 Gomilsko, Slovenia

Phone: +386 3 703 3180

Fax: +386 3 703 3188

E-mail: n.cvilak@silco-automotive.com

Point of contact for safety info: Nejc Cvilak

### 1.4. Emergency telephone number

Emergency

112

Supplier

+386 3 703 3180

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 Flammable liquid and vapour.

Skin Irrit. 2; H315 Causes skin irritation.

Acute Tox. 4; H332 Harmful if inhaled.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **7080 M8 Acryfill**

Creation date: **25.7.2014** · Revision: **29.8.2019** · Version: **1**

## 2.2 Label elements

### 2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



Signal word: **Warning**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H332 Harmful if inhaled.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist/vapours.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local regulations.

### 2.2.2. Contains:

xylene (CAS: 1330-20-7, EC: 215-535-7, Index: 601-022-00-9)

### 2.2.3. Special provisions

Special hazards are not known or expected.

## 2.3. Other hazards

No information.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

For mixtures see 3.2.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: 7080 M8 Acryfill

Creation date: 25.7.2014 · Revision: 29.8.2019 · Version: 1

## 3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
xylene [C]	1330-20-7 215-535-7 601-022-00-9	20-35	Flam. Liq. 3; H226 Acute Tox. 4; H312 Skin Irrit. 2; H315 Acute Tox. 4; H332		01-2119488216-32
n-butyl acetate	123-86-4 204-658-1 607-025-00-1	<8	Flam. Liq. 3; H226 STOT SE 3; H336 EUH066		01-2119485493-29
2-methoxy-1-methylethyl acetate	108-65-6 203-603-9 607-195-00-7	< 8	Flam. Liq. 3; H226		01-2119475791-29
ethylbenzene	100-41-4 202-849-4 601-023-00-4	<2	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Acute Tox. 4; H332 STOT RE 2; H373 (hearing organs)		01-2119489370-35
n-butyl acrylate	141-32-2 205-480-7 607-062-00-3	<0,1	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Acute Tox. 4; H332 STOT SE 3; H335 Aquatic Chronic 3; H412		01-2119453155-43
methyl methacrylate [D]	80-62-6 201-297-1 607-035-00-6	<0,1	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335		01-2119452498-28

### Notes for substances:

<b>C</b>	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.  In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
<b>D</b>	Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.  However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words "non-stabilised".

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General notes

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### Following inhalation

Ventilate the premises. Inhale fresh air. Remove patient to fresh air - move out of dangerous area. Seek medical help immediately.

#### Following skin contact

Immediately remove contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. If symptoms develop and persist, seek medical attention.

#### Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation does not stop, seek professional medical treatment!

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **7080 M8 Acryfill**

Creation date: **25.7.2014** · Revision: **29.8.2019** · Version: **1**

## Following ingestion

Do not induce vomiting! Immediately consult a doctor.

### **4.2. Most important symptoms and effects, both acute and delayed**

#### Inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

Symptoms include: headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, unconsciousness.

#### Skin contact

Contact with skin may cause irritation (redness, itching).

#### Eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

#### Ingestion

May cause nausea/vomiting and diarrhea.

### **4.3. Indication of any immediate medical attention and special treatment needed**

-

## **SECTION 5. FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### Suitable extinguishing media

Fire extinguishing powder.

Carbon dioxide (CO<sub>2</sub>).

Foam.

Water spray.

#### Unsuitable extinguishing media

No special precautions required.

### **5.2. Special hazards arising from the substance or mixture**

#### Hazardous combustion products

-

### **5.3. Advice for firefighters**

#### Protective actions

In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray. If possible remove containers from endangered area.

#### Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### 6.1.1. For non-emergency personnel

##### **Protective equipment**

Wear suitable protective face mask, protective gloves and clothing.

##### **Emergency procedures**

Keep away from sources of ignition and/or heat; No smoking!

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: 7080 M8 Acryfill

Creation date: 25.7.2014 · Revision: 29.8.2019 · Version: 1

## 6.1.2. For emergency responders

-

## **6.2. Environmental precautions**

Do not allow product to reach water/drains/sewage systems and ground water. If accidental large entry into water or ground occurs, inform responsible authorities.

## **6.3. Methods and material for containment and cleaning up**

### 6.3.1. For containment

-

### 6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor.

### 6.3.3. Other information

-

## **6.4. Reference to other sections**

See also Sections 8 and 13.

# SECTION 7. HANDLING AND STORAGE

## **7.1. Precautions for safe handling**

### 7.1.1. Protective measures

#### **Measures to prevent fire**

-

#### **Measures to prevent aerosol and dust generation**

-

#### **Measures to protect the environment**

-

### 7.1.2. Advice on general occupational hygiene

Do not breathe vapours/mist. Consider measures required in Section 8 of this safety data sheet. Do not eat, drink or smoke while working.

## **7.2. Conditions for safe storage, including any incompatibilities**

### 7.2.1. Technical measures and storage conditions

Keep away from open fire, heat, sparks and direct sunlight. Keep in cool and well ventilated area.

### 7.2.2. Packaging materials

-

### 7.2.3. Requirements for storage rooms and vessels

-

### 7.2.4. Storage class

-

### 7.2.5. Further information on storage conditions

-

## **7.3. Specific end use(s)**

### **Recommendations**

Keep away from incompatible material (see section 10).

Product name: **7080 M8 Acryfill**

Creation date: **25.7.2014** · Revision: **29.8.2019** · Version: **1**

**Industrial sector specific solutions**

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Name (CAS)	Limit values		Short-term exposure limit		Remarks	Biological Tolerance Values
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>		
n-Butyl acrylate (141-32-2)	1	5	5	26		
Butyl acetate (123-86-4)	150	724	200	966		
Ethylbenzene (100-41-4)	100	441	125	552	Sk	
1-Methoxypropyl acetate (108-65-6)	50	274	100	548	Sk	
Methyl methacrylate (80-62-6)	50	208	100	416		
Xylene, o-,m-,p- or mixed isomers (1330-20-7)	50	220	100	441	Sk, BMGV	650 mmol methyl hippuric acid/mol creatinine in urine - Post shift

#### 8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

#### 8.1.3. DNEL/DMEL values

No information.

#### 8.1.4. PNEC values

No information.

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering control

##### Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

#### 8.2.2. Personal protective equipment

##### Eye and face protection

Tight fitting protective goggles (EN 166).

##### Hand protection

Protective gloves (EN 374).

##### Appropriate materials

Material	Thickness	Penetration Time	Remark
PVC			
Neoprene			
Nitrile			

##### Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: 7080 M8 Acryfill

Creation date: 25.7.2014 · Revision: 29.8.2019 · Version: 1

## Respiratory protection

In case of insufficient ventilation wear mask with filter A (EN 14387).

## Thermal hazards

-

## 8.2.3. Environmental exposure controls

-

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

- Physical state:	liquid
- Colour:	
- Odour:	

### Important health, safety and environmental information

- pH	No information.
- Melting point/freezing point	No information.
- Initial boiling point/boiling range	No information.
- Flash point	> 23 °C
- Evaporation rate	No information.
- Flammability (solid, gas)	No information.
- Explosion limits (vol%)	No information.
- Vapour pressure	No information.
- Vapour density	No information.
- Density	<b>Relative density:</b> 1,5 – 1,53
- Solubility	<b>Water:</b> Insoluble
- Partition coefficient	No information.
- Auto-ignition temperature	No information.
- Decomposition temperature	No information.
- Viscosity	No information.
- Explosive properties	No information.
- Oxidising properties	No information.

### 9.2. Other information

- Remarks:	
------------	--

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

-

### 10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

### 10.3. Possibility of hazardous reactions

-

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: 7080 M8 Acryfill

Creation date: 25.7.2014 · Revision: 29.8.2019 · Version: 1

## 10.4. Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

## 10.5. Incompatible materials

Oxidants.  
Acids. Bases.

## 10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected.

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### (a) Acute toxicity

Name	Exposure route	Type	Species	Time	Value	Method	Remark
xylene (1330-20-7)	oral	LD <sub>50</sub>	rat		4300 mg/kg		
xylene (1330-20-7)	dermal	LD <sub>50</sub>	rabbit		2000 mg/kg		
n-butyl acetate (123-86-4)	oral	LD <sub>50</sub>	mouse		6 mg/kg		
n-butyl acetate (123-86-4)	oral	LD <sub>50</sub>	rat		10768 mg/kg		
2-methoxy-1-methylethyl acetate (108-65-6)	dermal	LD <sub>50</sub>	rat		5000 mg/kg		
2-methoxy-1-methylethyl acetate (108-65-6)	oral	LD <sub>50</sub>	rat		8532 mg/kg		
ethylbenzene (100-41-4)	oral	LD <sub>50</sub>	rat		3500 – 4710 mg/kg		

#### (b) Skin corrosion/irritation

Name	Species	Time	Result	Method	Remark
xylene (1330-20-7)			Irritating.		

#### (c) Serious eye damage/irritation

Name	Species	Time	Result	Method	Remark
xylene (1330-20-7)			Irritating.		

#### (d) Respiratory or skin sensitisation

No information.

#### (e) (Germ cell) mutagenicity

No information.

#### (f) Carcinogenicity

No information.

#### (g) Reproductive toxicity

No information.

#### Summary of evaluation of the CMR properties

No information.

#### (h) STOT-single exposure

No information.

#### (i) STOT-repeated exposure

No information.

# SAFETY DATA SHEET according to Regulation 1907/2006

Product name: **7080 M8 Acryfill**

Creation date: **25.7.2014** · Revision: **29.8.2019** · Version: **1**



## (j) Aspiration hazard

No information.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### 12.1.1. Acute (short-term) toxicity

##### For components

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
xylene (1330-20-7)	EC <sub>50</sub>	165 mg/L	48 h	crustacea			
	LC <sub>50</sub>	14 – 86 mg/L	96 h	fish			
	EC <sub>50</sub>	1 – 10 mg/L	72 h	algae			
n-butyl acetate (123-86-4)	EC <sub>50</sub>	32 mg/L	48 h	crustacea			
	LC <sub>50</sub>	18 mg/L	96 h	fish			
2-methoxy-1-methylethyl acetate (108-65-6)	LC <sub>50</sub>	100 – 180 mg/L	96 h	fish			
	EC <sub>50</sub>	500 mg/L	48 h	crustacea			
ethylbenzene (100-41-4)	EC <sub>50</sub>	33 mg/L	72 h	algae			
	LC <sub>50</sub>	12 mg/L	96 h	fish			

#### 12.1.2. Chronic (long-term) toxicity

No information.

### 12.2. Persistence and degradability

#### 12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

#### 12.2.2. Biodegradation

##### For components

Substance (CAS Nr.)	Type	Rate	Time	Evaluation	Method	Remark
ethylbenzene (100-41-4)	aerobic				OECD 301 A (Modified AFNOR Test)	

### 12.3. Bioaccumulative potential

#### 12.3.1. Partition coefficient

No information.

#### 12.3.2. Bioconcentration factor (BCF)

No information.

### 12.4. Mobility in soil

#### 12.4.1. Known or predicted distribution to environmental compartments

No information.

#### 12.4.2. Surface tension

No information.

#### 12.4.3. Adsorption/Desorption

No information.

### 12.5. Results of PBT and vPvB assessment

No evaluation.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: 7080 M8 Acryfill

Creation date: 25.7.2014 · Revision: 29.8.2019 · Version: 1

## 12.6. Other adverse effects

No information.

## 12.7. Additional information

### For product

Do not allow to reach ground water, water courses or sewage system.  
Water hazard class 2 (self-assessment): hazardous for water.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### 13.1.1. Product / Packaging disposal

##### Waste chemical

Recycle or dispose according to official regulations: to leave it to authorized collector/remover/transformer of hazardous waste.

##### Packaging

Deliver completely emptied containers to approved waste disposal authorities.

#### 13.1.2. Waste treatment-relevant information

-

#### 13.1.3. Sewage disposal-relevant information

-

#### 13.1.4. Other disposal recommendations

-

## SECTION 14. TRANSPORT INFORMATION

### 14.1. UN number

UN 1263

### 14.2. UN proper shipping name

PAINT

### 14.3. Transport hazard class(es)

3

### 14.4. Packing group

III

### 14.5. Environmental hazards

NO.

### 14.6. Special precautions for user

#### Limited quantities

5 L

#### Tunnel restriction code

(D/E)

#### IMDG flashpoint

23 °C, c.c.

#### IMDG EmS

F-E, S-E



# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: 7080 M8 Acryfill

Creation date: 25.7.2014 · Revision: 29.8.2019 · Version: 1

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Goods may not be carried in bulk in bulk containers, containers or vehicles.

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

#### 15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

EU limit values and category: B(c) 540 g/l. VOC Content: 540 g/l

### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16. OTHER INFORMATION

### Indication of changes

-

### Abbreviations and acronyms

ATE - Acute Toxicity Estimate  
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
CEN - European Committee for Standardisation  
C&L - Classification and Labelling  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
CAS# - Chemical Abstracts Service number  
CMR - Carcinogen, Mutagen, or Reproductive Toxicant  
CSA - Chemical Safety Assessment  
CSR - Chemical Safety Report  
DMEL - Derived Minimal Effect Level  
DNEL - Derived No Effect Level  
DPD - Dangerous Preparations Directive 1999/45/EC  
DSD - Dangerous Substances Directive 67/548/EEC  
DU - Downstream User  
EC - European Community  
ECHA - European Chemicals Agency  
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)  
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)  
EEC - European Economic Community  
EINECS - European Inventory of Existing Commercial Substances  
ELINCS - European List of notified Chemical Substances  
EN - European Standard  
EQS - Environmental Quality Standard  
EU - European Union  
Euphrac - European Phrase Catalogue  
EWC - European Waste Catalogue (replaced by LoW – see below)  
GES - Generic Exposure Scenario  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG - International Maritime Dangerous Goods  
IMSBC - International Maritime Solid Bulk Cargoes  
IT - Information Technology  
IUCLID - International Uniform Chemical Information Database

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **7080 M8 Acryfill**

Creation date: **25.7.2014** · Revision: **29.8.2019** · Version: **1**

IUPAC - International Union for Pure Applied Chemistry  
JRC - Joint Research Centre  
Kow - octanol-water partition coefficient  
LC<sub>50</sub> - Lethal Concentration to 50 % of a test population  
LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose)  
LE - Legal Entity  
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)  
LR - Lead Registrant  
M/I - Manufacturer / Importer  
MS - Member States  
MSDS - Material Safety Data Sheet  
OC - Operational Conditions  
OECD - Organization for Economic Co-operation and Development  
OEL - Occupational Exposure Limit  
OJ - Official Journal  
OR - Only Representative  
OSHA - European Agency for Safety and Health at work  
PBT - Persistent, Bioaccumulative and Toxic substance  
PEC - Predicted Effect Concentration  
PNEC(s) - Predicted No Effect Concentration(s)  
PPE - Personal Protection Equipment  
(Q)SAR - Qualitative Structure Activity Relationship  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
RIP - REACH Implementation Project  
RMM - Risk Management Measure  
SCBA - Self-Contained Breathing Apparatus  
SDS - Safety data sheet  
SIEF - Substance Information Exchange Forum  
SME - Small and Medium sized Enterprises  
STOT - Specific Target Organ Toxicity  
(STOT) RE - Repeated Exposure  
(STOT) SE - Single Exposure  
SVHC - Substances of Very High Concern  
UN - United Nations  
vPvB - Very Persistent and Very Bioaccumulative

## Key literature references and sources for data

-

## List of relevant H phrases

H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs through prolonged or repeated exposure .  
H412 Harmful to aquatic life with long lasting effects.  
EUH066 Repeated exposure may cause skin dryness or cracking.

# SAFETY DATA SHEET according to Regulation 1907/2006



Product name: **7080 M8 Acryfill**

Creation date: **25.7.2014** · Revision: **29.8.2019** · Version: **1**



- Provided correct labelling of the product
- Compliance with the local legislation
- Provided correct classification of the product
- Provided adequate transport data

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.