Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

7170 Black Finish



chemius.net/p7R0e

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Varnish.

Uses advised against

No information.

1.3. Details of the supplier of the safety data sheet

Manufacturer

SILCO, D.O.O.

Address: Šentrupert 5 a, 3303 Gomilsko, Slovenia

Phone: +386 3 703 3180 Fax: +386 3 703 3188

E-mail: n.cvilak@silco-automotive.com Point of contact for safety info: Nejc Cvilak

1.4. Emergency telephone number

Emergency

112

Supplier

+386 3 703 3180

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 2; H225 Highly flammable liquid and vapour.

Acute Tox. 4; H312 Harmful in contact with skin.

Skin Irrit. 2; H315 Causes skin irritation.

Eye Irrit. 2; H319 Causes serious eye irritation.

Acute Tox. 4; H332 Harmful if inhaled.

Print date: 23.8.2019 Page 1 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]





Signal word: Danger

H225 Highly flammable liquid and vapour.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national regulation.

2.2.2. Contains:

xylene (CAS: 1330-20-7, EC: 215-535-7, Index: 601-022-00-9)

2.2.3. Special provisions

Special hazards are not known or expected.

2.3. Other hazards

No information.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

For mixtures see 3.2.

Print date: 23.8.2019 Page 2 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



3.2. Mixtures

Name	CAS % EC Index		Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.	
xylene ^[C]	1330-20-7 215-535-7 601-022-00-9	15-25%	Flam. Liq. 3; H226 Acute Tox. 4; H312 Skin Irrit. 2; H315 Acute Tox. 4; H332		-	
isopropyl alcohol	67-63-0 200-661-7 603-117-00-0	10-15%	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336		-	
ethylbenzene 100-41-4 5-10% Flam. Liq. 2; H225 202-849-4 Asp. Tox. 1; H304 Acute Tox. 4; H332 STOT RE 2; H373 (hearing		Asp. Tox. 1; H304		-		
2- butoxyethanol	111-76-2 203-905-0 603-014-00-0	2-6%	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute Tox. 4; H332		-	
toluene	108-88-3 203-625-9 601-021-00-3	<5%	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Repr. 2; H361d STOT RE 2; H373		-	
butan-1-ol	71-36-3 200-751-6 603-004-00-6	<2,5%	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 STOT SE 3; H336		-	

Notes for substances:

C Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.

In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes

When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician. Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. In case of unconsciousness bring patient into stable side position for transport and take care of breathing.

Following inhalation

Remove patient to fresh air - move out of dangerous area. If breathing is irregular or respiratory arrest occurs provide artificial respiration. In case of unconsciousness bring patient into stable side position and seek medical attention. Do not give anything to eat or drink to patient.

Following skin contact

Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. Do not use solvents or thinners. If irritation of skin persists seek medical attention.

Print date: 23.8.2019 Page 3 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



Following eye contact

After 5 minutes of rinsing, remove contact lenses, if present, and continue rinsing. Immediately rinse eyes with running water, also under the eyelids. Consult a physician immediately!

Following ingestion

Do not induce vomiting! Keep person warm and at rest. Consult a physician. Show the physician the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Excessive Inhalation causes drowsiness, dizziness, fatigue or headache.

Causes irritation of mucous membrane.

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

Damages kidneys, liver and central nervous system.

Skin contact

May cause defatting of the skin.

Can cause alergic reactions.

Eye contact

_

Ingestion

-

4.3. Indication of any immediate medical attention and special treatment needed

-

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂).

Fire extinguishing powder.

Foam.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of heating or fire dense black smoke is generated. In the event of fire the following can be generated: carbon monoxide (CO), carbon dioxide (CO_2) .

5.3. Advice for firefighters

Protective actions

Cool the endangered containers with water spray.

Special protective equipment for firefighters

self-contained breathing apparatus

Additional information

Contaminated firefighting water must be disposed of in accordance with the regulations; do not allow to reach the sewage system.

Print date: 23.8.2019 Page 4 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Do not breathe vapours/mist. Use respiratory protective equipment: breathing mask with suitable gas filter or self-contained breathing apparatus. Refer to protective measures listed in Sections 7 and 8.

Emergency procedures

Ensure adequate ventilation. Keep away sources of ignition.

6.1.2. For emergency responders

-

6.2. Environmental precautions

Do not allow to enter water/drains/sewerage. Avoid dispersing product in the water and ground. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

-

6.3.2. For cleaning up

Pick up mechanically and remove it in accordance with regulation. Do not absorb spillage with sawdust or other combustible material.

6.3.3. Other information

-

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation. Keep away from sources of ignition - no smoking. Take precautionary measures against static discharges. Use only explosion-proof devices. Prevent the formation of flammable or explosive concentrations of vapours in the air. Protect from open fire and other sources of ignition or heat. Only use grounded containers and equipment when transporting / transferring - possible danger of accumulation of electrostatic charges. Antistatic clothes and footwear are recommended. Use spark-proof tools. Vapours are heavier than air and spread along floor. Vapours and air form explosive mixtures.

Measures to prevent aerosol and dust generation

_

Measures to protect the environment

-

7.1.2. Advice on general occupational hygiene

Do not eat, drink or smoke while working. Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with skin and eyes. Do not breathe vapours/mist. Consider measures required in Section 8 of this safety data sheet. Refer to legal, protective and safety regulations. Refer to instructions on label and regulations for safety and health at work.

Print date: 23.8.2019 Page 5 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Keep in cool and well ventilated area. Do not expose to temperatures exceeding 50°C. Do not smoke! Keep unauthorized personnel away. Keep away from oxidising substances. Store away from strong bases. Store away from strong acids. Keep away from food, drink and animal feeding stuffs. Keep only in original, tightly closed container in a cool and well-ventilated area. Protect from cold (prevent freezing). Protect from open fire, heat and direct sunlight. Handle open containers with care. Do not allow product to reach water, drains and sewage systems!

7.2.2. Packaging materials

-

7.2.3. Requirements for storage rooms and vessels

-

7.2.4. Storage class

-

7.2.5. Further information on storage conditions

_

7.3. Specific end use(s)

Recommendations

-

Industrial sector specific solutions

-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational exposure limit values

Name (CAS)	Limit values		Short-term exposure limit		Remarks	Biological Tolerance Values	
	ml/m ³ (ppm)	mg/m ³	ml/m ³ (ppm)	mg/m ³			
Butan-1-ol (71-36-3)	-	-	50	154	Sk		
2-Butoxyethanol (111-76-2)	25	123	50	246	Sk, BMGV	240 mmol butoxyacetic acid/mol creatinine in urine - Post shift	
Ethylbenzene (100-41-4)	100	441	125	552	Sk		
Propan-2-ol (67-63-0)	400	999	500	1250			
Toluene (108-88-3)	50	191	100	384	Sk		
Xylene, o-,m-,p- or mixed isomers (1330-20-7)	50	220	100	441	Sk, BMGV	650 mmol methyl hippuric acid/mol creatinine in urine - Post shift	

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

8.1.3. DNEL/DMEL values

No information.

8.1.4. PNEC values

No information.

Print date: 23.8.2019 Page 6 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with eyes.

Organisational measures to prevent exposure

Do not eat, drink or smoke while working. Remove all contaminated clothes immediately and wash them before reuse.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

8.2.2. Personal protective equipment

Eye and face protection

Tight fitting protective goggles (EN 166).

Hand protection

In case of prolonged exposure, wear protective gloves (EN 374). (material: nitril, neoprene) Before use protect hands with suitable protective cream.

Skin protection

Working cothes resistant to organic solvents.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

Thermal hazards

_

8.2.3. Environmental exposure controls

_

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

ŀ	-	Physical state:	liquid
ŀ	-	Colour:	different colours
	-	Odour:	characteristic

Print date: 23.8.2019 Page 7 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



Important health, safety and environmental information

-	рН	No information.			
-	Melting point/freezing point	No information.			
-	Initial boiling point/boiling range	No information.			
-	Flash point	4 °C			
-	Evaporation rate	No information.			
-	Flammability (solid, gas)	No information.			
-	Explosion limits (vol%)	> 1 vol %			
-	Vapour pressure	No information.			
-	Vapour density	No information.			
-	Density	Density : 0,94 g/cm ³			
-	Solubility	No information.			
-	Partition coefficient	No information.			
-	Auto-ignition temperature	No information.			
-	Decomposition temperature	No information.			
-	Viscosity	No information.			
-	Explosive properties	No information.			
-	Oxidising properties	No information.			

9.2. Other information

-	Remarks:	

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

-

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

-

10.4. Conditions to avoid

Do not expose to temperatures exceeding 40 °C. At temperatures exceeding 40 °C cans may burst. Vapours and air can form explosive mixtures.

10.5. Incompatible materials

Oxidants.

Strong bases.

Strong acids.

10.6. Hazardous decomposition products

Carbon monoxide, dioxide, smoke, oxides and nitrogen;

Print date: 23.8.2019 Page 8 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

(a) Acute toxicity

No information.

(b) Skin corrosion/irritation

No information.

(c) Serious eye damage/irritation

No information.

(d) Respiratory or skin sensitisation

No information.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

No information.

(h) STOT-single exposure

No information.

(i) STOT-repeated exposure

No information.

(j) Aspiration hazard

No information.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

Substance (CAS Nr.)	Туре	Value	Exposure time	Species	Organism	Method	Remark
xylene (1330-20-7)	LC ₅₀	13,4 mg/L	96 h	fish			
	LC ₅₀	3,3 mg/L	96 h	fish			
ethylbenzene (100-41-4)	LC ₅₀	9,6 mg/L	96 h	fish			
	LC ₅₀	9,09 mg/L	96 h	fish			
	LC ₅₀	4,2 mg/L	96 h	fish			

12.1.2. Chronic (long-term) toxicity

No information.

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

Print date: 23.8.2019 Page 9 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



12.2.2. Biodegradation

No information.

12.3. Bioaccumulative potential

12.3.1. Partition coefficient

No information.

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

No information.

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Other adverse effects

No information.

12.7. Additional information

For product

No ecotoxicological data available.

Do not allow to reach ground water, water courses or sewage system.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

Waste chemical

Dispose according to regulations. Do not allow to enter sewers. Any disposal in the environment or discharging into water is prohibited.

Waste codes / waste designations according to LoW

08 01 11* - waste paint and varnish containing organic solvents or other dangerous substances

Packaging

According to regulations.

Waste codes / waste designations according to LoW

15 01 10* - packaging containing residues of or contaminated by dangerous substances

13.1.2. Waste treatment-relevant information

-

13.1.3. Sewage disposal-relevant information

-

13.1.4. Other disposal recommendations

-

SECTION 14. TRANSPORT INFORMATION

Print date: 23.8.2019 Page 10 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



14.1. UN number

UN 1263

14.2. UN proper shipping name

PAINT

14.3. Transport hazard class(es)

14.4. Packing group

Ш

14.5. Environmental hazards

NO

14.6. Special precautions for user

Limited quantities

5 I

Tunnel restriction code

(D/E)

IMDG flashpoint

4 °C, c.c.

IMDG EmS

F-E, <u>S-E</u>

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Goods may not be carried in bulk in bulk containers, containers or vehicles.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

Print date: 23.8.2019 Page 11 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances

ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWC - European Waste Catalogue (replaced by LoW - see below)

GES - Generic Exposure Scenario

GHS - Globally Harmonized System

IATA - International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG - International Maritime Dangerous Goods

IMSBC - International Maritime Solid Bulk Cargoes

IT - Information Technology

IUCLID - International Uniform Chemical Information Database

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

LC₅₀ - Lethal Concentration to 50 % of a test population

LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)

LE - Legal Entity

LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR - Lead Registrant

M/I - Manufacturer / Importer

MS - Member States

MSDS - Material Safety Data Sheet

OC - Operational Conditions

OECD - Organization for Economic Co-operation and Development

OEL - Occupational Exposure Limit

OJ - Official Journal

OR - Only Representative

OSHA - European Agency for Safety and Health at work

PBT - Persistent, Bioaccumulative and Toxic substance

PEC - Predicted Effect Concentration

PNEC(s) - Predicted No Effect Concentration(s)

PPE - Personal Protection Equipment

(Q)SAR - Qualitative Structure Activity Relationship

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP - REACH Implementation Project

RMM - Risk Management Measure

SCBA - Self-Contained Breathing Apparatus

SDS - Safety data sheet

SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises

STOT - Specific Target Organ Toxicity

Print date: 23.8.2019 Page 12 of 13

Product name: 7170 Black Finish

Creation date: 13.11.2006 · Revision: 31.5.2019 · Version: 1



(STOT) RE - Repeated Exposure (STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

UN - United Nations

vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

-

List of relevant H phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure .



☑ Provided correct labelling of the product

☑ Compliance with the local legislation

☑ Provided correct classification of the product

☑ Provided adequate transport data

© BENS Consulting | www.bens-consulting.com

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.

Print date: 23.8.2019 Page 13 of 13