

# SAFETY DATA SHEET according to regulation 1907/2006



**Product name: 8020 Rim Power Pro**

**Creation date: 26.05.2021, Revision: 01.06.2021, version: 1.0**

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

Product name

8020 Rim Power Pro



<https://my.chemius.net/p/RiD0wH/en/pd/en>

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cleaning agent.

Uses advised against

No information.

### 1.3 Details of the supplier of the safety data sheet

Supplier

SILCO, D.O.O.

Šentrupert 5 a

3303 Gomilsko, Slovenia

+386 3 703 3180

n.cvilak@silco-automotive.com

### 1.4 Emergency Telephone Number

Emergency

112

Supplier

+386 3 703 3180

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Met. Corr. 1; H290 May be corrosive to metals.

Acute Tox. 2; H300.2 Fatal if swallowed.

Acute Tox. 1; H310.1 Fatal in contact with skin.

Skin Corr. 1A; H314.1A Causes severe skin burns and eye damage.

Eye Dam. 1; H318 Causes serious eye damage.

Acute Tox. 3; H331 Toxic if inhaled.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

**Signal word: Danger**

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

**Contains:**

phosphoric acid

hydrofluoric acid

sulphuric acid

alcohols, C12-14, ethoxylated

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

For mixtures see 3.2.

**3.2 Mixtures**

NAME	CAS EC INDEX REACH	%	CLASSIFICATION ACCORDING TO REGULATION (EC) NO 1272/2008 (CLP)	SPECIFIC CONC. LIMITS	NOTES FOR SUBSTANCES
phosphoric acid	7664-38-2 231-633-2 015-011-00-6 01- 2119485924- 24	19 ≤ x < 23	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314.1B Eye Dam. 1; H318	Skin Corr. 1B; H314.1B; C ≥ 25% Skin Irrit. 2; H315; 10% ≤ C < 25% Eye Irrit. 2; H319; 10% ≤ C < 25%	B
hydrofluoric acid	7664-39-3 231-634-8 009-003-00-1 01- 2119458860- 33	9 ≤ x < 11	Acute Tox. 2; H300.2 Acute Tox. 1; H310.1 Skin Corr. 1A; H314.1A Acute Tox. 2; H330.2	Skin Corr. 1A; H314.1A; C ≥ 7% Skin Corr. 1B; H314.1B; 1% ≤ C < 7% Eye Irrit. 2; H319; 0.1% ≤ C < 1%	B

sulphuric acid	7664-93-9 231-639-5 016-020-00-8 01- 2119458838- 20	$9 \leq x < 11$	Skin Corr. 1A; H314.1A	Skin Corr. 1A; H314.1A; C $\geq$ 15% Skin Irrit. 2; H315; 5% $\leq C < 15\%$ Eye Irrit. 2; H319; 5% $\leq C < 15\%$	/
alcohols, C12-14, ethoxylated	68439-50-9 - -	$2 \leq x < 3$	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	/	/

### Notes for substances

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

**B** In Part 3 entries with Note B have a general designation of the following type: "nitric acid ... %".

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

## SECTION 4: FIRST AID MEASURES

### 4.1 First aid measures

#### General notes

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. Person giving first aid should properly protect himself.

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. Keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Seek medical help immediately.

#### Following skin contact

Take off all contaminated clothing. Areas of the body that have come into contact with the product must be rinsed with water. Immediately obtain professional medical help!

#### Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a physician immediately!

#### Following ingestion

Drink plenty of water in small sips. Do not induce vomiting! Never give anything by mouth to an unconscious person. Immediately consult a doctor. Show the physician the safety data sheet or label.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Following inhalation

Toxic by inhalation. Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

#### Following skin contact

Fatal in contact with skin. Skin burns: Signs/symptoms may include localised redness, swelling, itching, dryness, blistering.

#### Following eye contact

Causes burns: signs/symptoms include corneal damage, burns, pain, lacrimation, corrosive effects, partial or complete loss of sight.

#### Following ingestion

Fatal if swallowed. May cause nausea/vomiting and diarrhea. May cause abdominal discomfort. If ingested, may cause

burns of the mouth and throat, as well as perforation of the esophagus and stomach.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

#### Unsuitable extinguishing media

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

### 5.3 Advice for firefighters

#### Protective actions

In case of fire evacuate the area. In case of fire or heating do not breathe fumes/vapours. No action shall be taken involving any personal risk or without suitable training. Cool the endangered containers with water spray.

#### Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

#### Additional information

Contaminated firefighting water must be disposed of in accordance with the regulations; do not allow to reach the sewage system.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

##### Protective equipment

Use personal protective equipment (Section 8).

##### Precautionary measures

Ensure adequate ventilation.

##### Emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate the danger zone. Prevent access to unprotected personnel. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.

#### For emergency responders

Use personal protective equipment.

### 6.2 Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

**For containment**

Stem the spill if this does not pose risks.

**For cleaning up**

Prevent release into the sewer, water, basements or confined areas. Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Make sure the leakage site is well aired. Dispose in accordance with applicable regulations (see Section 13).

**OTHER INFORMATION**

No information.

**6.4 Reference to other sections**

See also sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling****Protective measures****Measures to prevent fire**

Ensure adequate ventilation. Ensure proper grounding of the equipment.

**Measures to prevent aerosol and dust generation**

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

**Measures to protect the environment**

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

**Other measures**

No information.

**Advice on general occupational hygiene**

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist. Avoid contact with skin, eyes and clothes. Wear suitable protective equipment; see Section 8. Remove contaminated clothes and wash them before reuse. Before entering areas where food is eaten, remove contaminated clothing and protective equipment. Refer to instructions on label and regulations for safety and health at work.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Store in accordance with local regulations. Keep in well closed containers. Keep in a cool, dry and well ventilated place. Keep away from heat and sources of ignition. Keep away from incompatible products (see section 10). Keep away from food, drink and animal feeding stuffs.

**Packaging materials**

Store only in original container.

**Requirements for storage rooms and vessels**

Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

**Storage class**

No information.

**Further information on storage conditions**

No information.

**7.3 Specific end use(s)****Recommendations**

No information.

**Industrial sector specific solutions**

No information.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Occupational Exposure limit values

NAME	MG/M <sup>3</sup>	ML/M <sup>3</sup>	SHORT-TERM VALUE MG/M <sup>3</sup>	SHORT-TERM VALUE ML/M <sup>3</sup>	REMARK	BIOLOGICAL TOLERANCE VALUES
Hydrogen fluoride (as F) (7664-39-3)	1.5	1.8	2.5	3	/	/
Orthophosphoric acid (7664-38-2)	1	/	2	/	/	/
Sulphuric acid (mist) (7664-93-9)	0.05	/	/	/	The mist is defined as the thoracic fraction	/

#### Information on monitoring procedures

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents.

#### DNEL/DMEL values

##### For product

No information.

##### For components

NAME	TYPE	EXPOSURE ROUTE	EXP. FREQUENCY	REMARK	VALUE
phosphoric acid	Worker	inhalation	long term systemic effects	/	1.5 mg/m <sup>3</sup>
phosphoric acid	Worker	inhalation	short term systemic effects	/	2.5 mg/m <sup>3</sup>
phosphoric acid	Worker	inhalation	long term local effects	/	1.5 µg/m <sup>3</sup>
phosphoric acid	Worker	inhalation	short term local effects	/	2.5 mg/m <sup>3</sup>
phosphoric acid	Consumer	inhalation	long term systemic effects	/	0.03 mg/m <sup>3</sup>
phosphoric acid	Consumer	inhalation	short term systemic effects	/	0.03 mg/m <sup>3</sup>
phosphoric acid	Consumer	inhalation	long term local effects	/	0.2 mg/m <sup>3</sup>
phosphoric acid	Consumer	inhalation	short term local effects	/	1.25 mg/m <sup>3</sup>
phosphoric acid	Consumer	oral	long term systemic effects	/	0.01 mg/kg bw/day
phosphoric acid	Consumer	oral	short term systemic effects	/	0.01 mg/kg bw/day
hydrofluoric acid	Worker	inhalation	long term systemic effects	/	1.5 mg/m <sup>3</sup>
hydrofluoric acid	Worker	inhalation	short term systemic effects	/	2.5 mg/m <sup>3</sup>
hydrofluoric acid	Worker	inhalation	long term local effects	/	1.5 µg/m <sup>3</sup>
hydrofluoric acid	Worker	inhalation	short term local effects	/	2.5 mg/m <sup>3</sup>
hydrofluoric acid	Consumer	inhalation	long term systemic effects	/	0.03 mg/m <sup>3</sup>
hydrofluoric acid	Consumer	inhalation	short term systemic effects	/	0.03 mg/m <sup>3</sup>
hydrofluoric acid	Consumer	inhalation	long term local effects	/	0.2 mg/m <sup>3</sup>
hydrofluoric acid	Consumer	inhalation	short term local effects	/	1.25 mg/m <sup>3</sup>

hydrofluoric acid	Consumer	oral	long term systemic effects	/	0.01 mg/kg bw/day
hydrofluoric acid	Consumer	oral	short term systemic effects	/	0.01 mg/kg bw/day
sulphuric acid	Worker	inhalation	long term local effects	/	0.05 mg/m <sup>3</sup>
sulphuric acid	Worker	inhalation	short term local effects	/	0.1 mg/m <sup>3</sup>
alcohols, C12-14, ethoxylated	Worker	inhalation	long term systemic effects	/	294 mg/m <sup>3</sup>
alcohols, C12-14, ethoxylated	Worker	dermal	long term systemic effects	/	2080 mg/kg bw/day
alcohols, C12-14, ethoxylated	Consumer	inhalation	long term systemic effects	/	87 mg/m <sup>3</sup>
alcohols, C12-14, ethoxylated	Consumer	dermal	long term systemic effects	/	1250 mg/kg bw/day
alcohols, C12-14, ethoxylated	Consumer	oral	long term systemic effects	/	25 mg/kg bw/day

#### PNEC values

For product

No information.

For components

NAME	EXPOSURE ROUTE	REMARK	VALUE
phosphoric acid	fresh water	/	0.9 mg/L
phosphoric acid	marine water	/	0.9 mg/L
phosphoric acid	water treatment plant	/	51 mg/L
phosphoric acid	soil	dry weight	11 mg/kg
hydrofluoric acid	fresh water	/	0.9 mg/L
hydrofluoric acid	marine water	/	0.9 mg/L
hydrofluoric acid	water treatment plant	/	51 mg/L
hydrofluoric acid	soil	dry weight	11 mg/kg
sulphuric acid	fresh water	/	0.003 mg/L
sulphuric acid	marine water	/	0 mg/L
sulphuric acid	water treatment plant	/	8.8 mg/L
sulphuric acid	fresh water sediment	dry weight	0.002 mg/kg
sulphuric acid	marine water sediment	dry weight	0.002 mg/kg
alcohols, C12-14, ethoxylated	fresh water	/	0.074 mg/L
alcohols, C12-14, ethoxylated	water, intermittent release	/	0.004 mg/L
alcohols, C12-14, ethoxylated	marine water	/	0.007 mg/L
alcohols, C12-14, ethoxylated	water, marine, intermittent release	/	0 mg/L
alcohols, C12-14, ethoxylated	water treatment plant	/	10 g/L

alcohols, C12-14, ethoxylated	fresh water sediment	dry weight	66.67 mg/kg
alcohols, C12-14, ethoxylated	marine water sediment	dry weight	6.66 mg/kg
alcohols, C12-14, ethoxylated	soil	dry weight	1 mg/kg

## 8.2 Exposure controls

### Appropriate engineering control

#### Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothes. Do not eat, drink or smoke while working. Do not breathe vapours/aerosols. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### Structural measures to prevent exposure

No information.

#### Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse. Keep eyewash bottles or personal eyewash units and emergency showers available.

#### Technical measures to prevent exposure

The use of adequate technical equipment must always take priority over personal protective equipment. Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

### Personal protective equipment

#### Eye and face protection

Wear tight fitting protective goggles and face protection (EN 166).

#### Hand protection

Use only protective gloves with CE-labelling of category III (EN 374). Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The penetration time is determined by the protective glove manufacturer and must be observed.

### Appropriate materials

#### Skin protection

Wear category III professional long-sleeved overalls and safety footwear (see Regulation (EU) 2016/425 and standard EN ISO 20344). Protective work clothing resistant to liquid chemicals (EN 14605). At high risk of skin exposure chemical suits (EN ISO 6530:2005) and boots may be required (EN ISO 20345:2012). Choose body protection according to the activity and possible exposure.

#### Respiratory protection

At elevated concentrations of vapours/aerosols wear mask (EN 136) with filter ABEK-P (EN 14387). 'High/elevated concentrations' means that the occupational exposure limit values have been exceeded. For dust/gas/ vapor concentrations above the applicable filter limit, in case of oxygen concentrations below 17% or in vague conditions, autonomous self-contained breathing apparatus should be used, according to standard EN 137, EN 138.

### Thermal hazards

No information.

### Environmental exposure controls

#### Substance/mixture related measures to prevent exposure

No information.

#### Instruction measures to prevent exposure

No information.

#### Organisational measures to prevent exposure

No information.

#### Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state

liquid

Colour

orange

Odour

characteristic

Important health, safety and environmental information

Odour threshold	No information.
pH	2.07
Melting point/Freezing point	No information.
Initial boiling point/boiling range	158 °C
Flash point	> 60 °C
Evaporation rate	No information.
Flammability (solid, gas)	No information.
Explosion limits (vol%)	No information.
Vapour pressure	No information.
Vapour density	No information.
Density / weight	Relative density: 1.21
Solubility	Water: miscible
Partition coefficient	No information.
Auto-ignition temperature	No information.
Decomposition temperature	No information.
Viscosity	No information.
Explosive properties	Product is not explosive.
Oxidising properties	Not oxidising.

### 9.2 OTHER INFORMATION

Solids content	39.34 % (250 °C)
----------------	------------------

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

Stable under recommended transport or storage conditions.

**10.2 Chemical stability**

Product is stable under normal conditions of use, recommended handling and storage conditions.

**10.3 Possibility of hazardous reactions**

The product is stable under recommended storage and handling conditions.

**10.4 Conditions to avoid**

Avoid contact with incompatible materials.

**10.5 Incompatible materials**

Bases. Metals.  
Water.

**10.6 Hazardous decomposition products**

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****(a) Acute toxicity**

For product

EXPOSURE ROUTE	TYPE	SPECIES	TIME	VALUE	METHOD	REMARK
inhalation	ATE	/	/	4.55 mg/l	/	/
oral	ATE	/	/	43.9 mg/kg	/	/
dermal	ATE	/	/	45.45 mg/kg	/	/

For components

NAME	EXPOSURE ROUTE	TYPE	SPECIES	TIME	VALUE	METHOD	REMARK
hydrofluoric acid	inhalation	LC <sub>50</sub>	/	1 h	1310 ppm	/	/
sulphuric acid	oral	LD <sub>50</sub>	rat	/	2140 mg/kg	/	/
sulphuric acid	inhalation	LC <sub>50</sub>	rat	8 h	0.6 mg/l	/	/
alcohols, C12-14, ethoxylated	oral	LD <sub>50</sub>	rat	/	2000 mg/kg	/	/

**Additional information**

Fatal in contact with skin. Fatal if swallowed. Toxic by inhalation.

**(b) Skin corrosion/irritation**

No information.

**Additional information**

Causes severe burns and skin damage.

**(c) Serious eye damage/irritation**

No information.

**Additional information**

Causes serious eye damage.

(d) Respiratory or skin sensitisation

No information.

Additional information

The product is not classified as sensitising.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

No information.

Additional information

STOT SE (single exposure): Not classified.

(i) STOT-repeated exposure

No information.

Additional information

STOT RE (repeated exposure): Not classified.

(j) Aspiration hazard

No information.

Additional information

Aspiration hazard: Not classified.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Acute (short-term) toxicity

For components

NAME	TYPE	VALUE	EXPOSURE TIME	SPECIES	ORGANISM	METHOD	REMARK
phosphoric acid	LC <sub>50</sub>	> 3	96 h	fish	/	/	/
phosphoric acid	EC <sub>50</sub>	> 100 mg/L	48 h	crustacea	/	/	/
phosphoric acid	EC <sub>50</sub>	> 100 mg/L	72 h	algae	/	/	/
hydrofluoric acid	LC <sub>50</sub>	51	96 h	fish	/	/	/
sulphuric acid	LC <sub>50</sub>	> 16 mg/L	96 h	fish	<i>Lepomis macrochirus</i>	/	/
sulphuric acid	EC <sub>50</sub>	> 100 mg/L	72 h	algae	<i>Desmodesmus subspicatus</i>	/	/

Chronic (long-term) toxicity

For components

NAME	TYPE	VALUE	EXPOSURE TIME	SPECIES	ORGANISM	METHOD	REMARK
phosphoric acid	NOEC	100 mg/l	/	algae	/	/	/
hydrofluoric acid	NOEC	4 mg/l	/	fish	/	/	/

alcohols, C12-14, ethoxylated	NOEC	> 0.1 mg/l	/	fish	/	/	/
alcohols, C12-14, ethoxylated	NOEC	> 0.1 mg/l	/	crustacea	<i>Daphnia</i>	/	/
alcohols, C12-14, ethoxylated	NOEC	> 0.1 mg/l	/	algae	/	/	/

## 12.2 Persistence and degradability

### Abiotic degradation, physical- and photo-chemical elimination

No information.

### Biodegradation

For components

NAME	TYPE	RATE	TIME	EVALUATION	METHOD	REMARK
sulphuric acid	-	/	/	Not rapidly biodegradable.	/	/
alcohols, C12-14, ethoxylated	-	/	/	readily biodegradable	/	/

## 12.3 Bioaccumulative potential

### Partition coefficient

No information.

### Bioconcentration factor (BCF)

No information.

## 12.4 Mobility in soil

### Known or predicted distribution to environmental compartments

No information.

### Surface tension

No information.

### Adsorption/Desorption

No information.

## 12.5 Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances in percentages greater than 0.1%.

## 12.6 Other adverse effects

No information.

## 12.7 Additional information

### For product

Do not allow to reach ground water, water courses or sewage system.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Product / Packaging disposal****Waste chemical**

Dispose of in accordance with applicable waste disposal regulation. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste. Do not allow product to reach drains/sewage systems.

**Waste codes / waste designations according to LoW**

No information.

**Packaging**

Dispose of in accordance with applicable waste disposal regulation. Deliver completely emptied containers to approved waste disposal authorities.

**Waste codes / waste designations according to LoW**

No information.

**Waste treatment-relevant information**

No information.









**Sewage disposal-relevant information**

No information.

**Other disposal recommendations**

No information.

**SECTION 14: TRANSPORT INFORMATION**

ADR/RID	IMDG	IATA	ADN
<b>14.1 UN number</b>			
UN 2922	UN 2922	UN 2922	UN 2922
<b>14.2 UN proper shipping name</b>			
CORROSIVE LIQUID, TOXIC, N.O.S., phosphoric acid, hydrofluoric acid, sulphuric acid	CORROSIVE LIQUID, TOXIC, N.O.S., phosphoric acid, hydrofluoric acid, sulphuric acid	CORROSIVE LIQUID, TOXIC, N.O.S., phosphoric acid, hydrofluoric acid, sulphuric acid	CORROSIVE LIQUID, TOXIC, N.O.S., phosphoric acid, hydrofluoric acid, sulphuric acid
<b>14.3 Transport hazard class(es)</b>			
8	8	8	8
			
			
<b>14.4 Packing group</b>			
II	II	II	II
<b>14.5 Environmental hazards</b>			
NO	NO	NO	NO
<b>14.6 Special precautions for user</b>			

Limited quantities 1 L Transport category 2 Tunnel restriction code (E)	Limited quantities 1 L EmS F-A, S-B Special provisions 274 Packing Instructions P001, IBC02 Tank instructions T7 Tank special provisions TP2	Limited Quantity Packing Instructions Y840 Limited Quantity Net Qty 0.5 L Passenger Packing Instruction Packing Instructions 851 Passenger Packing Instruction Net Qty 1 L	Limited quantities 1 L
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>			
Goods may not be carried in bulk in bulk containers, containers or vehicles.	Goods may not be carried in bulk in bulk containers, containers or vehicles.	Not given/not applicable	Not given/not applicable

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)(including last amendment Commission Regulation (EU) 2015/830)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)  
not applicable

Regulation EC 648/2004 on detergents

5% - < 15%: phosphates

Special instructions

Seveso III: H1. Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Terms of restriction: 3. Observe the regulations on employment and protection against dangerous substances for young people, pregnant women and nursing mothers.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION

Indication of changes

No information.

Key literature references and sources for data

No information.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level  
DNEL - Derived No Effect Level  
DPD - Dangerous Preparations Directive 1999/45/EC  
DSD - Dangerous Substances Directive 67/548/EEC  
DU - Downstream User  
EC - European Community  
ECHA - European Chemicals Agency  
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)  
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)  
EEC - European Economic Community  
EINECS - European Inventory of Existing Commercial Substances  
ELINCS - European List of notified Chemical Substances  
EN - European Standard  
EQS - Environmental Quality Standard  
EU - European Union  
Euphrac - European Phrase Catalogue  
EWC - European Waste Catalogue (replaced by LoW – see below)  
GES - Generic Exposure Scenario  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG - International Maritime Dangerous Goods  
IMSBC - International Maritime Solid Bulk Cargoes  
IT - Information Technology  
IUCLID - International Uniform Chemical Information Database  
IUPAC - International Union for Pure Applied Chemistry  
JRC - Joint Research Centre  
Kow - octanol-water partition coefficient  
LC50 - Lethal Concentration to 50 % of a test population  
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)  
LE - Legal Entity  
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)  
LR - Lead Registrant  
M/I - Manufacturer / Importer  
MS - Member States  
MSDS - Material Safety Data Sheet  
OC - Operational Conditions  
OECD - Organization for Economic Co-operation and Development  
OEL - Occupational Exposure Limit  
OJ - Official Journal  
OR - Only Representative  
OSHA - European Agency for Safety and Health at work  
PBT - Persistent, Bioaccumulative and Toxic substance  
PEC - Predicted Effect Concentration  
PNEC(s) - Predicted No Effect Concentration(s)  
PPE - Personal Protection Equipment  
(Q)SAR - Qualitative Structure Activity Relationship  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
RIP - REACH Implementation Project  
RMM - Risk Management Measure  
SCBA - Self-Contained Breathing Apparatus  
SDS - Safety data sheet  
SIEF - Substance Information Exchange Forum  
SME - Small and Medium sized Enterprises  
STOT - Specific Target Organ Toxicity  
(STOT) RE - Repeated Exposure  
(STOT) SE - Single Exposure  
SVHC - Substances of Very High Concern  
UN - United Nations  
vPvB - Very Persistent and Very Bioaccumulative

List of relevant H phrases

H290 May be corrosive to metals.  
H300 Fatal if swallowed.  
H302 Harmful if swallowed.  
H310 Fatal in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H412 Harmful to aquatic life with long lasting effects.