Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product name

### 90.400 Binder UniMix 2K Synthetic glossy

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Varnish.

Uses advised against

No information.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

SILCO, D.O.O. Address: Šentrupert 5 a, 3303 Gomilsko, Slovenia Phone: +386 3 703 3180 Fax: +386 3 703 3188 E-mail: n.cvilak@silco-automotive.com Point of contact for safety info: Nejc Cvilak

#### **1.4. Emergency telephone number**

Emergency

112

<u>Supplier</u>

+386 3 703 3180

## SECTION 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 Flammable liquid and vapour.
Acute Tox. 4; H312 Harmful in contact with skin.
Skin Irrit. 2; H315 Causes skin irritation.
Acute Tox. 4; H332 Harmful if inhaled.
STOT SE 3; H335 May cause respiratory irritation.
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.



chemius.net/ICe34



Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



#### 2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



#### Signal word: Warning

- H226 Flammable liquid and vapour.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P273 Avoid release to the environment.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national regulation.

#### 2.2.2. Contains:

xylene (CAS: 1330-20-7, EC: 215-535-7, Index: 601-022-00-9)

#### 2.2.3. Special provisions

Special hazards are not known or expected.

#### 2.3. Other hazards

No information.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

For mixtures see 3.2.

Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



#### 3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
xylene <sup>[C]</sup>	1330-20-7 215-535-7 601-022-00-9	10,01-25%	Flam. Liq. 3; H226 Acute Tox. 4; H312 Skin Irrit. 2; H315 Acute Tox. 4; H332		-
Solvent naphtha (petroleum), light arom. [P]	64742-95-6 265-199-0 649-356-00-4	2,51-10%	Asp. Tox. 1; H304 STOT SE 3; H335		-
ethylbenzene	100-41-4 202-849-4 601-023-00-4	2,51-10%	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Acute Tox. 4; H332 STOT RE 2; H373 (hearing organs)		-
1,2,4-trimethylbenzene	95-63-6 202-436-9 601-043-00-3	2,51-10%	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute Tox. 4; H332 STOT SE 3; H335 Aquatic Chronic 2; H411		-
mesitylene	108-67-8 203-604-4 601-025-00-5	0,01-2,50%	Flam. Liq. 3; H226 STOT SE 3; H335 Aquatic Chronic 2; H411	STOT SE 3; H335: C ≥ 25 %	-

#### Notes for substances:

C Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.

In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

P The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7).

When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply.

This note applies only to certain complex oil-derived substances in Part 3.

#### SECTION 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

General notes

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. Seek medical help immediately.

#### Following skin contact

Immediately remove contaminated clothing.

#### Following eye contact

If substance has got into eyes, immediately wash out with plenty of water. If irritation does not stop, seek professional medical treatment!

#### Following ingestion

Do not induce vomiting! Immediately consult a doctor.

#### Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



#### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation. Negative effects can affect liver, kidney, and central nervous system. Causes irritation of mucous membrane. Intoxication, vertigo, headache, nausea.

#### Skin contact

Repeated or prolonged contact with the product may lead to removal of natural fats from the skin and non-allergic contact dermatitis.

May cause allergic reaction in sensitive individuals.

#### Eye contact

Ingestion

-

#### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5. FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media

Foam. Carbon dioxide (CO<sub>2</sub>). Water spray.

Unsuitable extinguishing media

No special precautions required.

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of heating harmful vapours/gases can be generated.

#### 5.3. Advice for firefighters

#### Protective actions

In case of fire or heating do not breathe fumes/vapours. Cool the endangered containers with water spray.

Special protective equipment for firefighters

self-contained breathing apparatus

## SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

#### **Protective equipment**

Use personal protective equipment (Section 8). Do not breathe vapours/mist. Ensure adequate ventilation.

#### **Emergency procedures**

Protect from open fire and other possible sources of ignition. Ensure adequate ventilation.

#### 6.1.2. For emergency responders

Print date: 23.8.2019

#### Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



#### 6.2. Environmental precautions

Do not allow to enter water/drains/sewerage. If accidental large entry into water or ground occurs, inform responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

#### 6.3.1. For containment

#### 6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Do not absorb spillage with sawdust or other combustible material. Prevent product to reach water bodies or sewage systems.

#### 6.3.3. Other information

-

#### 6.4. Reference to other sections

See also Sections 8 and 13.

## SECTION 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

#### 7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation.

#### Measures to prevent aerosol and dust generation

#### Measures to protect the environment

-

## 7.1.2. Advice on general occupational hygiene

Do not eat, drink or smoke while working. Do not breathe vapours/mist. Use good personal hygiene practices – wash hands at breaks and when done working with material. Wear suitable respiratory protection (section 8).

## 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1. Technical measures and storage conditions

Keep in cool and well ventilated area. Keep away from heat and sources of ignition. Protect from open fire, heat and direct sunlight. Keep unauthorized personnel away. Keep away from oxidising substances. Store away from strong acids. Store away from strong bases. Do not smoke! Store between:  $0^{\circ}C$  to  $+30^{\circ}C$ 

## 7.2.2. Packaging materials

7.2.3. Requirements for storage rooms and vessels

- 7.2.4. Storage class
- 7.2.5. Further information on storage conditions

## 7.3. Specific end use(s)

## Recommendations

-

Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



Industrial sector specific solutions

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

8.1.1. Occupational exposure limit values

Name (CAS)			Short-term exposure limit		Remarks	Biological Tolerance Values
	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>	ml/m <sup>3</sup> (ppm)	mg/m <sup>3</sup>		
Ethylbenzene (100-41-4)	100	441	125	552	Sk	
Xylene, o-,m-,p- or mixed isomers (1330-20-7)	50	220	100	441	Sk, BMGV	650 mmol methyl hippuric acid/mol creatinine in urine - Post shift

#### 8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

#### 8.1.3. DNEL/DMEL values

No information.

#### 8.1.4. PNEC values

No information.

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering control

#### Substance/mixture related measures to prevent exposure during identified uses

Do not breathe vapours/aerosols.

#### Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

#### 8.2.2. Personal protective equipment

#### Eye and face protection

Safety googles (EN 166).

#### Hand protection

Use chemical resistant gloves. Protective gloves (EN 374).

#### Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

#### **Respiratory protection**

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

#### Thermal hazards

#### 8.2.3. Environmental exposure controls

Print date: 23.8.2019

Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

-	Physical state:	liquid
-	Colour:	colorless
-	Odour:	solvent like

## Important health, safety and environmental information

-	рН	No information.
-	Melting point/freezing point	No information.
-	Initial boiling point/boiling range	No information.
-	Flash point	25 °C
-	Evaporation rate	No information.
-	Flammability (solid, gas)	No information.
-	Explosion limits (vol%)	> 0,6 vol %
-	Vapour pressure	No information.
-	Vapour density	No information.
-	Density	No information.
-	Solubility	No information.
-	Partition coefficient	No information.
-	Auto-ignition temperature	No information.
-	Decomposition temperature	No information.
-	Viscosity	<b>Dynamic</b> : 10 - 14
-	Explosive properties	No information.
-	Oxidising properties	No information.

#### 9.2. Other information

- Remarks:

## SECTION 10. STABILITY AND REACTIVITY

#### 10.1. Reactivity

10.2. Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

No special precautions required. Consider the directions for use and storage.

#### 10.5. Incompatible materials

Follow the general rule of incompatible chemicals.

#### **10.6. Hazardous decomposition products**

Under normal use conditions no hazardous decomposition products are expected.

Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



## SECTION 11. TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

- (a) Acute toxicity
  - No information.
- (b) Skin corrosion/irritation

No information.

(c) Serious eye damage/irritation

No information.

(d) Respiratory or skin sensitisation

No information.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

### Summary of evaluation of the CMR properties

No information.

(h) STOT-single exposure

No information.

(i) STOT-repeated exposure

No information.

(j) Aspiration hazard

No information.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

12.1.1. Acute (short-term) toxicity

No information.

12.1.2. Chronic (long-term) toxicity

No information.

## 12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

12.2.2. Biodegradation

No information.

## 12.3. Bioaccumulative potential

12.3.1. Partition coefficient

No information.

## 12.3.2. Bioconcentration factor (BCF)

No information.

#### Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



#### 12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

12.4.2. Surface tension

No information.

No information.

12.4.3. Adsorption/Desorption

No information.

#### 12.5. Results of PBT and vPvB assessment

No evaluation.

#### 12.6. Other adverse effects

No information.

#### 12.7. Additional information

#### For product

Do not allow to reach ground water, water courses or sewage system. No detailed ecotoxicological data is available for the product.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

#### Waste chemical

Do not allow product to reach drains/sewage systems. Dispose according to regulations.

#### Packaging

Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents.

#### 13.1.2. Waste treatment-relevant information

-

13.1.3. Sewage disposal-relevant information

13.1.4. Other disposal recommendations

## **SECTION 14. TRANSPORT INFORMATION**

#### 14.1. UN number

UN 1263

## 14.2. UN proper shipping name

PAINT

#### 14.3. Transport hazard class(es)

3

#### 14.4. Packing group

III



Product name: 90.400 Binder UniMix 2K Synthetic glossy Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



#### 14.5. Environmental hazards

NO.

14.6. Special precautions for user

Limited quantities 5 L Tunnel restriction code (D/E) IMDG flashpoint 25 °C, c.c. IMDG EmS

F-E, <u>S-E</u>

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Goods may not be carried in bulk in bulk containers, containers or vehicles.

## SECTION 15. REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

<u>15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds</u> (VOC-guideline)

Not applicable.

#### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16. OTHER INFORMATION

Indication of changes

#### Abbreviations and acronyms

- ATE Acute Toxicity Estimate
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- CEN European Committee for Standardisation
- C&L Classification and Labelling
- CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
- CAS# Chemical Abstracts Service number
- CMR Carcinogen, Mutagen, or Reproductive Toxicant
- CSA Chemical Safety Assessment
- CSR Chemical Safety Report
- DMEL Derived Minimal Effect Level
- DNEL Derived No Effect Level
- DPD Dangerous Preparations Directive 1999/45/EC
- DSD Dangerous Substances Directive 67/548/EEC
- DU Downstream User
- EC European Community
- ECHA European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

## Product name: 90.400 Binder UniMix 2K Synthetic glossy

Creation date: 18.11.2006 · Revision: 27.6.2018 · Version: 1



EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway) EEC - European Economic Community EINECS - European Inventory of Existing Commercial Substances ELINCS - European List of notified Chemical Substances EN - European Standard EQS - Environmental Quality Standard EU - European Union Euphrac - European Phrase Catalogue EWC - European Waste Catalogue (replaced by LoW - see below) GES - Generic Exposure Scenario GHS - Globally Harmonized System IATA - International Air Transport Association ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG - International Maritime Dangerous Goods IMSBC - International Maritime Solid Bulk Cargoes IT - Information Technology IUCLID - International Uniform Chemical Information Database IUPAC - International Union for Pure Applied Chemistry JRC - Joint Research Centre Kow - octanol-water partition coefficient LC<sub>50</sub> - Lethal Concentration to 50 % of a test population LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose) LE - Legal Entity LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm) LR - Lead Registrant M/I - Manufacturer / Importer MS - Member States MSDS - Material Safety Data Sheet **OC** - Operational Conditions OECD - Organization for Economic Co-operation and Development **OEL** - Occupational Exposure Limit OJ - Official Journal **OR** - Only Representative OSHA - European Agency for Safety and Health at work PBT - Persistent, Bioaccumulative and Toxic substance PEC - Predicted Effect Concentration PNEC(s) - Predicted No Effect Concentration(s) PPE - Personal Protection Equipment (Q)SAR - Qualitative Structure Activity Relationship REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail **RIP - REACH Implementation Project** RMM - Risk Management Measure SCBA - Self-Contained Breathing Apparatus SDS - Safety data sheet SIEF - Substance Information Exchange Forum SME - Small and Medium sized Enterprises STOT - Specific Target Organ Toxicity (STOT) RE - Repeated Exposure (STOT) SE - Single Exposure SVHC - Substances of Very High Concern UN - United Nations vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data


## Product name: 90.400 Binder UniMix 2K Synthetic glossy

Creation date:  $\textbf{18.11.2006} \cdot \text{Revision}: \textbf{27.6.2018} \cdot \text{Version}: \textbf{1}$ 



#### List of relevant H phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure .
- H411 Toxic to aquatic life with long lasting effects.



The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.