

***silco***<sup>®</sup>



***Product Catalogue 2024***

**Sell smart**

**Profit more**

**Deliver  
perfect quality**

# 5 reasons to be a Silco distributor!

## **1. Seamless cooperation with the manufacturer and a visionary developer**

You cooperate with the manufacturer and developer, meaning that you have access to advanced and innovative products that open doors to new customers.

## **2. Exceptional cost-effectiveness**

You can order from a comprehensive range of products from multiple brands in a large central warehouse. This way you lower the costs of purchase and optimise your inventory. Exclusive distributor rights secure your position in the marketplace.

## **3. Unparalleled reliability with our top-grade products**

By using quality raw materials, accurate quality control and advanced technological procedures, we ensure the satisfaction of your customers - expert car-body painter workshops.

## **4. Invaluable transfer of knowledge**

As part of the Silco academy, you have access to new technical skills. You receive technical support and training in Silco's development and training centre. Also available are presentations at your premises and the premises of your customers.

## **5. Dynamic marketing support for unmatched impact**

Posters, catalogues and fliers in your language ensure easier marketing activities. You can reward your selected customers with various promotional items.



# Sustainable

Green is the colour we love!

SILCO is dedicated to sustainable practices by reducing energy and water use, improving production efficiency, and using more renewable energy. The company aims to minimize waste and promotes recycling and reusing materials. Developing eco-friendly products and ensuring safety is a priority. SILCO is committed to collaborations that positively impact the environment, society, and business.





## **Energy and Water Efficiency**

Reducing consumption and improving production processes.

## **Renewable Energy**

Increasing the use of sustainable energy sources.

## **Circular Economy**

Minimizing waste and maximizing recycling and reuse.

## **Sustainable Products**

Developing solutions to reduce environmental impact.

## **Safety and Environmental Protection**

Ensuring user safety and minimizing ecological harm.

## **Collaborative Transformation**

Engaging all stakeholders in sustainable change.



# 1000+ reasons

for Silco to become your No.1 choice



Abrasives

Page  
18-29



Putties -  
Bodyfillers

Page  
30-39



Primers

Page  
40-49



Masking  
Products

Page  
50-57



Clear Coats &  
Paints

Page  
58-69



Hardeners

Page  
70-71



Polishing  
System

Page  
72-75





Renowned  
raw material  
suppliers



Precise control  
of raw materials



Own product  
development



Own  
production



Careful final  
control



Bonding & Sealing  
Products

Page  
76-85



Bodyshop  
Consumables

Page  
86-97



Tools &  
Accessories

Page  
98-101



Health & Safety  
Products

Page  
102-107



Car Cleaning  
Products

Page  
108-117



Technical  
Aerosols

Page  
118-123



Promotional  
Articles

Page  
124-130

# Packaging

Maximizing product value with extended durability and shelf life

## Associated hardener information

We provide clear compatibility information for our products, ensuring trouble-free use.

**Benefit:** Easily identify suitable hardeners and clear coats, avoiding compatibility issues.



## Enhanced can thickness

Silco's cans are built with a thicker, sturdier 0.24 mm aluminium.

**Benefit:** Our cans are tougher and more resilient compared to others on the market (0.21-0.22 mm).





### Convex can top

Uniquely designed cans with a convex top help you maximize product use.

**Benefit:** Save up to 5% compared to other cans by easily emptying every last drop.

### Leak-proof cap with aluminum foil seal


A leak-proof cap protected by aluminum foil prevents solvent evaporation.

**Benefit:** You keep 100% of your product.

### Precision pouring spout

Easy-to-open pouring spout allows for precise and mess-free dispensing.

**Benefit:** No more spills or wasted product.



### Premium material and special coating

Crafted from high-quality tinplate and coated with a special lining.

**Benefit:** Protect your product from adverse reactions.

### Virgin PU grade solvents

We use exclusively virgin PU grade solvents in our products.

**Benefit:** Ensure the highest quality finishes with pure, reliable solvents.

### Nitrogen-packed for extended shelf life

We employ nitrogen packing to extend the shelf life of hardeners.

**Benefit:** A longer-lasting, superior product, even after extended periods of storage.

### 100% Recycled

Our transport packaging is made from 100% recycled paper, which reduces waste and supports sustainability.



# R&D

All we envision, we  
produce and deliver!





# SILCO's 5 pillars of innovation

## **1. Establishing new trends, listening, delivering excellence**

SILCO's R&D team is committed to innovating automotive refinishing products by carefully analyzing formulations and closely monitoring chemical compounds. Its dedication ensures high-quality, cutting-edge products that keep it ahead of its competition.

## **2. Innovating for excellence, simplicity, and longevity**

SILCO's highly advanced testing facilities, equipped with superb equipment, enable rigorous quality control and ensure that our automotive refinishing products meet the highest standards, reflecting our commitment to excellence.

## **3. Listening, innovating, excelling**

SILCO partners with leading raw material manufacturers and experienced automotive refinishers to elevate expertise and skill in product development. This collaboration ensures high-quality, customized solutions for professionals that are of vital importance in keeping a competitive edge in the the dynamic automotive sector.

## **4. Listening, innovating, advancing**

SILCO's quality commitment is evident in our meticulous control process, from raw materials to finished products. Continuous monitoring and daily batch testing ensure consistent excellence in our automotive refinishing solutions.

## **5. Customer-centric innovation**

SILCO's R&D focuses not only on meeting, but also on surpassing customer expectations by addressing their specific needs and challenges. This customer-centric approach is integral to delivering solutions that empower customers to excel and outperform their competition.

# Boost your sales

Supreme marketing, sales, and technical proficiency

Wide-ranging and complete product  
portfolio attracts diverse customer base

Enhanced in-store visibility  
and sales performance

Extensive sales, technical  
and marketing support






# Merchandising and retail excellence



Promotion wall assembled with Silco product display stands (prod. nr. 2348).

# Silco Fast Refinish

A solution for complete refinish in just 1 hour



**Scan the  
QR code to  
learn more!**






## Satisfied Customers!

At the Car Doctor, we guarantee our customers "high-quality repairs in the fastest time for the best price" and Silco SFR products enable us to do just that. Faster drying time allows us to get cars back to our customers even quicker.

**Mr Terry Dimmock**, owner  
The Car Doctor, United Kingdom

**Deliver a repaired car in just one hour!**



# PERFIN<sup>®</sup>

## Perfect finish by Silco

A wide range of carefully selected non-paint products and accessories.

Optimize performance, improving productivity, efficiency and safety.

Our commitment to excellence goes beyond paint, ensuring top-quality refinishing products.





# Proven quality of non-paint products



**Enhanced  
performance**



**Uncompromising  
quality**



**Safety  
first**



# Abrasives







### **HOLE-CUTTING TECHNOLOGY**

Specialized hole-cutting technology prevents abrasive surface deformation, ensuring consistent performance while sanding.



### **FILM BACKING**

The plastic film backing provides durability and stability throughout the entire sanding process.



### **FOAM-BACKED**

The perfect blend of flexibility and precision for contouring and finishing in a variety of applications.



### **SELF-SHARPENING MINERALS**

Our abrasives boast three-dimensional mineral structures that stay sharp and self-sharpen, delivering consistent cutting power.



### **SUPERIOR DUST EXTRACTION**



# 3060-150 Abra-Sil Gold

TOP PERFORMANCE ABRASIVE DISC



Special stearate coat  
prevents clogging




Abrasive minerals:  
premium AlO



Even and smooth  
finished surface








## Structure

- **Special stearate coat (top coat)**  
Prevents clogging
- **Phenolic Resin (size coat)**  
Additionally strengthens the grains and prevents them from rolling
- **Premium Aluminum Oxide**  
Outstanding strength and longer lifetime
- **Basic coat (make coat)**  
Attaches the grains
- **Latex treated C weight paper**  
Flexibility and durability
- **Velcro fastening**  
Easy to use






### 3060-150 Abra-Sil Gold

Top performance abrasive disc



All you want from abrasive material. It delivers exceptional durability with strong abrasive minerals and flexible latex-treated C-weight paper backing. Their special stearate coat prevents clogging and delivers excellent cutting performance, a smooth surface, and efficient dust extraction with a center hole design.

- › strong minerals for lasting use
- › special stearate coat prevents clogging
- › very efficient dust extraction
- › cost-effective with high-quality results

 Diameter: 150 mm   Grit: P60-P800



### 3040 Abra-Sil Red

Top performance abrasive paper

Abrasive particles Al<sub>2</sub>O<sub>3</sub> from special abrasive minerals, combined with a durable and flexible backing, ensure durability and efficient, even sanding.

- › B-weight paper offers both durability and flexibility for various surfaces
- › premium aluminum oxide minerals ensure effective and efficient sanding
- › a stearate-coated layer and semi-open structure provide excellent dust removal



Prod.Nr.: 3040-200   Diameter: 200 mm   Grit: P80-P400



Prod.Nr.: 3040-230   Dimensions: 115 x 230 mm   Grit: P80-P400



Prod.Nr.: 3040-420   Dimensions: 70 x 420 mm   Grit: P80-P400



Prod.Nr.: 3040-115   Dimensions: 115 mm x 50 m   Grit: P80-P320




### 3080-150 Ceramic Disc

Highly efficient ceramic disc

Sanding disc is designed with top-quality ceramic abrasive material and the latest backing film technology for fast cutting and extremely long service life. The 15-hole pattern removes dust more efficiently for a cleaner work environment.

- › excellent cutting performance due to ceramic abrasive material
- › longer durability and endurance

 Diameter: 150 mm   Grit: P80-P500



## 3055-150 Starcut Gold

Efficient abrasive discs

Efficient sanding discs with versatile material compatibility. Flexible paper backing for a smooth finish and durability. Offers a strong initial cut and extended lifespan for cost-effectiveness.

- › backing: latex-treated paper
- › abrasive minerals: aluminium oxide
- › special coating prevents clogging



Diameter: 150 mm  
Grit: P80-P600



## 3075 Abra-Sil Green

Fine grit abrasive disc



High-quality abrasive particles of aluminum oxide minerals and a durable, flexible film backing ensure exceptional precision and productivity in fine sanding. Particularly useful for surface preparation when creating transitions and removing imperfections in final finishes.

- › backing: film
- › abrasive minerals: premium AlO
- › special stearate coat prevents clogging



Diameter: 150 mm  
Grit: P1000-P2000



Diameter: 75 mm  
Grit: P320-P1200



## 6160 Abra-Foam SBS

Foam backed abrasive roll



Abrasive material on soft foam backing for manual treatment of nibs, scratches, and complicated contours.

- › flexibility
- › durability
- › perforated
- › uniform surface
- › abrasive minerals: AlO

Dimensions: 115 mm x 25 m  
Grit: P240-P800



## 3170 Abra-Foam Soft

Foam backed abrasive discs



Abrasive material on soft foam backing for manual or machine treatment of nibs, scratches, and complicated contours.

- › flexibility
- › durability
- › uniform surface
- › abrasive minerals: AlO



Diameter: 150 mm  
Grit: P500-P800





## 3090 Siflex

Flexible dry sanding system



Special resins and abrasive materials on film backing make this dry sanding system the perfect solution for scuffing and finishing. A shallow and uniform scratch pattern ensures better results in less time than conventional sanding materials on most curved and concave parts. Colour coding makes for a better and faster recognition of the needed grit in the work process, avoiding unnecessary rework.

- › flexibility, durability
- › for manual or machine treatment
- › uniform scratch pattern
- › film backing
- › velcro fastening

Dimensions:  
ø150 mm (Disc) / 170 x 130 mm (Sheet)

Grit:  
Blue ● P400-P600 / Yellow ● P800-P1000 / Orange ● P1200-P1500



## 3095 Perfex

Flexible sanding system



A superior abrasive tool engineered to deliver perfect solution for scuffing and finishing. Special resins and abrasive materials on high performance TPU film backing provide durable and flexible polishing, resistant to moisture and oils. A shallow and uniform scratch pattern ensures better results in less time than conventional sanding materials on most curved and concave parts.

- › flexibility, durability
- › for manual or machine treatment
- › uniform scratch pattern
- › film backing, velcro fastening

Dimensions:  
ø150 mm (Disc) / 170 x 130 mm (Sheet)

Grit:  
P600-P3000



## 3145-150 Trident

Fine finishing disc on foam backing



The number one option for quick sanding of fine scratches and small imperfections. Its abrasive minerals maintain sharpness longer due to wear-resistant properties. Pyramidal structured and self-sharpening carborundum minerals ensure durable, consistent sanding performance, ideal for removing small defects like dust spots and fine scratches.


- › backing: PET film and foam
- › abrasive particle coating: electrostatic coating
- › coating structure: semi-open system
- › sanding: wet&dry, fast, uniform, precise, and efficient
- › attachment: velcro system


Diameter: 150 mm    Grit: P1000-P5000



## CSD Cleaning Discs

High performance flexible and durable cleaning discs made of nylon, impregnated with special abrasive minerals. Useful for removal of rust, protective coatings and welding drops down to bare metal.

 **6240**  
Disc 150 mm

 **6220** Disc 50 mm,  
Roloc type

 **6221**  
Arbour



## 3420 Tape-Off+ 3430 Gear Shape Disc

Label removal disc

Fast and residue free removal of labels, stickers, decorative stripes, etc., without damaging the surface.

 **3420 Tape-Off+**

- › suitable for all types of paints
- › rotation: left/right
- › flexible, durable

 **3430 Gear Shape Disc**

- › suitable for all types of paints
- › flexible, durable
- › special gear shape prevents surface overheating

Dimensions:  
100 x 20 mm



## 2270 Ezee-Flex Total

Premium scuffing-cleaning pad/roll

A three dimensional, non-woven product, made of nylon which is produced and impregnated in a unique way to ensure stronger and long-lasting performance. Useful for cleaning, finishing and, above all, matting paint or panels before painting or making fade-outs. Due to its flexible structure, it can be used even on the hardest-to-reach places.

- › outstanding quality
- › excellent cutting performance
- › uniformly treated surface
- › long durability
- › suitable for wet and dry sanding
- › usable on both sides

Dimensions:  
115 mm x 10 m (Roll) / 115 x 230 mm (Sheets)

Grit & Colour:  
P360 - Red ● / P1500 - Grey ●



## 2260 Ezee-Scuff Roll

Scuffing-cleaning roll

A three dimensional, non-woven product, made of nylon which is impregnated with special abrasives. Useful for cleaning, finishing and, above all, matting paint or panels before painting or making fade-outs.

- › excellent cutting performance
- › uniformly treated surface
- › durable
- › suitable for wet and dry sanding
- › usable on both sides

Dimensions:  
115 mm x 10 m

Grit & Colour:  
P360 - Red ● / P1500 - Grey ●



## 3550 Control Spray

Control black spray

Acrylic black matt paint in aerosol. To be used as control spray before filler sanding.

- › high covering power
- › economical use
- › fast drying

Content: 500 ml  
Colour: Black ●



## 3540 Control Powder

Dry coat control powder

Solvent free black powder for easier control of sanded surface. The set contains an applicator and one refill of 100 g.

- › solvent free
- › no clogging of sanding paper

Set includes:  
Aplicator + 100 g



## 2225 Dura-Pad Rubber

Rubber sanding block

Rubber sanding block for wet and dry sanding.

- › fastening: velcro

Dimensions:  
70 x 125 mm



## 2223 Dura-Pad

Manual sanding convex block

Sanding block for manual sanding of uneven surfaces. Convex form of the sanding surface.

- › fastening: velcro

To be used with sanding discs:  
ø150 mm





### 2220 Dura-Pad Block

Manual sanding block

Sanding block for manual sanding of even surfaces.

› fastening: velcro

---

To be used with sanding discs:  
ø150 mm



### 2207 Dura-Pad Block

Manual sanding block

Sanding block for manual sanding of even surfaces.

› fastening: velcro

---

To be used with sanding discs:  
ø150 mm



### 3720 Dura-Pad Block

Manual sanding block

Sanding block for manual sanding of even surfaces.

› fastening: velcro

---

To be used with sanding sheets:  
70 x 198 mm



### 2208 Dura-Pad Block

Manual sanding block

Sanding block for manual sanding of uneven surfaces.

› fastening: velcro

---

To be used with sanding sheets:  
115 x 230 mm



### 3760 Dura-Pad Flex


Flexible manual sanding block with dust extraction



A versatile sanding tool tailored to various surfaces, from concave and convex to flat, thanks to its precise mechanical adjustments.

› fastening: velcro

To be used with sanding sheets:  
70 x 400 mm



### 2211 Dura-Pad Block

Sanding block with dust extraction



Sanding block for manual sanding with dust extraction.

› fastening: velcro

To be used with sanding sheets:  
115 x 230 mm



### 3750 Dura-Pad Sanding Block

Sanding block with dust extraction



Sanding hand-block with an anatomic handle and a self-gripping profile. Suitable for sanding small surfaces or difficult areas.

› fastening: velcro

To be used with sanding sheets:  
70 x 200 mm



### 2212 Dura-Pad Block

Sanding block with dust extraction



Sanding block for manual sanding of even surfaces with an absorption system.

› fastening: velcro

To be used with sanding sheets:  
70 x 420 mm



## 4630 Soft Interface Pad

Soft interface pad

Flexible, soft interface pad for final sanding.

› fastening: velcro

---

To be used with sanding discs:  
ø150 mm

### OUR DISTRIBUTORS

## PAUL FUS

USA

Partnering with Silco is the best decision we have made in over 33 years in the automotive paint distribution business. Silco has made us feel like we are part of their family. Working with people you like and trust is very important to us. We are very proud to represent Silco and look forward to many years of continued success.





# Putties - Bodyfillers





### **SELF-LEVELLING TECHNOLOGY**

Self-levelling technology is driven by its unique thixotropic behavior of the material, enabling effortless application.



### **REDUCED SANDING TIME**

Achieve efficiency with higher starting sanding grit, reducing time and sanding paper consumption by skipping a grit step.



### **ULTRA-LIGHTWEIGHT TECHNOLOGY**



### **LIGHTWEIGHT TECHNOLOGY**



### **SEMI-LIGHTWEIGHT TECHNOLOGY**

Special light-weight filling materials are used to reach a low specific weight of the putty and to make sanding easier.



### **SUPERFAST TECHNOLOGY**

Boost productivity and profitability with refinishing materials that dry extra fast.



### **ACTIVE ANTI-CORROSION PROTECTION**

Improve your bodywork with materials that contain zinc phosphate and enable active anti-corrosion protection for prolonged longevity and cost-effective maintenance.



### **FIRST CUT SANDING**

Say goodbye to clogging issues with the initial sanding paper grit that allows a seamless sanding experience.



### **ENHANCED SURFACE ASSESSMENT**

Enhanced post-sanding surface assessment with optimal color contrast, making sanded and unsanded putty easily distinguishable.



### **ADHESION TO VARIOUS SUBSTRATES**

Excellent adhesion to various substrates (steel, galvanized steel, aluminium, polyester laminates, old paint, etc.).

# 6090 B9 Multi-Azure

HIGH PERFORMANCE SEMI-LIGHTWEIGHT PUTTY



Perfect colour contrast between  
sanded and unsanded surface




Excellent sanding -  
beginning with P180 grit



No clogging of sanding paper  
after 20 minutes from application








### Better surface assesment after sanding

**BEFORE**


**AFTER**





## 6110 B11 SFR Superfast

Fast, soft, semi-lightweight putty



Super-fast and easy-to-sand, semi-lightweight polyester putty is sandable after only 8 minutes at 20°C without paper clogging. It dries up to 50% faster compared to conventional putties.

- › specific weight: 1.45 kg/L
- › ready to sand in 8 minutes from application
- › excellent sanding, beginning with P150
- › can be used as filling and fine putty

Packaging: 1 L / 1.65 L Colour: White ○



## 6600 SFR Air-Bond

Fast, soft, light putty-bodyfiller



The specific weight of only 1.3 kg/L allows for filling irregularities and dents with significantly less product (by weight) in comparison with conventional putties.

- › specific weight: 1.30 kg/L
- › ready to sand in 12 minutes from application
- › excellent sanding, beginning with P150
- › can be used as filling and fine putty

Packaging: 1 L Colour: White ○



## 6090 B9 Multi Azure

High performance semi-lightweight putty



Blue colour enables better surface assessment after sanding due to perfect colour contrast between sanded and unsanded putty. It is easy to apply and to sand with fine-grained sanding papers, beginning with P180 or P240.

- › specific weight: 1.43 kg/L
- › better surface assessment after sanding due to perfect colour contrast
- › extremely easy to spread
- › excellent sanding, beginning with P180
- › can be used as filling and fine putty

Packaging: 1 L / 1.65 L Colour: Blue ●



## 6130 B13 Multi-Green

High performance semi-lightweight putty



Green colour enables better surface assessment after sanding due to perfect colour contrast between sanded and unsanded putty. It is easy to apply and to sand with fine-grained sanding papers, beginning with P180 or P240.

- › specific weight: 1.43 kg/L
- › better surface assessment after sanding due to perfect colour contrast
- › extremely easy to spread
- › excellent sanding, beginning with P180
- › can be used as filling and fine putty

Packaging: 1 L Colour: Green ●



## 6100 B10 Multi-White

High performance semi-lightweight putty



It is easy to apply and to sand with fine-grained sanding papers, beginning with P180 or P240.

- › specific weight: 1.43 kg/L
- › extremely easy to spread
- › excellent sanding, beginning with P180
- › can be used as filling and fine putty

Packaging: 1 L  
Colour: White ○



## 6120 B12 Multi-Ultralight

High performance ultra-lightweight putty



This lightweight polyester putty provides strong, flexible repairs with easy application and sanding, perfect for aircraft repairs and surfaces needing a light touch.

- › very low specific weight: ~0.9 kg/L
- › high mechanical strength while maintaining good flexibility
- › easy mixing of the hardener and very easy to spread
- › excellent sanding, beginning with P120

Packaging: 1 L / 3 L  
Colour: Yellow ●



## 6080 B8 Multi-Light

Universal HP lightweight putty - bodyfiller



Universal high-performance lightweight polyester putty excels at filling dents with less product weight, offering excellent adhesion to galvanized, electrozinc-coated metals, aluminum, and steel.

- › specific weight: 1.27 kg/L
- › excellent sanding, beginning with P120

Packaging: 1.5 L / 1.65 L  
Colour: Beige ●



## 6060 B6 Multisoft

Universal polyester putty - bodyfiller



Universal polyester putty, characterized by its fine texture, ease of application and good sanding.

- › specific weight: 1.9 kg/L
- › excellent sanding

Packaging: 450 g / 1.9 kg  
Colour: Beige ●






## 210 Putty

Universal soft putty

Universal soft polyester putty.

- › specific weight: 1.8 kg/L
- › good adhesion, even to galvanized metals and aluminium surfaces
- › easy sanding

Packaging: 1 L  
Colour: Beige ●



## 6020 B2 Anti-Rust Putty

Corrosion protective polyester putty



The 6020 B2 Anti-Rust putty serves as a filler with superior anti-corrosion properties, eliminating the need for anti-corrosive primers on steel. This feature is particularly beneficial for classic car restorations and other tasks requiring robust corrosion protection. Its red oxide color aids in assessing the surface post-sanding, thanks to the color contrast. Its quick drying time and ease of sanding make it even more functional.

- › specific weight: 1.8 kg/L
- › excellent sanding, beginning with P150
- › can be used as filling and fine putty

Packaging: 1 L  
Colour: Red ●



## 6150 B15 Multi-Alu

Putty with aluminium



Polyester putty with aluminium particles for filling deeper holes or dents in thicker layers, without danger of cracking or sagging.

- › specific weight: 1.55 kg/L
- › strong adhesion, even to galvanized metals
- › soft sanding & non-sagging

Packaging: 1 L  
Colour: Aluminium ●

## HIGH MECHANICAL STRENGTH



### 6140 B14 Multi-Fiber

Fiberglass reinforced putty



This fiberglass-reinforced polyester putty combines high mechanical strength with flexibility, reducing cracking risk on large areas. It adheres well to multiple substrates, which makes it ideal for filling voids and reinforcing corroded car parts. The putty is easy to apply and sand, starting with P120 grit paper.

- › specific weight: 1.23 kg/L
- › high mechanical strength while maintaining good flexibility
- › excellent sanding, beginning with P120
- › easy mixing of the hardener

Packaging: 1 L  
Colour: Green ●



### 6170 B17 Glaze


Polyester glazing putty - bodyfiller



Top quality fast-drying finishing polyester putty with self-levelling technology designed for car body repairs. Can also be used as one-step filling putty. Ideal for large surfaces and for quick refinish repairs.

- › specific weight: 1.27 kg/L
- › self-levelling technology
- › excellent sanding, beginning with P150

Packaging: 450 ml  
Colour: Green ●



### 6040 B4 Flexplast

Flexible putty

Special polyester putty, very flexible, designed to repair any kinds of plastic.

- › strong adhesion on all kinds of plastic without special primer
- › grey anthracite colour allows over-coating with any primer filler

Packaging: 0.5 kg  
Colour: Anthracite ●



## 5920 Putty Dispenser

Manual dispenser for cartridges

Manual dispenser for cartridges in dimensions 99 x 248 mm (1.65 L) and hardener in 19 x 247mm. Exact dosing of hardener is adjustable from 1% to 3% in order to achieve the right mixture in all temperature environments.

- › cartridge closing mechanism
- › horizontal or vertical installation



## Polyester Putty Hardener

BPO (benzoyl peroxide) hardener for rapid cold curing of polyester putties/bodyfillers. It leads to rapid hardening even at lower temperatures.

- › 2-3% in polyester putties/bodyfillers
- › different speed means different potlife (red or blue)

### 6065 Standard hardener

Packaging: 50 g, 60 g (cartridge) Colour: Red ●

### 6067 Slow hardener

Packaging: 40 g Colour: Blue ●



## 6880 Sprayplast

2K polyester sprayable putty

2K Polyester spray filler to easily level small irregularities on larger surfaces.

- › high filling power
- › easy to apply with excellent flow
- › to be applied over bare metal, Polyester-Fillers, Glassfiber containing surfaces or original coats



## 3270 Fiberplast+

Glass fiber repair kit

Repairs holes, splits and cracks in steel, aluminium, glass fiber and wood.

- › perfect adhesion
- › sandable after 20 minutes (at 20°C)
- › can be covered by the majority of primers and paint systems

Packaging: 1.5 kg Colour: Grey ●






### 5061 Spreader Flex

Set of 10 putty spreaders

Plastic spreaders made of flexible, solvent resistant material.

---

Width:  
12 cm



### 5063 Putty Spreader Set

Set of 3 putty spreaders

Plastic spreaders made of flexible, solvent resistant material. Available in 3 different sizes.

---

Width:  
10 / 12.5 / 15 cm

## OUR DISTRIBUTORS

**EDDIE CRAIG**

NORTHERN IRELAND

Working with Silco has been a dream. Their professionalism and excellent communication make our interactions and collaborations smooth and efficient. Their customer service is unparalleled, always providing timely and effective solutions to any issues we encounter.



# Primers





### **3 COLOURS AVAILABLE**

Primer-fillers are produced in 3 colours, but mixing them to prepare your own greyscale colour is effortless.



### **MICRONET TECHNOLOGY**

Micronet technology used in production of primers-fillers ensures an optimal fineness of the filling material.



### **WET-ON-WET APPLICATION**

Eliminating the need for post-application sanding, achieving smooth surface and delivering superb finish results.



### **SUPERFAST TECHNOLOGY**

Boost productivity and profitability with refinishing materials that dry extra fast.



### **ACTIVE ANTI-CORROSION PROTECTION**

Improve your bodywork with materials that contain zinc phosphate and enable active anti-corrosion protection for prolonged longevity and cost-effective maintenance.



### **E-COAT PRIMING TECHNOLOGY**

Eliminating the need for pre- or post-application sanding on new e-coated parts. Wet-on-wet application allows you to save up to 50% of time.



### **2K AEROSOL TECHNOLOGY**

Ready-to-use convenience for professional -quality finishes without the need for additional equipment or mixing.



### **DIRECT-TO-PLASTIC TECHNOLOGY**

Achieve rapid, superior bonding directly on untreated, solvent-resistant plastics without the need for pre- and post-sanding, which allows for 2x faster priming compared to conventional methods.



### **DIRECT-TO-METAL APPLICATION**

Achieve direct-to-metal anti-corrosion protection, preserving metal surfaces and simplifying processes.



# 9900 M9 Surfacer

## UNIVERSAL HS PRIMER FILLER

Two hardener types for fast  
or normal drying speeds

Pronounced matting allows  
optical identification of dryness

Standard or high  
build application




### FAST SYSTEM 3:1

Standard application - 60 min at 20°C

└ 3950 Hardener





## STANDARD SYSTEM 5:1

Standard / High Build application - 6-12 h at 20°C

└ 92XX Hardeners group

- 20 Extra fast
- 30 Fast
- 50 Standard
- 70 Slow



## 7120 M12 SFR Superfast

HS ultra rapid surfacer



Ultra-fast drying HS acrylic primer, suitable for both small and large repairs, provides a smooth surface and is very easy to apply without paper clogging.

- › drying (20°C): 15-20 min
- › drying (60°C): 5 min
- › sanding is possible immediately after drying (in case of baking wait until it cools down)
- › easy to sand - saves time, effort and sanding paper
- › VOC compliant
- › hardener 5:1 (7125)

Packaging:  
1 L / 3.5 L

Colour:  
White ○ / Grey ● / Dark Grey ●



## 7300 M30 Superfast Primer

2K high build primer filler spray



Top-quality 2K ultra fast acrylic primer-filler in aerosol form, suitable for a fast repair process. With easy application it delivers smooth surface finish.

- › drying (20°C): 15-20 min
- › drying (60°C): 5 min
- › usable min. 30 days from activation
- › sanding possible right after drying (in case of baking wait until it cools down)
- › easy to sand - saves time, effort and sanding paper
- › no clogging of sanding paper

Packaging: Colour:  
500 ml Grey ●



## 9900 M9 Surfacer

Universal HS primer filler



Universal high build HS acrylic primer filler for spot or larger surface repairs. You can choose between two different hardener types to achieve fast or normal drying speeds.

- › standard drying (overnight at 20°C) with 5:1 hardener (9220, 9230, 9250, 9270)
- › fast drying (60 min at 20°C) with 3:1 hardener (3950)
- › improved filling power
- › fast drying, easy to sand - saves time, effort and sanding paper
- › smooth surface: superb topcoat appearance
- › VOC compliant

Packaging:  
1 L / 3.5 L

Colour:  
White ○ / Grey ● / Dark Grey ●



## 7080 M8 Acryfill

Universal HS primer filler



Universal high build HS acrylic primer filler suitable for all kinds of repairs and different substrates.

- › drying (20°C): 2.5-4 h
- › drying (60°C): 10-25 min
- › usable min. 30 days from activation
- › improved filling power
- › fast drying, easy to sand - saves time, effort and sanding paper
- › smooth surface
- › VOC compliant
- › hardener 4:1 (9082, 9085)

Packaging:  
1 L / 3 L

Colour:  
White ○ / Grey ● / Dark Grey ●





## 7100 M10 2K Sealer

Wet-on-wet & E-coat primer-sealer




Top-quality primer-sealer suitable for wet-on-wet application directly on new, unsanded e-coated panels. The E-coat primer 7100 M10 enables a fast repair process by eliminating sanding and drying times.

- › flash-off before overcoating: 30 minutes
- › recoatability: up to 4 days
- › smooth surface delivers top finish results
- › VOC compliant
- › hardener 4:1 (9220, 9230, 9250, 9270)

Packaging:  
1 L / 3.5 L

Colour:  
White ● / Grey ● / Dark Grey ●



## 7035 4Plastic

Adhesion additive for 2K primer fillers

Additive for adhesion of 2K primer fillers on plastic substrates.

- › excellent adhesion on various plastic substrates (PP-EPDM, PP, ABS, PE, etc.)
- › additive does not affect the features of the primer filler (sagging, sandability, papper clogging, adhesion of basecoat and clear coat)
- › smooth surface

Packaging:  
500 ml



## 7025 DTP Primer

Direct-to-plastic 1K primer



Direct-to-plastic primer has excellent bonding capabilities on untreated, solvent-resistant plastics. It can be overpainted with all common base coat systems, whether water-based or solvent-based, as well as with other 1K and 2K coatings. There is no need to sand or thermally treat the plastic part before applying the DTP primer. It enables at least 2 times faster priming on plastic parts compared to conventional plastic primers/additives.

- › flash-off before overcoating: 10 min
- › recoatability: up to 24 h
- › excellent adhesion on various plastic substrates (PP, PP-EPDM, PVC, ABS, etc.)
- › the primer should be applied as a wet-on-wet primer (no sanding before and after application).
- › smooth surface delivers top finish results
- › VOC compliant



Learn how to save  
50% of time when  
priming plastic parts!

Packaging: Colour:  
1 kg White ○ / Grey ● / Dark Grey ●

## 7026 DTP Primer Spray

Direct-to-plastic 1K primer



Packaging: Colour:  
500 ml Grey ●



## 1818 Fast-Prime

High build primer filler spray



One-component, high-filling, quick-drying primer filler in aerosol form, suitable for small repairs and sand-through areas.

- › flash-off before overcoating: 10-30 min
- › recoatability: up to 12 h
- › suitable substrate for all kinds of topcoats
- › resistant to anti-silicone degreaser
- › high filling power; easy to sand; fast drying
- › wet-on-wet application

Packaging:  
400 ml

Colour:  
White ○ / Grey ● / Dark Grey ●



## 7020 M2 Compact

Rapid 1K acrylic primer filler



1K acrylic sandable primer characterized by quick drying and strong adhesion to substrates.

- › flash-off before overcoating: 30-60 min
- › recoatability: up to 48 h
- › overpaintable with synthetic, nitro, acrylic or urethane coatings
- › high covering power
- › fast drying
- › VOC compliant

Packaging: Colour:  
1 L Grey ●



## 7220 M22 Wash Primer

2K chromate-free wash primer



Two-component, chrome-free self-etching wash primer that offers excellent corrosion resistance. Suitable for priming steel, galvanized steel, and aluminum, it provides excellent adhesion and enhances the corrosion resistance of subsequently applied paint systems.

- › flash-off before next coating: 10-15 min
- › application directly to new e-coated parts without sanding
- › chromate-free
- › recoatable with 2K primers/surfacers
- › do not apply under epoxy or polyester spraying putty
- › VOC compliant
- › hardener 1:1(7225)

Packaging: Colour:  
1 L Grey ●



## 4110 Etch-Prime

Etch primer spray



1K aerosol etch primer delivers even application, good fill, excellent corrosion protection and fast drying time.

- › flash-off before overcoating: 15-20 min
- › recoatability: up to 24h
- › perfect adhesion to steel, zinc and aluminium surfaces
- › to be used as a welding primer, rust protection primer
- › for sand-through areas, spot repair and parts refinishing

Packaging: Colour:  
400 ml Grey ●



## 2110 Epo-Prime

2K high build epoxy primer



A corrosion-protective, epoxy-based primer with high filling power, offering excellent adherence and high resistance to chemicals.

- › suitable for application over old paints or polyester putties
- › sanding possible only 90 minutes from application (using 2130 hardener)
- › easy application
- › easy to sand (wet or dry)
- › suitable for wet-on-wet application, followed by sanding of primer or topcoat
- › VOC compliant
- › hardener 3:1 (2120)
- › hardener 2:1 (2130)



Packaging: 1 L, 5 kg, 20 kg  
Colour: Grey ●



## 2100 Epo-Prime

1K epoxy primer spray



Fast-drying 1K aerosol epoxy primer offers excellent adhesion and corrosion protection, suitable for a range of substrates like galvanized metal, steel, stainless steel, aluminum, polyester putties, sanded factory coats, old paints, various plastics, and glass fiber materials.

- › flash-off before overcoating: 20-30 min
- › recoatability: up to 12h
- › suitable as a welding and rust protection primer
- › moisture-resistant
- › ideal for sand-through areas, spot repairs, and refinishing parts
- › high stability, can be sanded immediately



Packaging: 400 ml  
Colour: Grey ●



## 7015 Adhesion Promoter

1K plastic primer

One component adhesion promoter for plastic substrates. Appropriate for most types of unprimed plastics used in the automotive industry, such as bumpers, trims, etc.

- › excellent adhesion
- › quick drying
- › two colours:
  - slightly silver dyed for easier assessment of application
  - transparent



Packaging: 1 L  
Colour: Transparent ○ / Silver ●



## 7014 Adhesion Promoter

Plastic primer spray

Fast 1K adhesion promoter in aerosol form, suitable for priming a vast majority of plastic substrates. Appropriate for most types of unprimed plastics used in the automotive industry, such as bumpers, trims, etc.

- › quick drying
- › slightly silver dyed for easier assessment of application



Packaging: 500 ml  
Colour: Silver ●





## 4020 Z-Prime

### Zinc protection spray

Quick-drying corrosion protection with excellent long-term effects. Containing 99% pure zinc.

- › protection of scratches and welding points
- › corrosion protection of damaged galvanized surfaces
- › conductive intermediate layers in spot welding



Packaging:  
500 ml

OUR DISTRIBUTORS

**ANSSI LITSILÄ**

FINLAND

Decision to cooperate with Silco was the right one. Our business is growing thanks to excellent and unique quality of materials. Our customers are returning and spread positive feedback all over Finland. Additionally, Silco's catalogues and leaflets prepared in Finnish language enable us to effectively carry out our marketing activities.



# Masking Products





### **BREATHABLE – NO MARKS**

The special surface structure enables use on damp cars without leaving marks, allowing moisture to evaporate and saving time by eliminating the need for rework or finishing on the masked areas.



### **ELECTROSTATIC & CORONA TREATMENT**

Silco masking film is electrostatically and corona treated, provides optimal clinging and adjustment to the vehicle, enables easy applications and positioning, and ensures strong adhesion of paint on the film.



### **RESIDUE-FREE PRECISION**

Thanks to a unique natural rubber adhesive formula that leaves no residue and ensures a clean surface.



### **IMPERMEABLE**

Silco masking film and paper are made from quality materials and treated to prevent bleed through (penetration) of waterborne and solvent based paints to the surface.



### **HEAVY-DUTY / VERY STRONG**

An exceptionally strong adhesive, providing reliable bonding for tough applications, ensuring durability and a performance you can trust.



### **MATERIAL THICKNESS**




# 4100 Aquatop

## PREMIUM MASKING FILM



Allows moisture to evaporate  
from the surface



High thickness and  
resistance to tearing



Electrostatically loaded, holds  
on to the car and holds paint mist







## 4100 Aquatop

Premium masking film



High-quality PE masking film with a special structure that prevents paint stains caused by residual humidity.

- › high thickness and tear resistance
- › excellent adhesion to all types of paint and fillers
- › electrostatically charged for adherence to the car and retention of paint mist
- › resistant up to 110°C of object temperature
- › thickness: 17 µm

Width: 5 m   Length: 120 m   Colour: Green ●



## 4200 Top-Mask

Masking film



Top-quality PE masking film provides a quick and effective way to protect a car's body or its parts before painting.

- › high thickness and tear resistance
- › excellent adhesion of paint or fillers
- › electrostatically charged – adheres to the car and captures paint mist
- › thickness: 11 µm

Width: 5 m   Length: 120 m   Colour: Blue ●



## 4500 Easy-Mask

Masking film



Top-quality PE masking film provides a quick and effective way to protect a car's body or its parts before painting.

- › high thickness and tear resistance
- › excellent adhesion to paint or fillers
- › electrostatically charged for adherence to the car and capturing paint mist
- › thickness: 9 µm

Width x Length:  
4 x 150 m / 4 x 300 m / 5 x 120 m / 6 x 150 m

Colour:  
Transparent ○



## 5152 Film Cutter

Film cutter

A special cutter designed for cutting PE masking film, with a magnet attached to the back for convenient storage.



## 1030 Paper-Mask Premium

### Kraft masking paper

High-strength kraft masking paper with high density, making it impermeable to paints.

- › good adhesion for both paint and paint mist
- › specific weight: 40 g/m<sup>2</sup>
- › manufactured from 100% virgin-grade cellulose

---

Width: 60 cm / 85 cm / 120 cm      Length: 350 m



## 1020 Poly-Mask

### Plastified masking paper




Professional masking paper, laminated with a polyethylene layer to ensure impermeability, even to waterborne paints.

- › good adhesion for both paint and paint mist
- › resistant to solvents

---

Width: 85 cm      Length: 200 m



## 1680 Fine-Line Tape

### Flexible masking tape

Highly flexible tape designed for multi-color and intricate paint jobs.

- › easy to curve
- › temperature resistant up to 130°C

---

Width: 6 mm      Length: 55 m



## 1040 Foam-Mask

### Masking foam

High-quality, flexible adhesive foam tape designed for sealing gaps between the car body, such as doors and the hood, to minimize paint access during the refinishing process.

- › temperature resistant up to 95°C
- › smooth paint transition
- › highly absorbent foam
- › leaves no adhesive residue

---

Width: 13 mm      Length: 50 m





## 1080 Q-Edge Foam Tape

Flexible no edge masking foam tape

Advanced adjustable adhesive foam tape for masking and achieving seamless blending of new paint on round panel lines.

- › temperature resistant up to 95°C
- › flexible
- › adjustable for curved lines
- › leaves no adhesive residue

Width: 15 mm  
Length: 25 m



## 1090 T-Edge Foam Tape

No edge masking foam tape

Specially designed adhesive foam tape for easy edge masking. Quick and effortless placement on edges thanks to the flat design of semi-rigid foam.

- › provides a perfect edge finish
- › temperature resistant up to 95°C
- › leaves no adhesive residue
- › comes with a protective paper roll

Width: 15 mm  
Length: 25 m



## 7660 Mount Tape

Heavy duty adhesive tape



Masking and mounting tape reinforced with textile.

- › strong adhesion and durability
- › resistant to water, sandblasting, and more
- › can be torn by hand

Width: 50 mm  
Length: 50 m  
Colour: Black ● / Silver ●



## 1405 Floor Protect

Protective paper automotive floor mat

Protective paper for vehicle floor protection.

- › made of crepe paper

Dimensions: 37.5 cm x 50 cm  
Packaging: 500 pcs



## 2160 X-Mask

Polyester edge masking tape

Masking tape with a polyester edge designed for masking rubber window trims.

- › non-adhesive edge for easier removal
- › temperature resistant up to 100°C
- › perforated for easier masking
- › suitable for waterborne paints

Width: 50 mm    Length: 10 m



## 1980 Dura-Tape WR

Water masking tape 100°C



Highly moisture- and water-resistant professional-grade masking tape for automotive refinishing applications.

- › suitable for solvent and water-based paints
- › flexible and adaptable to irregular surfaces
- › leaves no residue thanks to natural rubber glue
- › provides a balanced amount of adhesion (high initial tack and secure adhesion)
- › easy removal without tearing
- › resistant up to 100°C for 30 minutes

Width: 18 / 24 / 36 / 48 mm    Length: 50 m



## 1880 Dura-Tape Premium

Premium masking tape 100°C



Professional-grade masking tape for automotive refinishing applications.

- › suitable for solvent and water-based paints with impregnated paper
- › flexible and adaptable to irregular surfaces
- › leaves no residues due to natural rubber glue
- › provides a balanced amount of adhesion (high initial tack and secure adhesion)
- › easy removal without tearing
- › resistant up to 100°C for 30 minutes

Width: 18 / 24 / 36 / 48 mm    Length: 50 m



## 1780 Dura-Tape

Professional masking tape 80°C



High-quality masking tape for automotive refinishing applications.

- › suitable for solvent and water-based paints with impregnated paper
- › flexible and adaptable to irregular surfaces
- › leaves no residues due to natural rubber glue
- › provides a balanced amount of adhesion (high initial tack and secure adhesion)
- › easy removal without tearing
- › resistant up to 100°C for 30 minutes

Width: 18 / 24 / 30 / 36 / 48 mm    Length: 50 m

# Clear Coats & Paints





### **OVER CROSS-LINK TECHNOLOGY**

The combination of polyol resins, selected isocyanates and special additives enables that the crosslinking is changed to ensure optimal chemical and physical properties of the coating.



### **UV+ TECHNOLOGY**

Silco's research has proven that only the right combination of selected UV stabilizers ensures an optimal protection of coating. This is an value of preserving the coating for many years to come.



### **FASTER AIR-DRY TECHNOLOGY**

Special formulation of polyol resin and a combination of selected isocyanates delivers optimal air drying features of the coating. This enables faster curing of 2-pack system at ambient conditions.



### **2K AEROSOL TECHNOLOGY**

Ready-to-use convenience for professional -quality finishes without the need for additional equipment or mixing.



### **SUPERFAST TECHNOLOGY**

Boost productivity and profitability with refinishing materials that dry extra fast.



### **DIRECT-TO-METAL APPLICATION**

Achieve direct-to-metal anti-corrosion protection, preserving metal surfaces and simplifying processes.



### **VOC 420 COMPLIANT**

Volatile organic compound (VOC) value maximum 420g/L.



# ***silco***<sup>®</sup>



## ***Choose the right clear coat***

**Repair size**



**Drying speed**



**Level of gloss**



**VOC**

420 g/L

420 g/L

420 g/L

**Mixing ratio**

1:1

2:1

2:1
















**Recommended use**

Very fast & small/medium  
size repairs

"All-rounder"

Old timers / Show cars



9100 X10 System Clear	9060 X6 UHS Clear Coat	9090 X9 Superfast	9050 X5 HS Clear Coat	9040 X4 HS Clear Coat
				
				
				
420 g/L	420 g/L	580 g/L	577 g/L	550 g/L
2 : 1	2 : 1	3 : 1	2 : 1	2 : 1
"All-rounder"	"All-rounder"	Very fast & small/medium size repairs	"All-rounder"	"All-rounder"

# 9600 SFR X-Cure

UHS 420 ULTRA RAPID CLEAR COAT



Extremely fast  
drying times



Higher  
productivity



Unbeatable balance  
between gloss and speed











## 9600 SFR X-Cure

UHS 420 ultra rapid clear coat



Ultra-productive UHS air-dried acrylic clear coat. No hardener & activator required in the base coat. Quick application and rapid drying enables fuel and electricity savings.

- › drying (20°C): 50-60 min
- › drying (60°C): 3-5 min
- › potlife: 60-70 min
- › polishing possible right after cooling
- › lower material consumption compared to other UHS and HS clear coats
- › long open time, no overspray problems
- › high UV protection
- › VOC compliant (<420 g/L)
- › hardener 1:1 (9650), no thinner



Packaging:  
1 L / 5 L




## 9006 SFR X-Cure Spray

2K ultra rapid clear coat



2K rapid-drying clear coat in aerosol. Very fast drying without spray booth baking allows fuel and electricity savings. Easy application with smooth finish.

- › drying (20°C): 90 min
- › drying (60°C): 7-9 min
- › potlife: 6-8 hours
- › polishing possible right after cooling
- › 2K aerosol technology
- › high UV protection



Packaging:  
400 ml



## 9130 X13 Spectrum

UHS 420 rapid clear coat



Fast-drying UHS clear coat is characterized by its short drying time, high gloss, long-lasting gloss retention and perfect levelling.

- › drying (20°C): 2-6 hrs
- › drying (60°C): 10-20 min
- › potlife: >60 min
- › very easy application with excellent levelling
- › brilliant and long-lasting gloss
- › high durability & resistance to yellowing
- › VOC compliant (<420 g/L)
- › hardener 2:1 (9122, 9123, 9125, 9127)



Packaging:  
1 L / 5 L




## 9120 X12 Supreme

UHS 420 mirror look clear coat



Superior high-gloss and “wet-look” acrylic UHS clear coat. Due to its outstanding gloss and DOI (distortion of image) results, it is perfectly suited for demanding projects.

- › drying (20°C): 12-18 hrs
- › drying (60°C): 20-35 min
- › potlife: 20-40 min
- › outstanding wet-look appearance and brilliant deep gloss
- › polishing possible right after cooling down or next day in case of air drying
- › VOC compliant (<420 g/L)
- › hardener 2:1 (9122, 9123, 9125, 9127)



Packaging:  
1 L / 5 L



## 9100 X10 System Clear

UHS 420 wide range clear coat



High-quality acrylic UHS clear coat. Suitable for all kinds of applications, regardless the size of the job or spraying conditions. A true "all-rounder".

- › drying (20°C): 8-14 hrs
- › drying (60°C): 20-30 min
- › potlife: 20-40 min
- › possibility to choose from 4 hardener speeds and 3 thinner speeds
- › very easy application with excellent overflow
- › VOC compliant (<420 g/L)
- › hardener 2:1 (9122, 9123, 9125, 9127)



Packaging:  
1 L / 5 L



## 9060 X6 UHS Clear Coat

UHS 420 wide range clear coat



The versatile high-quality acrylic UHS varnish is characterized by ease of use and excellent gloss of the lacquered surface.

- › drying (20°C): 8-10 hrs
- › drying (60°C): 20-30 min
- › potlife: 30-45 min
- › possibility to choose from 4 hardener speeds and 3 thinner speeds
- › easy application
- › excellent spreading
- › VOC compliant (<420 g/L)
- › hardener 2:1 (9122, 9123, 9125, 9127)



Packaging:  
1 L / 5 L



## 9090 X9 Superfast

HS ultra rapid clear coat



Exceptionally fast air drying HS clear coat for larger surfaces or for spot repairs. No hardener & activator required in the base coat. Easy and quick application.

- › drying (20°C): 60 min
- › drying (60°C): 5 min
- › potlife: 60 min
- › high durability & resistance to yellowing
- › hardener 3:1 (9125, 9127)



Packaging:  
1 L / 3 L



## 9050 X5 HS Clear Coat

HS SR high gloss clear coat



Very popular high quality HS scratch resistant clear coat characterized by its short drying time, high gloss and long lasting gloss retention.

- › drying (20°C): 8-14 hrs
- › drying (60°C): 15-30 min
- › potlife: 60-120 min
- › very easy application with excellent overflow
- › high durability and resistance to yellowing
- › hardener 2:1 (9220, 9230, 9250, 9270), no thinner



Packaging:  
750 ml (500 ml + 250 ml) / 1 L / 5 L



## 9040 X4 HS Clear Coat

HS high gloss clear coat



High quality HS scratch resistant clear coat characterized by its short drying time, high gloss and long lasting gloss retention.

- › very easy application with excellent overflow
- › drying time (60°C): 20-30 min
- › brilliant and long lasting gloss
- › high durability and resistance to yellowing
- › hardener 2:1 (9220, 9230, 9250, 9270), no thinner

Packaging:  
1 L / 5 L



## 9400 X40 Semi Gloss

HS semi gloss clear coat



X40 and X41 are HS semi-gloss and matt clear coats specially developed to reproduce a wide range of gloss levels by mixing them. Easy application delivers stunning smooth matt/semigloss appearance. The system is suitable for full body or panel repair.

- › easy to apply, easy to achieve a uniform finish without clouds
- › uniform low gloss/matt effect (9410: 0-10%)
- › uniform semi-gloss effect (9400: 50-60%)
- › smooth surface, high scratch resistance

Packaging:  
1 L

## 9410 X41 Matt

HS matt clear coat



## 9004 Clear Finish

1K glossy acrylic clear coat



High quality, glossy clear coat in aerosol for spot repair in automotive refinish. Suitable also for waterborne base coats. Special formulation enables high durability and anti-yellowing protection.

- › drying (20°C): 60-90 min
- › glossy acrylic finish

Packaging:  
500 ml



## 9700 X70 DTM

HS enhanced adhesion coat



This matt clear coat system is suitable for application directly on metal substrates that require a matt finish. The coating emphasizes metal appearance and protects the surface from weather influences at the same time. Matt clear coat X71 (0-5% gloss) can be mixed with glossy X70 clear coat (100% gloss) to achieve semi-matt, satin or semi-gloss appearance.

- › excellent adhesion to aluminium, galvanized steel, steel, etc.
- › easy application
- › X70 and X71 can be mixed in any proportion for different gloss levels

Packaging:  
1 L

## 9710 X71 DTM Matt

HS enhanced adhesion matt coat



## 7170 Black Finish

Black matt paint

1K black matt paint based on quality nitrocellulose resin.

- › drying (20°C): 120-180 min
- › high covering power
- › quick drying
- › durability

Packaging: Colour:  
750 ml Black ●



## 9005 Black Finish Spray

Acrylic black matt paint

High quality acrylic black matt paint in aerosol for general use.

- › drying (20°C): 20-30 min
- › good adhesion
- › high covering power
- › economic in use

Packaging: Colour:  
500 ml Black ●





## 6116 B-Paint

Bumper paint

1K special structured coating for plastic body parts.

- › drying (20°C): 30 min
- › drying (60°C): 15 min
- › direct application (without primer)
- › structure regulation with spraying distance

Packaging: 750 ml  
Colour: Black ●



## 9008 B-Paint Spray

Bumper paint spray

1K special structured coating for plastic body parts.

- › drying (20°C): 20-30 min
- › good coverage
- › direct application (without primer)
- › structure regulation with spraying distance

Packaging: 500 ml  
Colour: Black ● / Anthracite ●



## 9009 Rim Restore

1K silver wheel paint

A high gloss silver paint for restoring the appearance of wheel rims and decorative wheel covers. Based on nitrocellulose resin with high quality aluminium pigments.

- › drying (20°C): 120-180 min
- › very good adhesion to a variety of substrates
- › suitable for chrome, metal and plastic parts
- › high covering power, economical in use

Packaging: 750 ml



## 7007 Rim Restore Spray

Silver wheel sprayable paint

High gloss silver paint in aerosol for restoring the appearance of wheel rims and decorative wheel covers. Based on nitrocellulose resin with high quality aluminium pigments.

- › very good adhesion to a variety of substrates
- › suitable for chrome, metal and plastic parts
- › high covering power, economical in use

Packaging: 400 ml

## HEAVY-DUTY

Highly resistant 2K coating



### 9001-9002 Bedliner

2K heavy-duty protective coating

DTM

Highly resistant, tough, and slightly flexible 2K polyurethane-acrylic paint providing a scratch-resistant protective coating for different surfaces. It can withstand the toughest situations and protects against fuels and oils, water and salt.

Can be used for:



- › high UV and weathering resistance
- › excellent shock and scratch resistance
- › fine and coarse structures can be sprayed depending on the application.
- › strong adhesion on wide range of dry substrates
- › provides a tough scratch and stain resistant surface
- › can be applied with UBS gun, HVLP gun, roller, or brush
- › high resistance to fuels and oils
- › can be used as a sound-deadening product in wheel-housings, chassis of cars, trucks and other
- › simple and easy to use

Packaging: 600 ml  
Colour: Black ● / Tintable ●



### 1072 HT Paint Spray

Thermo paint

Paint in aerosol designed to protect surfaces exposed to high temperatures (exhaust, engine parts, etc.).

- › excellent adhesion to different metal substrates
- › temperature resistant up to 600°C
- › anti-corrosion protection

Packaging: 500 ml  
Colour: Black ● / Silver ●



### 9584 Prefill DME

Prefill spraycan DME

Spray can pre-filled with suitable propellant and thinner for filling with paint.

- › special aerosol head for paint application

Packaging: 400 ml

# Hardeners



## Overview

9122	9220							
9123	9230				9075			
9125	9250				9082		2120	
9127	9270	9650	3950	9085	7125	2130	7225	

## Fillers

7120 M12 SFR Superfast	-	-	-	-	-	●	-	-
9900 M9 Surfacer	-	●	-	●	-	-	-	-
7080 M8 Acryfill	-	-	-	-	●	-	-	-
7100 E-Primer	-	●	-	-	-	-	-	-
7220 M22 Wash Primer	-	-	-	-	-	-	-	✓
2110 Epo-Prime	-	-	-	-	-	-	●	-

## Clear Coats

9600 SFR X-Cure	-	-	●	-	-	-	-	-
9130 X13 Spectrum	●	-	-	-	-	-	-	-
9120 X12 Supreme	●	-	-	-	-	-	-	-
9100 X10 System Clear	●	-	-	-	-	-	-	-
9060 X6 UHS Clear Coat	●	-	-	-	-	-	-	-
9090 X9 Superfast	●	-	-	-	-	-	-	-
9050 X5 HS Clear Coat	-	●	-	-	-	-	-	-
9040 X4 HS Clear Coat	-	●	-	-	-	-	-	-
9400 X40 Semi Gloss	-	●	-	-	-	-	-	-
9410 X41 Matt	-	●	-	-	-	-	-	-
9700 X70 DTM	-	-	-	-	●	-	-	-
9710 X71 DTM Matt	-	-	-	-	●	-	-	-
9001 / 9002 Bedliner	-	●	-	-	-	-	-	-



# Polishing System





## **NANO POLISHING**

Aluminium oxide ( $\text{Al}_2\text{O}_3$ ) polishing paste with nanoparticles and very high hardness level provides a perfect cut and excellent gloss in just one step.



## **SILICONE-FREE PRODUCT**

The products contain no silicones and are therefore suitable for use in the refinishing bodyshop.




## 3200 Moxi-Blue


One-step polishing compound



Advanced professional rubbing compound based on nano technology that enables one-step (one compound, one pad) polishing process.

- › abrasive material: AlO
- › for machine or manual polishing
- › removes P1200 sanding scratches
- › for polishing with conventional (rotary) or random orbital polishing machines
- › compounding of fresh coatings and worn-out OEM coatings
- › suitable for ceramic clear coats



 Packaging:  
500 g / 1 kg




## 3201 Moxi


One-step polishing compound



Advanced professional rubbing compound based on nano technology that enables one-step (one compound, one pad) polishing process.

- › abrasive material: AlO
- › for machine or manual polishing
- › removes P1500 sanding scratches
- › for polishing with conventional (rotary) or random orbital polishing machines
- › compounding of fresh coating and worn-out OEM coatings
- › suitable for ceramic clear coats



 Packaging:  
500 g / 1 kg




## 3202 Moxi AH


Anti-hologram compound



Advanced professional anti-hologram polishing compound based on nano technology, specifically formulated for removal of holograms.

- › suitable for scratch resistant clear coats
- › abrasive material: AlO
- › for machine or manual polishing
- › optimal proportion between resin and abrasive powder reduces dust building
- › removal of P3000 sanding paper scratches



 Packaging:  
500 g



## 3205-3215 Moxi Pads

Polishing pads

High-quality polishing pads, available in various structures and hardness levels. The pads are designed for all types of polishing (from rough to fine) in the automotive, nautical, and other industrial sectors. They are compatible with both classic rotary polishers and random orbital polishers.

- › two sizes of polishing sponges (90 and 145 mm)
- › extremely durable and compact material with open cut structure for better cooling
- › sliced structure (white and yellow pads) for enhanced polishing efficiency
- › velcro fastening

Dimensions:  
ø90 x 25 mm / ø145 x 30 mm



## 3280 Finish Inspection

Polish inspection cleaner

Finish Inspection removes grease and dust and allows an objective assessment of surface quality after polishing.



## 8067 Microfibre Cloth

Seamless double-sided microfibre cloth

This cloth is perfect for detailing. It safely and easily removes residues from polished, glazed, and waxed surfaces, leaving a streak-free finish.

- › made of 80% polyester and 20% polyamide
- › density: 380 gsm
- › seamless non-scratch edges for protection of surfaces during use
- › ideal for achieving perfect results on paint, glass, plastic, and chrome surfaces
- › ensures a mirror-like, highly polished finish




## 8110 Clay Bar Coarse


Synthetic cleaning clay for hard CC

This detailing clay bar can easily remove bugs, tar, road dirt, brake dust, oxidation, surface rust, paint overspray, and much more.

- › deep cleaning action that effectively removes impurities from any painted or glass surface, including a wide array of surface contaminants
- › contains titanium compounds which aid in removing very light damage, while specifically targeting and eliminating bonded surface contaminants

 Packaging:  
500 ml

Dimensions:  
40 x 40 cm

 Content:  
2 clay bars (200 g)



# Bonding & Sealing Products







# 4520 Fast 20 AOM

## PRIMERLESS WINDSHIELD ADHESIVE



Offers high torsional stability and is suitable for all vehicle types



1 hour drive-away time



No interference with antennas and window heating





Compliant with the rigorous U.S. FMVSS 212  
safety standard

**AOM**  
ALL-IN-ONE  
MODULUS

**1h**

**FMVSS 212**







## 7005 Underbody Bitumen Spray

Bitumen underbody protection

Bitumen-based underbody protection in spray form.

- › strong adhesion on raw or painted metal, plastic materials and old underbody protection
- › builds a protective film against stone chips, salt, noise, etc.
- › it is not overpaintable

Packaging: 500 ml  
Colour: Black ●



## 2015 Underbody Bitumen

Bitumen underbody protection

Bitumen-based underbody coating developed for drip and sag-free application. It provides excellent and durable protection against corrosion, stone chips, salt, etc. Suitable for various chassis parts, underfloor panels, wheel castings, etc. Avoid applying it to brake or exhaust systems.

- › excellent barrier formation
- › strong adhesion on raw or painted metal, plastic materials or old underbody protection
- › builds a protective film against stone chips, salt, noise, etc.
- › resistant to water, acid, alkaline solutions
- › it is not overpaintable

Packaging: 1 kg  
Colour: Black ●



## 2005 Stone Chip Spray

Overpaintable underbody protection

Quick drying, overpaintable underbody protection in spray form.

- › strong adhesion on raw or painted metal, plastic materials, or old underbody protection
- › elasticity and durability
- › builds a protective film against stone chips, salt, noise, etc.
- › structure can be regulated with pressure and distance
- › quick drying

Packaging: 500 ml  
Colour: Black ● / Grey ●



## 2040 Stone Chip Guard

Overpaintable underbody protection

Quick-drying, overpaintable underbody protection.

- › strong adhesion on raw or galvanized metal or old underbody protection
- › elasticity, durability
- › builds a protective film against stone chips, salt, noise, etc.
- › regulation of structure with pressure and distance
- › quick drying

Packaging: 1 kg  
Colour: Black ● / Grey ● / White ○



## 3005 Cavity Coat Spray

Cavity protection

Protective coating based on special waxes in spray form. Its high melting-point prevents runoff at higher summer temperatures.

- › strong adhesion and penetration into all vehicle cavities
- › long-term protection from corrosion and noise

Packaging: 500 ml Colour: Transparent ○



## 3010 Cavity Coat

Cavity protection

Protective coating based on special waxes. High melting point prevents runoff at higher summer temperatures.

- › strong adhesion and penetration into all vehicle cavities
- › long-term protection from corrosion and noise

Packaging: 1 L Colour: Transparent ○



## 2006 UBS Gun

High quality gun with pattern regulation

Professional application gun with spray regulation for stone chip protection, underbody bitumen, or cavity waxes.

- › body made of nickel-plated aluminum
- › 900 mm probe for wax dosing
- › spray pattern and structure regulation



## 5050 Power-Fix

2K PU adhesive

A unique polyurethane adhesive repair material for plastic components, suitable for structural or cosmetic repairs. It is ideal for plastic bumpers, fenders, spoilers, lamp housings, radiators, and more, in the automotive and other industries. This adhesive is especially useful where quick cure times are needed on almost any type of plastic material

- › curing time: 1–2 min
- › further processing (such as sanding, thread cutting, etc.) possible after 10–30 minutes
- › overpaintable after 60 min
- › resistant to oils, solvents, acids, etc.
- › solvent free
- › sold separately: mixing tips

Packaging: 50 ml



## 5030 Power-Seal

PU adhesive sealant

One-component, overpaintable, permanently elastic polyurethane mastic for sealing and bonding.

- › strong adhesion to most constructional materials (steel, galvanized steel, alu, wood, ceramics, plastic, etc.)
- › resistant to atmospheric influences and temperature
- › strong and elastic bonding
- › overpaintable with almost any paint
- › quick drying



## 1410 Seam-Seal

Brushable seam sealer

1K brushable seam sealer based on PU (Polyurethane). Once cured, it forms a strong, elastic layer with excellent sealing and bonding properties.

- › overpaintable with solvent and water-based paints
- › resistant to water, oil, gasoline, etc.
- › quick drying



**5003** Nylon brush



## 3109 Double-Sided Mount Tape

High strength acrylic mounting tape

Double-sided heavy-duty mounting tape. Its special acrylate adhesive activates upon application of pressure.

- › strong permanent adhesion and resistance to vibrations
- › resistant to gasoline, oils, UV, weather conditions, etc.



## 4905 Application Gun

Application gun for 2K PU adhesive

Professional-grade application gun designed for use with 2K polyurethane adhesives.

Packaging: 300 ml  
Colour: White ○ Grey ● Black ●

Packaging: 850 g  
Colour: Grey ●

Dimensions:  
6 mm x 10 m / 12 mm x 10 m / 25 mm x 10 m



## 3002 Proseal

High temperature silicone sealant

High-quality, permanently elastic, black-coloured silicone sealant.

- › good adhesion on many substrates
- › resistant to high temperatures (up to 230°C)
- › resistant to vibrations and excellent chemical resistance
- › suitable for sealing car lights, sumps, motor covers, etc.

Packaging:  
200 ml



## 4520 Fast 20 AOM

Primerless windshield adhesive

One-component, fast-curing, flexible polyurethane, high-strength bonding automotive glass adhesive. The 'All-In-One Modulus' adhesive formulation offers high torsional stability and is suitable for all vehicle types. It ensures the vehicle's safe use just 60 minutes after windshield installation for airbag-equipped vehicles at 23°C and 50% humidity, complying with the rigorous U.S. FMVSS 212 safety standard.

- › easy to apply, stable - non-sagging
- › aging resistant
- › no primer required (only Activator 5090)
- › non-corrosive; prevents contact corrosion on aluminum bodywork
- › no interference with antennas/window heating

Packaging:  
310 ml



## 5090 Cleaner Activator

This product is designed to both clean and prepare substrates (such as painted surfaces and ceramic coatings on windshields) for the application of Silco 4520 Fast 20 AOM.

Packaging:  
250 ml / 30 ml



## 5082 Adhesion Primer

Black adhesion primer

A primer that enhances the adhesion of Silco PU windscreen adhesives and sealants to glass. It provides added protection by creating a total barrier against UV light and is ideal as a base layer on windshields for both initial assembly and repairs in the automotive industry.

Packaging:  
250 ml / 30 ml





## 5701 Applicator Brush

Applicator brush for applying 5090  
Cleaner - Activator or Black Primer.

---

Packaging:  
12 pcs

OUR DISTRIBUTORS

**NENAD RADOSAVLJEVIĆ**

SERBIA

Because Silco is a manufacturer with its own capable research and development division, they can be flexible and efficient in fulfilling our needs and the needs of our customers. They also offer admirable technical support in their training center and at our customer sites as well.



# Bodyshop Consumables





### **VIRGIN GRADE RAW MATERIALS**

Use of virgin grade raw materials delivers consistent consistent, repeatable refinish results in your products.



### **SUSTAINABLE RAW MATERIALS**

Use of sustainable recycled materials promotes environmental responsibility, while also maintaining product quality and performance.





# 2950 Twist-Cup

## FLEXIBLE PAINT CUP SYSTEM



Store unused paint  
for a later time



Usable with a  
variety of spray guns



Available with 190  
or 125 micron mesh lids





## 2950 Twist-cup

Flexible paint cup system



Store unused paint  
for a later time



Usable with a  
variety of spray guns



Available with 190  
or 125 micron mesh lids



☐ 125 µm ☐ 190 µm

**PERFIN.**  
PERFECT FINISH BY SILCO



## 3030 Soft-3

Soft 3-ply cleaning paper towel

3-ply, lint-free, soft paper towels designed for cleaning and degreasing cars, tools, and body parts.

- › suitable for degreasing before painting
- › 100% cellulose, excellent absorption
- › extra strong, lint-free
- › resistant to solvents
- › sold separately: wall holder for rolls

Dimensions:  
26 cm x 195 m



## 9515 Anti-Sil

Antisilicone degreaser

High-quality, anti-silicone degreaser for preparing surfaces before painting. Effectively removes residual grease, oil, wax, silicones, and more. Suitable for cleaning and degreasing various surfaces, including:

- › bare steel, aluminum, zinc-coated steel
- › plastic parts, primers, surfacers, and fillers
- › all kinds of existing coatings



Packaging:  
1 L / 5 L



## 9525 Degreaser 25

High strength degreaser

High-strength degreaser and silicone remover for surface preparation before painting. Effectively removes residual grease, oil, wax, silicones, and more. Suitable for cleaning and degreasing bare steel, aluminum, zinc-coated steel, plastic parts, primers, surfacers and fillers, and all types of existing coatings.



Packaging:  
5 L



## 8515 WB Silicone Remover

Waterbased degreasing cleaner

Waterborne pre-cleaner and degreaser designed for removing dirt, dust, swarf, and for degreasing various surfaces. It's suitable for use on old paint layers, transport primers, other types of primers, as well as on metal surfaces (including steel, aluminum, and galvanized pieces) and plastic surfaces before the application of water-based base coats.



Packaging:  
5 L



## 5203 Anti-Sil Sprayer

Antisilicone sprayer

Professional sprayer featuring a PP (polypropylene) pump, designed for the application of anti-silicone degreaser. It has a usable volume of 1 L and an operating pressure of 3 bar.

- › seals: Viton



## 2205 Towel TNT

Antisilicone cleaning towel

Towel crafted from a special non-woven material, specifically intended for use with anti-silicone degreaser.

- › high absorption
- › solvent-resistant and lint-free
- › very soft
- › sold separately: wall holder for rolls



## 2531 Blue-Tex

Antisilicone towel

Highly absorbent, solvent-resistant cleaning cloth, designed specifically for use with anti-silicone degreasers.

- › sold separately: wall holder for rolls



## 2206 Wave-Rag

Wave tack rag

Universal, resinous, wave-shaped tack rag with excellent dust-absorbing abilities, made from abrasion-proof, small-meshed spun rayon gauze. It leaves no residues when used properly.

- › easy to unfold
- › soft structure with high dust absorption power
- › leaves no residues



Usable volume:  
1 L

Dimensions: 30 x 38 cm  
Packaging: 450 pcs, dispenser box  
30 x 38 cm 500 pcs, roll

Dimensions: 32 x 36 cm  
Packaging: 300 pcs, dispenser box  
32 x 36 cm 35 pcs, package

Packaging:  
1 pc





## 2210 WB-Rag

Tack rag WB

The tack cloth is primarily designed for use in water-based painting processes, ensuring zero resin transfer onto surfaces. Its composition offers maximum security in eliminating imperfections and dust particles, both before and between paint coats.

- › pressure-sensitive adhesion
- › soft structure with high dust absorption power
- › leaves no residues

Packaging:  
25 pcs



## 2215 Anti-Static Wipe

Antistatic degreasing wipe

Water based wipe with a unique 80 g microfilament cloth impregnated with very low VOC degreaser.

- › pressure-sensitive adhesion
- › soft structure with high dust absorption power
- › leaves no residue

Dimensions: 32 x 40 cm  
Packaging: 25 pcs



## 5555 Nitro Thinner



"High-quality, anti-bleaching nitrocellulose thinner, suitable for use in car refinishing. Ideal for diluting nitrocellulose coatings and serving as a cleaning agent.

- › improves the elasticity and gloss of paint
- › does not contain recycled solvents
- › special additives prevent bleaching
- › made from high-quality, pure raw materials
- › VOC compliant



Packaging:  
1 L / 5 L / 25 L



## 5505 Solvent Cleaner

All purpose solvent cleaner



Thinner for diluting nitrocellulose coatings and for use as a cleaning agent.



Packaging:  
25 L



## 7030-7050-7070 Maxx Thinner

Premium acrylic thinner



High-quality thinner for diluting acrylic and polyurethane coatings in car refinishing. Also suitable for solvent-based base coats.

- › high-quality, extremely pure raw materials

The formulation of the thinner contains particularly valuable solvents that significantly improve the flow and gloss of the direct gloss paint or clear coat.

Packaging:

5 L / Slow, Standard, Fast  
1 L / Standard, Fast  
500 ml / Standard



## 5504 Universal Thinner

Universal PU grade thinner



Thinner for diluting acrylic and polyurethane paints and coatings.

Packaging:  
1 L



## 5506 Universal Hardener

HS universal acrylic hardener

Multi-purpose acrylic hardener suitable for 2K primer fillers, clearcoats, and more. It is based on high-quality isocyanate and is nitrogen-filled to extend its shelf life.

Packaging:  
1 L



## 8510 WB Thinner

Universal waterbase thinner

Universal water-based thinner for diluting water-based base coats.

Packaging:  
1L, 5 L





## 5503 Solvent Cleaner

All purpose solvent cleaner



Nitro thinner for general use and in car refinishing. Suitable for diluting nitrocellulose coatings and cleaning tools.



Packaging:  
25 L



## 2115 Epoxy Thinner

Premium epoxy thinner



Quality epoxy thinner for use in combination with 2110 Epo-Prime and 2130 Epoxy Hardener (fast).

- › does not contain recycled solvents
- › high quality, pure raw materials



Packaging:  
1 L / 5 L



## 6070 Fade-Thinner

Fade out thinner



Specially formulated thinner for dissolving overspray and fading out any edges created during spot repairs or blending, making the fading and blending of clear coats easy.

- › no more dry, patchy edges or visible repairs



Packaging:  
1 L



## 6075 Fade-Thinner Spray

Fade out thinner



Specially formulated thinner for dissolving overspray and fading out any edges created during spot repairs or blending, making the fading and blending of clear coats easy.

- › no more dry, patchy edges or visible repairs



Packaging:  
500 ml



## 3130 Accelerator

2K accelerator

Universal accelerator for 2K polyurethane or acrylic car refinishing materials.

› add: 1-3% (10-30 ml/1000 ml)



Packaging:  
500 ml




## 2403 Mix-Sticks

Plastic mixing sticks



S shape

Packaging: 500 pcs, dispenser box  
Length: 200 mm



## 2404-2408 Mix-Sticks

Aluminium mixing sticks

Mixing ratio:  
2:1 / 3:1 4:1 / 5:1 2:1 / 3:1  
4:1 / 5:1 1:1 / 3:1



## 1846-1851 Mix-Cup

Paint mixing cup

The mixing cups are made of high-quality plastic and are marked with volume measurements and various mixing ratios.

› lid available separately

Packaging:  
385 ml / 750 ml  
1.400 ml / 2.300 ml





## 2950 Twist-Cup

Flexible paint cup system

An easy and clean way to prepare paint, providing savings in material and operator time costs. It can be easily fitted to the most popular spray guns on the market thanks to dedicated adapters. The flexible paint cups make it possible to spray from all angles and eliminate the need for traditional mixing cups and filters. This system also enables the storage and later use of leftover paint

- › does not contain recycled solvents
- › high-quality, pure raw materials

---

Strainer:  
125 µ, 190 µ

Usable volume:  
180 ml / 400 ml / 600 ml / 850 ml



## 3365 Micro Tip

Applicator brush

Applicator set with 100 retouch brushes, very handy for touching up small paint defects.

Can also be used as a pen to draw very fine lines.

---

Packaging:  
100 pcs



## 3368 Touch-Up Bottle

Bottle for paint

Plastic touch-up bottle with brush and mixing ball.

- › solvent resistant

---

Usable volume: 50 ml  
Packaging: 50 pcs



## 3330 Dust Needle

Dust needle for removal of dust particles on wet paint.

---

Packaging:  
10 pcs



## 4220 Paint Strainers

Top-quality disposable paint strainer with a woven nylon mesh.

- › very fast flow-through
- › accurate straining
- › suitable for both solvent-based and water-based paints

Variations:  
125 µ ● / 190 µ ●    Packaging:  
250 pcs



## 2401 Testcolor Cards

Pre-primed metal cards for testing accuracy and coverage power.

Size:  
10.5 x 15 cm    Packaging:  
25 pcs




## 2080 Anti-Dust

Dust and overspray protection

Clear, anti-dust, water-based surface coating for spray booths and lights.

- › attracts dust and paint overspray
- › resistant up to 85°C
- › does not affect the light spectrum
- › removable with water

 Packaging:  
5 L

# Tools & Accessories









## 5410 Primer Spray Gun

LVMP air cap and 1.6 fluid tip

Our LVMP (Low Volume Medium Pressure) technology delivers efficient and consistent atomization. Precision components and quality metal construction boost productivity while reducing paint wastage. Matte chrome plating ensures durability and easy cleaning.

- › atomization technology: LVMP
- › fluid tip size: 1.6 mm
- › optimal working pressure: 2.5 bar (36 psi)
- › maximum working pressure: 3.5 bar (50 psi)
- › fan width: approx. 28 cm
- › optimal spray distance: 20 cm
- › air consumption: 250–310 L/min (9–11 cfm)
- › cup capacity: 600 ml



## 5420 Base Coat Spray Gun

LVMP air cap and 1.3 fluid tip

High-strength alloy construction, stainless-steel components for longevity, corrosion-resistant seals for low maintenance, and ergonomic design for reduced fatigue. Its fine atomization, 360° rotation, and included maintenance tools ensure a professional finish, perfect for automotive coatings.

### Base Coat Spray Gun

- › atomization technology: LVMP
- › fluid tip size: 1.3 mm
- › optimal working pressure: 2.5 bar (36 psi)
- › maximum working pressure: 3.5 bar (50 psi)
- › fan width: approx. 28 cm
- › optimal spray distance: 20 cm
- › air consumption: 250–310 L/min (9–11 cfm)
- › cup capacity: 600 ml

## 5430 Clear Coat Spray Gun

HVLP air cap and 1.3 fluid tip

### Clear Coat Spray Gun

- › atomization technology: HVLP
- › fluid tip size: 1.3 mm
- › optimal working pressure: 2.0 bar (29 psi)
- › maximum working pressure: 3.0 bar (43 psi)
- › fan width: approx. 30 cm
- › optimal spray distance: 17 cm
- › air consumption: 400–450 L/min (14–16 cfm)
- › cup capacity: 600 ml




## 5435 Pressure Regulator

Analog air regulator and gauge for sprayguns

Premium air pressure regulator with a manometer gauge. It offers a wide range of precise pressure regulation. Made from stainless steel with a waterproof and solvent-resistant surface, it indicates working pressure in both "psi" and "bar" units. Suitable for use with spray guns and other pneumatic tools.

- › air consumption: 3 bar/ 12.8 cfm
- › air inlet: 1/4" BSP



## 7703 X-Stand

Heavy duty X-stand

A heavy-duty windshield stand with foam padding around the tubing.

- › adjustable working height



## 7705 Multi Stand

Multi parts spray stand

A high-quality mobile turntable stand for painting various car body parts.

- › big wheels
- › stable construction
- › single-handed operation



## 5330 IR-Dry

Infrared dryer

A high-quality microprocessor-controlled short-wave IR dryer with durable emitters designed for car paint curing. It offers powerful heat penetration into inner paint layers to accelerate the paint's molecular reaction.

- › digital LCD display
- › max. power: 3x1100 W
- › 3 IR lamps with individual ON-OFF control and automatic overload protection
- › uniform, focused curing area with no hot or cold spots
- › easily adjustable cassette assembly height with gas shock strut and 360° rotation
- › curing area: 1200 x 1000 mm
- › replaceable components (sold additionally): replacement bulb



## 5560 Sunlight+

Portable LED colour matching lamp

The Sunlight lamp, with special LED technology, is ideal for various paint, polish, cleaning, or prep-zone operations. Also suitable for UV curing of small surfaces.

- › 3 colour temperatures for colour matching
- › ultra-high 5W COB LED
- › 6500 K
- › 500/250 lm (step 1/step 2)
- › 2.30h/4h operating time
- › UV peak wavelength 390-405 nm at irradiance 6 cm

# Health & Safety Products







### **ENHANCED AIRFLOW**

Enhanced airflow, moisture control, and comfort for a superior breathing solution.



### **PERFECT FIT**

Silicon rubber sealing ensures an airtight seal for optimal comfort, protection, and safety with every mask.



### **NATURAL FORMULA**

Crafted with pure and microplastic-free ingredients.



### **P2 STANDARD**

Ensures superior filtration and protection, that filters at least 94% of airborne particles, setting a high safety benchmark.



### **A1 STANDARD**

A1 standard masks are engineered to meet the demands of professional users who require reliable respiratory protection without compromising on comfort.



### **FFP2 STANDARD**

Ensures superior filtration and protection, that filters at least 94% of airborne particles, setting a high safety benchmark.





## 1450 Full-Face Respirator

Reusable full-face respirator



High-quality silicone construction, resistant, easy to clean. Full-screen lens for clear view with anti-fog glass. Respirator protects against chemicals, dust, and fine powder. Unique head harness design ensures even weight distribution.

- › in accordance with EN 136:1998/AC:2003 EN 143:2000/A1:2006
- › simple assembly
- › Max Flow Exhalation Valve ensures low breathing resistance and silent breath
- › soft silicone body offers a comfortable fit to a face
- › replaceable components (sold separately): lens cover / replacement PC lens

Set includes:

1x silicon full face mask, 2x A1 type filters, 4x P2 type prefilters, 2x prefilter holders



## 1550 Pro Half Mask

Respirator A1/P2



Crafted from high-grade silicone for safety. Features an adjustable, comfortable strap suitable for most head sizes. Offers excellent chemical resistance.

- › in accordance with EN 136:1998/AC:2003 EN 143:2000/A1:2006
- › simple assembly
- › Max Flow Exhalation Valve ensures low breathing resistance and silent breath
- › soft silicone body offers a comfortable fit to a face
- › replaceable components (sold separately): 4x P2 type prefilters / A1 type filter (pair) / Prefilter holder (pair)

Set includes:

1x silicon full face mask, A1 type filter (pair), 4x P2 type prefilters, prefilter holder (pair)



## 1620 Dust Mask

Disposable respirator FFP2 NR



Disposable half masks provide light, effective, comfortable and hygienic protection against dust particles and mists. Types of use: sanding of old paints and coatings, sanding of adhesive, sanding, grinding, cutting and drilling of wood, smoke particles, waste management, pesticide fumigation, etc.

- › in accordance with N149:2001+A1:2009
- › adjustable elastic bands
- › adjustable nose clip
- › soft inner material
- › exhalation valve
- › class: FFP2 NR
- › protection: dust and non-toxic liquid aerosols

Packaging:  
12 pcs



## 7820 Soft-Grip

Protective gloves

Professional superior quality glove, quality checked and certified. Resistance properties to mechanical injuries.

- › compliant with EN 420 and EN 388 standards
- › comfortable, elastic, and breathable gloves
- › the soft rubber-coated surface offers excellent grip, tactile sensitivity for small particles, and durability.
- › suitable for car refinishers and car mechanics
- › length: 240-255 mm

Size: L / XL  
Packaging: 50 pcs



## 6800 Dura Glove-Pro

Protective gloves

Professional gloves without lubricating powder, textured, with increased thickness and length, quality-checked and certified.

- › multi purpose
- › compliant with EN ISO 21420:2020 standards
- › ambidextrous
- › length: 300 mm

Size:     Packaging:  
L / XL    50 pcs



## 5850 Dura Glove

Protective nitrile gloves

Multi-purpose, single-use disposable nitrile gloves for professional use. Highly biocompatible (does not contain any natural latex).

- › powder free
- › beaded cuff
- › ambidextrous
- › compliant with EN 420

Size:     Packaging:  
L / XL    100 pcs



## 1415 Orange Muscle

Hand cleaner gel for paint

Dermohand cleaner gel for removing the toughest dirt. It completely removes varnish, putty, silicone, enamel, and similar products from the hands. The product does not contain microplastics.

- › helps reduce the symptoms of dry, cracked skin
- › skin-friendly cleaning formula containing premium skin conditioners
- › pleasant orange scent
- › pH-neutral
- › does not contain microplastics
- › sold separately: wall holder, plastic pump

Packaging:  
5 L



## 1425 Eco Clean

Abrasive hand cleaning paste



Dermohand cleaner gel for tackling the toughest dirt. It effectively removes varnish, putty, silicone, enamel, and similar substances from hands.

- › protects your skin during extended use
- › does not contain microplastics
- › sold separately: wall dispenser

Packaging:  
4 L



## 2350 Shield-Master Evo

Polyester spray overalls

Durable polyester overall made from breathable fabric with ventilation mesh at the back and under armpits.

- › machine washable
- › anti-static and tear-resistant
- › lint-free
- › two back pockets
- › closeable pockets for knee pads
- › nylon rib cuffs at the wrist

---

Size:  
M, L, XL, XXL



## 2355 Shield-Master Evo Paint Coat

Polyester paint coat

The coat protects against general staining that can occur during paint spraying and prevents the contamination of the painted surface with dust and lint.

- › dual-zip design with protective flap
- › adjustable drawstring hood
- › includes chest and side pockets
- › two convenient side pockets
- › elasticized wrist cuffs for comfort

---

Size:  
M, L, XL, XXL



## 2309 Spray-Master

Antistatic paint overalls

Our high-quality overall, with ventilated areas, is made from soft, breathable, anti-static fabric that meets CE Cat. III Type 5 & 6 standards. It includes a hood, protected zipper, and elastic-banded sleeves.

- › ventilation areas for comfort
- › CE Cat. III Type 5 & 6 compliant
- › integrated hood and secure zipper
- › convenient self-adhesive pocket included

---

Size:  
M, L, XL, XXL

## OUR DISTRIBUTORS

### **GARY CLARKE**

IRELAND

We have been dealing with Silco for more than six years and have found them to be a reliable channel partner. They consistently produce top-quality products, resulting in strong repeat sales. Their staff and logistics are particularly good, making them easy to deal with.





# Car Cleaning Products





# ***silco***<sup>®</sup>



## ***Car cleaning usage chart***

**8005 Multiwash Turbo**

**8030 Twister Turbo**

**8025 Rim Power**

**Dilution with water**

1:50-1:67

1:20-1:50

1:30-1:50

**Manual wash**



**Pressure washer**



**Interior cleaning**

**Wheels**







**8048 Rubber Black**

**8065 Gleam**

**8064 Tex+**

Ready for use

Ready for use

1:20-1:30





# 8005 Multiwash Turbo

**HIGHLY CONCENTRATED DETERGENT**



Removes fat, oil, waxes and other traffic film residues



Suitable for pre-washing, rims and motor cleaning



Very effective at removing insect residue

For best results, use of foamer is recommended



Dilution with water

1:20

Degreasing,  
engine  
cleaning

1:33

Rim  
cleaning

1:50

Prewashing,  
insect  
removal





## 8005 Multiwash Turbo

Highly concentrated detergent

Highly concentrated and powerful general purpose alkaline prewash detergent/degreaser. Mainly meant for personal vehicles. For the most stubborn dirt.

- › removes fat, oil, waxes and other traffic film residues
- › pre-washing, rim and motor cleaning
- › insect residue removal

💧 100% Alkalinity

🧼 20% Foaming



Packaging:  
1 L / 5 kg / 28 kg



## 8030 Twister Turbo

Concentrated car shampoo

Highly concentrated premium shampoo for manual cleaning of bodywork and plastic parts.

- › high viscosity, high foaming power
- › tender to skin

💧 0% Alkalinity

🧼 100% Foaming



Packaging:  
1 L / 5 kg / 28 kg



## 8025 Rim Power

Concentrated acidic cleaner

Powerful acid based cleanser for wheels and alloy tyre rims. Very high content of active ingredient.

- › degreases, easily removes brake dust residues, tar
- › removes limestone
- › does not harm the air valve

💧 100% Alkalinity

🧼 100% Foaming



Packaging:  
5 kg / 28 kg



## 8048 Rubber Black

Rubber cleaner & conditioner

Premium quality, solvent based product for cleaning, nourishing and protecting rubber surfaces, especially car tyres.

- › easy to apply with sprayer
- › quick drying, antistatic effect
- › excellent gloss which lasts up to 14 days



Packaging:  
5 L



## 8065 Gleam

Clean & protection cockpit milk

Gleam has been specifically formulated to offer optimal care and protection for your car interior. Using modern polymer technology, Gleam offers all care solutions for dusty and faded surfaces on door panels, dashboards and vinyls while providing optimal protection.

- › cleaning and protection
- › semi-glossy appearance
- › pleasant scent
- › long-lasting and antistatic protective film



Packaging:  
5 L



## 8064 Tex+

Foaming power textile detergent

Universal, concentrated mild detergent for machine cleaning of car seats, covers, upholstery, carpets and most hard surfaces.

- › dry stable foam, easy to remove
- › effective in use with vacuum cleaners
- › colour refreshing, pleasant scent

### Dilution with water:

- › 1:20–1:30 (machine cleaning)



Packaging:  
5 L



## 4004 Ultra+ Clean

Universal foaming cleaner aerosol

Universal, active foam cleaner quickly and effectively removes stains on all kinds of surfaces.

- › active foam with pleasant scent
- › quick and active functioning
- › for all kinds of surfaces (glass, textile, etc.)



Packaging:  
500 ml



## 4600 Citrus Cleaner

Heavy duty cleaner-degreaser aerosol

A heavy duty, highly effective all-purpose cleaner for cleaning and degreasing, suitable for different surfaces. Quick acting, does not harm treated surface. Suitable as polish inspection. Allows an objective assessment of surface quality after polishing.

- › effective removal of labels or adhesive residues
- › cleans and removes residual grease, oil, silicones, etc.
- › based on 100% vegetable solvents (contains no chlorinated hydrocarbons or petroleum based solvents)
- › pleasant citrus scent



Packaging:  
500 ml





## 8003 Cockpit Cleaning and Care

Cockpit cleaning and care aerosol

Cockpit dashboard cleaning and care, produced on basis of quality cleaning and nourishing components.

- › cleans, polishes and nourishes at the same time
- › protects from dust, dirt and moisture
- › colour refreshing
- › antistatic
- › pleasant paradise scent
- › available in glossy and matt

 Packaging: 600 ml    Finish: Glossy / Matt



## 8040 Relumens

Headlight renovation kit

Experience easy headlight restoration, effectively eliminating scratches, yellow oxidation, and haze. This kit serves as a comprehensive solution for auto headlight refurbishment, safeguarding the longevity and luminosity of the car's headlights, ensuring lasting performance and clarity throughout the years.

- › effortlessly renews headlights for enhanced visibility and safety
- › quick application saves time while ensuring a long-lasting result
- › preserves and increases a vehicle's resale value




Before


After

Scan the QR code to watch the video:



Set includes:

 Headlight restorer polymer, heating jug, instructions for use

 Refill: 600 ml




## 5204 Sprayer RIM ACD

Professional sprayer for acidic detergents

Professional sprayer with PP pump, for applying acid based detergents.

- › usable volume: 1.5 L
- › operating pressure: 3 bar
- › with safety valve
- › plastic jacket wand to protect the non-return valve
- › specially coated spring
- › seals: FPM (Viton®)

 Usable volume: 1.5 L



### 8063 Microfibre Towel

Set of supersoft microfibre towels

Set of four professional-grade microfibre towels, each in a unique color, ensures scratch-free surface cleaning. Whether used with or without cleaning agents, they deliver a streak-free finish, making them ideal for tasks like removing ceramic coating, detailing sprays, wax, compounds, sealant, glaze, polish, etc..

- › 80% polyester / 20% polyamide
- › overlock stitches
- › washable up to 90°C
- › 4 pcs in 4 colours

---

Size:  
40 x 40 cm, 4 pcs



### 8390 Telescopic Brush

Telescopic brush

Professional, heavy duty wash brush with telescopic flow through handle for cleaning hard-to-reach areas.

- › easy grip handles
- › scratch free removal of stubborn dirt
- › 28 cm wide brush head
- › handle extends up to 245 cm
- › brass quick coupler for water pipe
- › replaceable components (sold separately): brush head

---

Length:  
max 245 cm



### 2236 Bucket Silco

Plastic bucket 10 L

---

Usable volume:  
10 L

# Technical Aerosols







# 1010 Brake Cleaner

**HIGH PERFORMANCE ASSEMBLING CLEANER**



No cloths and  
brushes required

Contains high share  
of pure acetone

Does not harm rubber  
& plastic parts



Used for cleaning:



Car brakes before and after cleaning



High pressure application






## 1010 Brake Cleaner

High performance assembling cleaner in aerosol



A highly active special cleaning agent for cleaning oily and greasy machine parts, disc brakes, brake parts, and other surfaces. It does not contain recycled raw materials.

- › provides a high cleaning effect and contains a significant amount of pure acetone
- › leaves no residue
- › non-corrosive and safe for rubber or plastic parts



Packaging:  
600 ml



## 1050 Brake Cleaner

Assembling cleaner



A highly effective specialized cleaning agent for removing oil and grease from machine parts, disc brakes, brake components, and various surfaces. It does not contain any recycled materials.

- › offers strong cleaning with acetone
- › leaves no residue
- › non-corrosive and safe for rubber and plastic parts



Packaging:  
25 L



## 5208 Sprayer BC

Sprayer for applying brake cleaner

Professional sprayer with a nylon pump for applying brake cleaner.

- › usable volume: 1.5 L
- › operating pressure: 3 bar
- › with safety valve
- › plastic jacket wand to protect the non-return valve
- › seals: FPM (Viton®)



Usable volume:  
1.5 L



## 4540 Rust Solvent

Rust solvent MoS2



Versatile, efficient lubricant and rust remover for loosening corroded and stuck bonds.

- › cleans and removes rust
- › offers lasting protection from corrosion
- › supplants moisture (also in electrical contacts and conductors)



Very effective in loosening corroded and stuck bonds.



Packaging:  
500 ml




## 5500 Thyxo Lube

Universal lubricant



Fat-free, non-dripping lubricant with an exceptional penetrating effect. Suitable for greasing and preventing squeaking of various rails, gaskets, locks, hinges, runners, and more. Ideal for visible applications where total cleanliness and effective lubrication are required (repels dust).

- › penetrating effect
- › resistant to pressure
- › temperature resistant from -50°C to +210°C

 Packaging:  
500 ml




## 3004 Coppex

Anti-seize lubricant



A premium high-temperature anti-seize lubricant, parting, and anti-corrosion agent. Prevents seizing and sticking, cold welding, wearing, and tearing, as well as rust.

- › high adhesive power
- › silicone-free
- › heat-resistant up to +1300°C

 Packaging:  
500 ml




## 4400 Multi 6

Multipurpose 6in1 aerosol



A multipurpose aerosol with a 6-in-1 formula for instant effect.

- › unfastens rusted screw joints
- › drives out moisture in electrical contacts and fine cracks
- › prevents squeaking and creaking noises
- › provides long-lasting corrosion protection
- › removes rust
- › lubricates runners and hinges

 Packaging:  
500 ml




## 5005 Silicoil

Transparent silicone lubricant



Transparent lubricant for conveyor belts, slide rails, guide ways, and locks. Provides outstanding sliding capability on nearly all surfaces. Also functions as a conditioner and parting agent for plastics, rubber, wood, and metal surfaces.

- › leaves no stains
- › prevents surfaces from sticking and squeaking
- › protects electrical contacts from oxidation and corrosion; also water-repellent
- › suitable for fitting rubber parts
- › **caution: do not apply to windows**

 Packaging:  
500 ml



# Promotional Articles







## 2259 Hoodie Silco

Premium Hoodie

This specially designed hoodie is tailored exclusively for the elite community of skilled car painters.

You belong to a community of professionals who strive for nothing less than perfection, delivering flawless results that showcase the artistry of your work.

Size:  
M / L / XL / XXL



## 2349 T-Shirt Silco Shark

Premium T-Shirt

Showcase your dominance with our shark-inspired T-shirt, a symbol of Silco brand.

Size:  
M / L / XL



## 2338 T-Shirt Silco Logo

Premium T-Shirt

Proof that classics are still awesome. Silco logo on the chest and bellow the collar on the back.

Size:  
M / L / XL



## 2266 Hooded Light Jacket

Comfortable, lightweight, water repellent

The cold will no longer be your enemy, quilted, feathery to the touch and with a fitted hood and chin protector.

- › two front pockets with zip
- › carry bag included
- › water resistant and windproof

Size (Men's):  
S / M / L / XL / XXL / XXXL

Size (Women's):  
S / M



## 2288 Bodywarmer

Comfortable, lightweight, water repellent

Casual vest for you to combine as you want. Quilted, feathery to the touch and with a chin protector.

- › two front pockets with zip
- › carry bag included
- › water resistant and windproof

---

Size:  
S / M / L / XL / XXL



## 2321 T-shirt Silco

Cotton T-shirt

Crew neck T-Shirt made of 100% ring-spun cotton with a printed Silco logo on the front side. Available in black colour.

---

Size:  
S / M / L / XL / XXL



## 2242 Polo shirt Silco

Polo shirt with elastane

Polo shirt made of 96% cotton and 4% elastane micro pique with a printed Silco logo on the front side. For a comfortable fit, this polo shirt has a fold-down collar with a two-button placket and short sleeves.

---

Size:  
S / M / L / XL / XXL



## 2538 Knitted Beanie

Warm winter hat

This comfortable, chunky knitted beanie is all you need to keep your head warm.

---

Size:  
Unisex





## 2342 Sunglasses Silco

Polarized sunglasses

Elevate your style and protect your eyes with Silco Polarized Sunglasses. Featuring sleek black frames with a 3D embroidered Silco logo and polarized lenses for ultimate clarity.

---

Size:  
M / L / XL / XXL



## 2025 Silco Energy Drink

Refinish energy booster

The ultimate energy booster designed specifically for car painters and car enthusiasts alike.

With its specially crafted formula, it provides a powerful burst of energy, enabling you to achieve a higher level of endurance and concentration, and complete your projects with unmatched speed and precision.



## 2356 Coffee Cup

Coffee cup



## 2325 Clock Silco

Wall Clock

Round wall clock with a diameter of 35 cm in black color. Battery included.

---

Diameter: 35 cm    Colour: Black



## 2326 Flying Banner Silco

Flexible advertising stand

High-quality color printed Silco logo on polyester fabric, resistant to different weather conditions. Flying banner consists of printed flag, multi-sectional bendable stick and foldable metal base.

The entire system is packed into a small carry bag for convenient transport. Easy to set up and use, suitable for indoor and outdoor use.

---

Dimensions:  
92 x 165 cm



## 2348 Product Display Stand

200x100x40 cm

Quick and easy to assemble with no screwing.

- › Each stand includes:  
4 shelves and 9 hangers

---

Dimensions:  
200 x 100 x 40 cm



## 2243 Bag Silco

Gift bag

A matte finished high quality rope handled shopper made of processed laminated paper with a soft look.


---

Dimensions:  
24.5 x 37.5 x 9.0 cm



## 2343 Notebook Silco

Flip notebook



## 2246 Writing Pad Silco

A4 writing pad

Writing pad A4. Contains 50 lined sheets of paper with printed color logo, with glued header, with perforation and two holes for easier archiving.



## 2232 Ballpoint Pen Silco

Push ball pen

The icon of a classic writing instrument. Functional right down to the last detail. Relaxed writing with a self-confident, high-quality ballpoint pen.



## 2249 Lighter Silco

Cricket lighter



## 2247 Sticker Silco

Stickers

OUR DISTRIBUTORS

## **TOBIAS LUNDQVIST**

SWEDEN

We are happy and full of anticipation to have started an exciting collaboration with Silco. Their support has been fantastic, always responding to our questions quickly. The deliveries of orders have been very reliable and prompt. The products we and our customers have tested meet all our high standards, and the feedback has been very satisfactory. We believe that, together with Silco and their product range, we will reach new heights.







Silco d. o. o.  
Šentrupert 5a, 3303 Gomilsko, Slovenia  
Tel.: +386 (0)3 703 31 80

[www.silco.si](http://www.silco.si)



### Follow us on social media.



@SilcoOfficial



@silco\_official



Silco Official



@silco\_official



@silco\_official\_

Prod. Nr. 5241-EN

Distributor: