

A black and white photograph of a person in a white protective suit and mask, kneeling on a metal grate floor, using a spray gun to paint the rear of a white car. The scene is set in a paint booth with white walls and a metal grate floor. A large blue diagonal overlay covers the left side of the image, containing the text 'PRODUCT CATALOGUE' and 'EN 2019'.

PRODUCT CATALOGUE


EN 2019

silco[®]
AUTOMOTIVE

Perfect Refinish Within Minutes™



Perfect Refinish Within Minutes™



















CarFIX

PERFIN

www.silco-automotive.com

CONTENT

	Abrasives	12
	Putties - Bodyfillers	20
	Primers	24
	Masking Products	30
	Clear Coats & Paints	36
	UniMix Paint System	42
	Hardeners	46
	Polishing System	50
	Bonding & Sealing Products	56
	Bodyshop Consumables	64
	Tools & Accessories	72
	Health & Safety Products	78
	Car Cleaning Products	84
	Technical Aerosols	90
	Promotional Articles	94
	Carfix Products	100

DISCOVER THE SILCO BRAND!


*WE KNOW THE DIFFERENCE.
WE ARE THE PRODUCER.*

When it comes to product quality, we never compromise.

We believe that only a complete mutual compatibility of all materials ensures a seamless repair. We develop and produce over 300 paint materials to compliment our range of non paint products. There are more than 1.000 products to choose from. These are more than 1.000 reasons for Silco to become your No. 1 choice.

Our materials are a guarantee for quality, with a fast cost-efficient end result that will impress you and your customers.

Become part of our successful story.



Development and Production



With the support of leading manufacturers of raw materials and experienced car refinishers, we develop state of the art materials, that will enable you to work one step ahead of the others. All of the materials, putties-bodyfillers, primers-surfacers, clear coats, thinners and other products are the result of our own development and production.

All this grants you the access to new, proven, productive and cost-effective materials.

Products



Our materials are distinguished by innovation, ease of use and reliable result every time. Basic materials will delight you with fast drying times and easy sanding, while clear coats feature easy application and a superior shine.

All Silco products are made from the best raw materials available on the market. They are carefully tested and because they contain a high content of protective ingredients such as UV protection, anti-corrosive and other additives provide long-lasting resistance to influences from the environment.



Team



Silco's international team comprises of 50 dedicated experts who are committed to creating products and solutions which have been recognised by automotive refinishers as effective and successful in more than 40 countries worldwide for the past 15 years. We are specialists who live and breathe for our state-of-the-art bodyshop products. Empowered by teamwork, we enjoy working together to live the Silco brand.

Despite the international nature of the team, our headquarters, R&D, training facilities and production are located in Slovenia.

Full Support



Silco is more than just products. Our work closely depends on our partners in all areas. We will support your entrance into the market in sales as well as marketing. You will benefit from substantial technical support. Our quality marketing tools and promotional programs will help you to creatively use all the technical advantages of our products.

Warranty



The car painting materials are used in the final phase of car body repair. By using reliable materials you will avoid high costs connected with the removal of defects, which could become evident only after a few years, as well as avoid the possibility of losing your good reputation.

No efforts and expenses were spared at any stage of manufacturing of our products. The best raw materials, input testing, precision in production as well as testing of every series produced, both in the lab as well as in real conditions, are the guarantee for high reliability of our products.

PROUDLY MADE IN SLOVENIA

I FEEL
SLOVENIA

A small country nestled between the Alps and the Mediterranean, often called the green heart of Europe, is not just a perfect getaway destination due to its striking scenery full of woodlands, immense plains and impressive mountains.

Slovenia's geostrategic position at the crossroads of transport routes, favourable business environment, well developed infrastructure, long industrial tradition, personal qualities of its people explain why so many Slovenian companies and brands have a large footprint in international markets.

www.slovenia.si 



Many striving, forward-looking Slovenian manufacturers corroborate this fact by having advanced technological solutions, highest quality production processes, daring innovation firmly integrated in the development and production strategies. Chief Slovene industries produce electrical equipment, electronics, trucks, chemicals, etc.



At Silco we are pleased to be amongst them. We create solutions, develop innovative products and we proudly produce superior bodyshop products.



5 STEPS OF REACHING THE QUALITY OF THE PRODUCTS



1 *RENOWNED RAW MATERIAL SUPPLIERS*

2 *PRECISE CONTROL OF RAW MATERIALS*

3 *OWN PRODUCT DEVELOPMENT*

4 *OWN PRODUCTION*

5 *CAREFUL FINAL CONTROL*

***WHATEVER WE ENVISAGE,
WE PRODUCE AND DELIVER!***



DEVELOPMENT

We are dedicated to our work. We demonstrate our expertise not only through our highly responsive and efficient support to bodyshops but also by producing advanced products and refined solutions.

With over 300 of our products developed in our laboratories, our ability to innovate is well proven.

Customers from over 40 countries around the world put their trust in us.





***WE LISTEN TO YOUR
NEEDS AND PROPOSALS.***

PRODUCTION

We invest in the latest technologies. Our advanced production procedures serve as the basis for all Silco products.

This allows us to regulate and control all phases of the production process. By using our own production facilities, we can guarantee efficiency and the ability to adapt to our customers' needs.





KEY TO KEY IN 60 MINUTES

Could you imagine the delivery of
a repaired car in only 60 minutes?



6600 SFR AIR BOND™ Fast, Soft, Light Putty-Bodyfiller




- 40 % faster drying time
- Non-porous, smooth surface
- Easy sanding, non-sagging
- Dry to sand:
 - 20°C: 12 min
- Easy to apply
- Low specific weight 1.3 kg/L
- For filling large dents or to be used as a fine putty
- Excellent adhesion on galvanised and aluminium surfaces

7120 SFR M12 SUPERFAST™ HS Ultra Rapid Surfacers



- Ultra fast drying acrylic primer-filler
- Easy sanding, non-sagging
- Dry to sand:
 - 20°C: 15 min
 - 60°C: 5 min
 - IR: 5 min
- Pot-life / Ready to use: 20–40 min (20°C)
- Smooth and non-porous surface

9600 SFR X-CURE™ UHS 420 Ultra Rapid Clear Coat



- Up to 85 % faster drying time
- No activator/hardener in the base coat required
- For spot or large repairs
- Dry to polish:
 - 20°C: 50–60 min
 - 60°C: 3–5 min
 - IR: 3 min
- Pot-life / Ready to use: 60 min (20°C)
- Excellent deep gloss and high UV protection
- VOC: 420 g/L



TIME SAVING



INCREASED PRODUCTIVITY



ENERGY SAVING



HIGHER EARNINGS

**GET THE
PRODUCTIVITY
OF 3 SPRAY
BOOTHS FROM
JUST ONE**

**HAPPY
CUSTOMERS**

**SIMPLE-TO
USE
PRODUCTS**

**SAVE
ENERGY**

**LONG-TERM
QUALITY
REPAIR**

**SAVE ON
MATERIAL
PRICE**

**SAVE
TIME**



England - Stockport
owner of AAL, Mr David Spinks

"Here at AAL Stockport, we are delighted to confirm that we use the products from the SFR range. Our bodyshop has 2 spray booths and 2 smart repair vans, and both have benefited from high productivity and fast drying times, which has given us a fast, energy efficient solution."

England - Milton Keynes
owner of Car Doctor, Mr Terry Dimmock

"At the Car Doctor, we offer our customers a "Guaranteed high-quality repairs in the fastest times at the best prices", where using Silco SFR products enables us to do just that. Faster drying time allows us to get cars back to our customers even quicker. This also helps to enhance our bodyshop's reputation through the use of more technically advanced materials and our overall customer satisfaction levels in faster delivery and excellent high quality finishes."



HAPPY CUSTOMERS

UniMix Paint System

Compact colour system for automotive, metal, transport and other industries

Compact colour system developed to meet market demands of automotive, metal, transport and other industries. UniMix is a colour system of 24 highly concentrated tinters and 14 binders. The colour system is distinguished by high covering power, colour accuracy, extensive colour portfolio, quick drying and ease of use.

Depending on the choice of the binder, different types of coatings can be prepared - from primers to topcoats in different qualities, from the simplest 1K coating to the most advanced 2K UHS Ultra Fast Acryl.



Topcoats that dry within minutes - not hours!

Revolutionary Ultra Fast Topcoat - Binder UniMix 2K UHS Ultra Fast Acryl

UniMix Ultra Fast topcoat delivers outstanding performances in very short drying times (up to 80 % shorter drying times compared to conventional acrylic/PUR coatings), chemical and UV resistance.

UniMix Ultra Fast topcoat will guarantee high quality and durability for many years after application. Unique material properties will ensure lower work costs (lower electricity and fuel costs), increased productivity, time savings as well as increased customer satisfaction.

Features:

- ✓ Extremely fast drying times
- ✓ Excellent gloss (>99%)
- ✓ Good leveling, smooth surface
- ✓ Excellent chemical and UV resistance
- ✓ VOC 420 compliant

Available in matt or semimatt variant.



Drying time:

- 20 °C: 50–60 min
- 60 °C: 3–5 min
- IR: 8 min

Potlife (20 °C): 75 min



TIME SAVINGS



INCREASED PRODUCTIVITY



ECONOMICAL OPERATIONS



ENERGY SAVINGS

FEATURED TECHNOLOGIES



MICRONET TECHNOLOGY

Micronet technology used in production of primers-fillers ensures an optimal fineness of the filling material.



LIGHT-WEIGHT TECHNOLOGY

Special light-weight filling materials are used to reach low specific weight of the putty.



AIR-DRY TECHNOLOGY

Special formulation of polyol resin and a combination of selected isocyanates delivers optimal air drying features of the coating. This enables curing of 2-pack system at ambient conditions.



SILICONE FREE PRODUCT

The products contain no silicones and are therefore suitable for use in the refinishing bodyshop.



OVER CROSS-LINK TECHNOLOGY

The combination of polyol resin, selected isocyanates and special additives demands that the traditional crosslinking is changed to ensure optimal chemical and physical properties of the coating.



ADHESION PROMOTION TECHNOLOGY

Special adhesion promoters are used to enhance adhesion of the coating on aluminium or zinc-plated surfaces.



UV+ TECHNOLOGY

Silco's research has proven that only the right combination of selected UV stabilizers ensures the optimal protection of the coating. This is an added value of the coating for many years to come.



IMPERMEABLE

Silco masking film and paper are made from quality materials and treated to prevent bleed through (penetration) of waterborne and solvent based paints to the surface.



NITROGEN BLANKET PROTECTION

The final stage when filling hardeners into cans is a dosage of inert nitrogen gas which prolongs the shelf life of the product.



BREATHABLE – NO MARKS

Special surface structure allows the use on damp cars without leaving marks by allowing the moisture to evaporate from the surface. This feature enables time savings by eliminating the need of rework or finishing on the masked areas.



ELECTROSTATIC & CORONA TREATMENT

Silco masking film is electrostatically and corona treated providing optimal clinging and adjustment to the vehicle, enables easy applications and positioning and ensures a strong paint adhesion on the film.



NANO POLISH TECHNOLOGY

Aluminium oxide (AlO) polishing paste with nano-fine particle size and very high hardness level ensures a perfect cut and excellent gloss in just one step.



3 COLOURS AVAILABLE

Primer-fillers are produced in 3 colours, but mixing them to prepare your own greyscale colour is not a problem.




ABRASIVES



3060 Abra-Sil Gold Top Performance Abrasive Disc

Abrasive discs Abra-Sil Gold present the most you can expect from abrasive material. They offer exceptional durability due to special abrasive minerals which feature outstanding strength in combination with a flexible backing. Abrasive discs Abra-Sil Gold ensure low labour and material costs as well as providing excellent sanding results.

- backing: latex treated C weight paper
- velcro fastening
- abrasive minerals: premium AlO
- special stearate coat prevents clogging
- excellent cutting performance
- even and smooth finished surface
- diameter: 150 mm, 15 holes
- centre hole for better dust extraction




Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
3060-060	P 60	3060-120	P 120	3060-220	P 220	3060-320	P 320	3060-500	P 500
3060-080	P 80	3060-150	P 150	3060-240	P 240	3060-360	P 360	3060-600	P 600
3060-100	P 100	3060-180	P 180	3060-280	P 280	3060-400	P 400	3060-800	P 800

3040 Blu-Cut Efficient Abrasive Disc

Abrasive discs Blu-Cut present the economical, high-efficiency abrasive discs. They offer a high initial aggressive cut and long lifespan which ensures it to be a cost-effective choice.

- backing: latex treated B/D weight paper
- velcro fastening
- abrasive minerals: AlO
- special stearate coat prevents clogging
- good cutting performance
- even and smooth finished surface
- diameter: 150 mm, 15 holes
- centre hole for better dust extraction



Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
3040-080	P 80	3040-220	P 220	3040-400	P 400
3040-120	P 120	3040-240	P 240	3040-500	P 500
3040-150	P 150	3040-280	P 280		
3040-180	P 180	3040-320	P 320		


3070 Abra-Sil Green

Fine Grit Abrasive Disc

Abrasive discs Abra-Sil Green due to their special abrasive minerals enable extremely high productivity and quality for fine sanding. Especially intended for preparing the surface for blending and correcting imperfections in the final coat.

- backing: film
- velcro fastening
- abrasive minerals: premium AlO
- special stearate coat prevents clogging
- even and smooth finished surface
- diameter: 150 mm, 15 holes
- centre hole for better dust extraction

Prod. Nr.	Grit
3070-1000	P 1000
3070-1200	P 1200
3070-1500	P 1500
3070-2000	P 2000




4060 Abra-Sil Gold

Top Performance Abrasive Disc

Diameter: 200 mm, 8 holes, velcro.

Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
4060-060	P 60	4060-150	P 150	4060-240	P 240
4060-080	P 80	4060-180	P 180	4060-320	P 320
4060-100	P 100	4060-220	P 220	4060-400	P 400
4060-120	P 120				




5060 Abra-Sil Gold

Top Performance Abrasive Sheet

Dimensions: 115 x 230 mm, 10 holes, velcro.

Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
5060-080	P 80	5060-220	P 220	5060-320	P 320
5060-120	P 120	5060-240	P 240	5060-400	P 400
5060-180	P 180				




6060 Abra-Sil Gold

Top Performance Abrasive Sheet

Dimensions: 70 x 420 mm, 14 holes, velcro.

Prod. Nr.	Grit	Prod. Nr.	Grit
6060-060	P 60	6060-150	P 150
6060-080	P 80	6060-240	P 240
6060-120	P 120	6060-320	P 320



7060 Abra-Sil Gold Roll

Top Performance Abrasive Paper in Roll

Dimensions: 115 mm x 50 m.

Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
7060-060	P 60	7060-120	P 120	7060-240	P 240	7060-320	P 320
7060-080	P 80	7060-220	P 220	7060-280	P 280		



4090 Aqua-Sil

Waterproof Abrasive Sheet

Waterproof sanding sheets of high quality for wet sanding of all kinds of car refinishing materials.

- flexibility
- durability
- excellent cutting performance
- resistance to clogging
- perfect finish
- dimensions: 230 x 280 mm

Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
4090-600	P 600	4090-1000	P 1000	4090-1500	P 1500
4090-800	P 800	4090-1200	P 1200	4090-2000	P 2000



6160 Abra-Foam SBS

Foam Backed Abrasive Roll

Abrasive material on soft foam backing for manual treatment of nibs, scratches and complicated contours.

- flexibility
- durability
- perforated
- uniform surface
- abrasive minerals: AIO
- dimensions: 115 mm x 25 m

Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
6160-180	P 180	6160-320	P 320	6160-500	P 500	6160-800	P 800
6160-240	P 240	6160-400	P 400	6160-600	P 600		




6170 Abra-Foam Soft

Foam Backed Abrasive Discs

Abrasive material on soft foam backing for manual or machine treatment of nibs, scratches, and complicated contours.

- flexibility
- durability
- uniform surface
- abrasive minerals: AIO
- diameter: 150 mm, 15 holes
- velcro fastening

Prod. Nr.	Grit	Prod. Nr.	Grit	Prod. Nr.	Grit
6170-320	P 320	6170-500	P 500	6170-800	P 800



5610 Flap Disc

Abrasive Flap Disc

High quality flap disc for angular grinder.

- abrasive material zirconium based
- diameter: 115 mm
- backing plate: fiberglass

Prod. Nr.	Grit
5610-040	P 40
5610-060	P 60
5610-080	P 80



6115 - 6240 CSD Disc

CSD Cleaning Disc

High performance cleaning disc made of nylon, impregnated with special abrasive minerals. Useful for removal of rust, protective coatings and welding drops down to bare metal.

- glass fibre
- flexibility
- durability

Prod. Nr.	Description
6115	Disc for angular grinder 115 mm
6240	Disc 150 mm

Prod. Nr.	Description
6220	Disc 50 mm, Roloc Type
6221	Arbour



3090 Siflex

Flexible Dry Sanding System



Special resins and abrasive materials on film backing make this dry sanding system the perfect solution for scuffing and finishing. A shallow and uniform scratch pattern ensures better results in less time than conventional sanding materials on most curved and concave parts. Colour coding makes for a better and faster recognition of the needed grit in the work process avoiding unnecessary rework.

- flexibility, durability
- for manual or machine treatment
- uniform scratch pattern
- film backing
- velcro fastening
- disc diameter: 150 mm, 15 holes / sheet dimensions: 170 x 130 mm
- soft interface pads & discs with micro velcro fixation

Prod. Nr.	Grit	Description	Size	Colour
3090-D-600	P 400 - P 600	Disc	150 mm	Blue
3090-D-800	P 800 - P 1000	Disc	150 mm	Yellow
3090-D-1500	P 1200 - P 1500	Disc	150 mm	Orange
3090-S-600	P 400 - P 600	Sheet	170 x 130 mm	Blue
3090-S-800	P 800 - P 1000	Sheet	170 x 130 mm	Yellow
3090-S-1500	P 1200 - P 1500	Sheet	170 x 130 mm	Orange



Prod. Nr.	Description
3095-S	Soft interface pad; 150 x 97 mm NEW
3095-D	Soft interface pad, 15H; diam 150 mm NEW



3006 Cutting Wheel

Universal cutting disc

NEW

High quality elastic thin cut off wheel.

- diameter: 115 mm
- thickness: 1 mm
- elastic construction
- manufactured in accordance with EN12413 as well as OSA standard



Prod. nr.	Description
3006	Cutting disc, 115 mm

3520 - 3521 Control Powder

Dry Coat Control Powder

Solvent free black powder for easier control of sanded surface. Set contains applicator and two refills of 30 g each.

- solvent free
- no clogging of sanding paper



Prod. nr.	Description
3520	Set (Applicator + 2 x 30 g)
3521	Refill, 2 x 30 g

3550 Control Spray

Control Black Spray

High quality, acrylic black matt paint in aerosol. To be used as control spray before filler sanding.

- good adhesion
- high covering power
- economical in use
- fast drying



Prod. Nr.	Content
3550-0,5	500 ml

2260 Ezee-Scuff

Scuffing-Cleaning Roll

IMPROVED QUALITY

A three dimensional, non-woven product, made of nylon which is impregnated with special abrasives. Useful for cleaning, finishing and most of all matting paint or panels before painting or making fade-outs.

- excellent cutting performance
- uniformly treated surface
- durable
- may be used wet or dry
- used on both sides



Prod. Nr.	Description	Grit	Colour
2260-R-A	Roll, 115 mm x 10 m	P 360	Red
2260-R-B	Roll, 115 mm x 10 m	P 1500	Grey

2270 Ezee-Flex Total

Premium Scuffing-Cleaning Pad/Roll

A three dimensional, non-woven product, made of nylon which is produced and impregnated in a unique way to ensure stronger and long-lasting performance. Useful for cleaning, finishing and most of all matting paint or panels before painting or making fade-outs. The flexible structure enables it to be used even on the hard to reach places.

- outstanding quality
- excellent cutting performance
- uniformly treated surface
- long durability
- may be used wet or dry
- used on both sides



Prod. Nr.	Description	Grit	Colour	Prod. Nr.	Description	Grit	Colour
2270-P-A	Pad, 115 x 230 mm	P 360	Red	2270-P-B	Pad, 115 x 230 mm	P 1500	Grey
2270-R-A	Roll, 115 mm x 10 m	P 360	Red	2270-R-B	Roll, 115 mm x 10 m	P 1500	Grey

3020 Ezee-Matt

Performance Matting Paste

Water based paste for preparing the surface before painting. Cleaning, matting and degreasing in one step. Does not leave deep scratches.

- mechanically and chemically removes waxes and silicones
- possible to use with water
- manual or machine application possible
- removal of paint mist and difficult stains

Prod. Nr.	Content	Colour
3020-1	1 kg	Green



1022 - 1024 Tape-Off+

Label Removal Disc

Fast and residue free removal of labels, stickers, decorative stripes etc. without damaging the surface.

- suitable for all types of paints
- rotation: left/right
- flexible, durable
- special gear shape prevents surface overheating
- dimensions: 100 x 20 mm

Prod. Nr.	Description
1022	Disc with direct mounting, 1 pc
1024	Gear shape disc, 1 pc + adaptor



9180 Palm Sander

Pneumatic Excentric Palm Sander

Quality single hand air driven palm sander.

- efficient dust absorption system
- low vibration and noise
- 5 mm orbit, air consumption: 360 l/min
- dust extraction connection: Ø 27 mm, pressure connection: 1/4"
- pad diameter: 150 mm, 15 holes
- weight: 980 g

Prod. Nr.	Description
9180	Palm sander



PERFIN

2209 Dura-Pad

Universal Backing Pad

Top quality medium hard multi hole universal backing pad.

- to be used with sanding discs Ø 150 mm
- perfectly balanced, universal for most of the sanders available on the market
- durable construction material and velcro fastening
- highly effective dust extraction channels
- multi hole for 6+1, 9 and 15 hole discs

Prod. Nr.	Description
2209	Backing pad, 150 mm




4630 - 4640 Interface Dura-Pad

Soft Interface Pad

Flexible, soft interface pad for final sanding.

- to be used with sanding discs Ø 150 mm, 15 holes
- fastening: velcro

Prod. Nr.	Description
4630	Soft interface pad
4640	Pad protector



2207 Dura-Pad Block

Manual Sanding Block

Sanding block for manual sanding of even surfaces.

- to be used with sanding discs Ø 150 mm
- fastening: velcro

Prod. Nr.	Description
2207	Sanding block, 150 mm




2208 Dura-Pad Block

Manual Sanding Block

Sanding block for manual sanding of even surfaces.

- to be used with sanding sheets 115 x 230 mm
- fastening: velcro

Prod. Nr.	Description
2208	Sanding block, 115 x 230 mm



2211 Dura-Pad Block

Sanding Block with Dust Extraction

Sanding block for manual sanding with dust extraction.

- to be used with sanding sheets 115 x 230 mm
- fastening: velcro
- connection for dust extraction hose: Ø 27 mm

Prod. Nr.	Description
2211	Sanding block, 115 x 230 mm



2212 Dura-Pad Block

Sanding Block with Dust Extraction

Sanding block for manual sanding of even surfaces.

- with absorption system
- to be used with sanding sheets 70 x 420 mm
- fastening: velcro



Prod. Nr.	Description
2212	Sanding block, 70 x 420 mm

2220 Dura-Pad Block

Manual Sanding Block

Sanding block for manual sanding of even surfaces.

- to be used with sanding discs Ø 150 mm
- fastening: velcro



Prod. Nr.	Description
2220	Sanding block, 150 mm

2223 Dura-Pad

Manual Sanding Convex Block

Sanding block for manual sanding of uneven surfaces. Convex form of the sanding surface.

- to be used with sanding discs Ø 150 mm
- fastening: velcro



Prod. Nr.	Description
2223	Sanding block, 150 mm

2225 Dura-Pad Rubber

Rubber Sanding Block

Rubber sanding block for wet and dry sanding.

Prod. Nr.	Description
2225	Sanding block, 70 x 125mm





PUTTIES-BODYFILLERS



6600 SFR Air-Bond™ Fast, Soft, Light Putty-Bodyfiller

Universal, fast and soft lightweight polyester putty. Thanks to its latest filling material technology the specific weight of only 1.3 kg/L enables it to fill irregularities and dents with significantly less product (by weight) in comparison with conventional putties. It dries up to 40% faster than conventional putties.

- specific weight 1.3 kg/L (conventional putties ≈ 2 kg/L)
- ready to sand in 12 minutes
- excellent adhesion to galvanized and electrozinc-coated metals, aluminium and steel surfaces
- very easy to spread, with high thixotropy
- non-porous, smooth surface
- adhesion to wood and polyester laminates
- excellent sanding, beginning with P150
- can be used as filling and fine putty



Prod. Nr.	Content	Colour
6600-1	1 L	White



6100 Multi-Max High Performance Universal Lightweight Putty

Universal lightweight polyester putty. Its low specific weight enables it to fill irregularities and dents with significantly less product (by weight) in comparison with conventional putties.

- specific weight 1.27 kg/L (conventional putties ≈ 2 kg/L)
- excellent adhesion to galvanized and electrozinc-coated metals, aluminium and steel surfaces
- very easy to spread, with high thixotropy
- non-porous, smooth surface
- excellent sanding, beginning with P120

Prod. Nr.	Content	Colour
6100-1,5	1.5 L	Beige



6080 B8 Multi-Light

Universal HP Lightweight Putty-Bodyfiller

Universal lightweight polyester putty with low specific weight enables to fill irregularities and dents with significantly less product (by weight) in comparison to conventional putties. Excellent adhesion to galvanized and electrozinc-coated metals, aluminium and steel surfaces.

- very easy to spread
- non-porous, smooth surface
- excellent sanding, beginning with P120
- specific weight 1.27 kg/L (conventional putties ≈ 2 kg/L)

Prod. Nr.	Content	Colour
6080-1,5	1.5 L	Beige



NEW



6700 Multi-Blue

High Performance Semi-Lightweight Putty

Universal polyester putty with lower specific weight defined by its short drying time, fine creamy structure and smooth application without holes.

- specific weight 1.6 kg/L (conventional putties ≈ 2 kg/L)
- ready to sand in 15 minutes with optimal sandability
- excellent adhesion to galvanized and electrozinc-coated metals, aluminium and steel surfaces
- very easy to spread, with high thixotropy
- non-porous, smooth surface
- excellent sanding, beginning with P80
- can be used as filling and fine putty

Prod. Nr.	Content	Colour
6700-1,6	1.6 kg	Light blue



6050 B5 Multisoft

Universal HP Putty - Bodyfiller

Universal high-performance polyester putty, characterized by its fine texture, ease of application and good sanding.

- excellent adhesion to galvanized and electro-zinc-coated metals, steel surfaces and aluminium
- very easy to spread
- non-porous, smooth surface
- excellent sanding
- specific weight: 1.8 kg/L

Prod. Nr.	Content	Colour
6050-1,8	1.8 kg	Beige



NEW

6200 Multi+

High Performance Soft Putty

Universal polyester putty, characterized by its fine, creamy texture and ease of application, easily obtaining a pin-hole free finish.

- excellent adhesion to galvanized and electrozinc-coated metals, aluminium and steel surfaces
- very easy to spread
- non-porous, smooth surface
- excellent sanding

Prod. Nr.	Content	Colour
6200-2	2 kg	Beige



6030 Multi-Bond Universal Soft Putty

Universal soft polyester putty.

- very easy to spread
- strong adhesion to galvanized and electrozinc-coated metals, aluminium and steel surfaces
- distinguished by non-porous, smooth surface
- easy sanding

Prod. Nr.	Content	Colour
6030-1,8	1.8 kg	Beige



6400 Multi-Fiber Fiberglass Putty

Polyester putty reinforced with fiberglass to increase its resistance. Appropriate to repair polyester pieces and rusted metallic areas.

- small size fiber particles ensure easy spreading
- quick drying
- non-sagging

Prod. Nr.	Content	Colour
6400-1,8	1.8 kg	Green
6400-0,25	250 g	Green



6500 Multi-Alu Putty with Aluminium

Polyester putty with aluminium particles for filling of deeper holes or dents in thicker layers without danger of cracking or sagging.

- strong adhesion, even to galvanized metals
- easy spreading and quick drying
- soft sanding
- non-sagging

Prod. Nr.	Content	Colour
6500-2	2 kg	Aluminium



6040 Flexplast Flexible Putty

Special polyester putty, very flexible, designed to repair any kinds of plastic.

- strong adhesion on all kind of plastic without special primer
- easy spreading and quick drying
- non-sagging
- grey anthracite colour enables over-coating with any primer filler

Prod. Nr.	Content	Colour
6040-1	1 kg	Anthracite



6065 Polyester Putty Hardener

Quality hardener for POE putties.

Prod. Nr.	Content
6065	50 g



5061 Spreader Flex Plastic Spreaders

Plastic spreaders made of flexible, solvent resistant material.


Prod. Nr.	Dimensions
5061-10	8 x 12 cm, 10 pcs



5062 Japan Spreaders Metal Spreaders

Set of 4 flexible steel spreaders.

Prod. Nr.	Dimensions
5062	5, 8, 10 and 12 cm



8080 Sprayplast 2K Polyester Sprayable Putty

2K Polyester spray filler to easily level small irregularities on larger surfaces.

- high filling power
- easy to apply, excellent flow
- fast drying
- to be applied over bare metal, Polyester-Fillers, Glassfiber containing surfaces or original coats
- supplied with hardener

Prod. Nr.	Content
8080-1,5	1.5 kg

FAST DRYING



3270 Fiberplast+ Glass Fiber Repair Kit

Repairs holes, splits and cracks in steel, aluminium, glass fiber and wood.

- perfect adhesion to most surfaces
- sandable after 20 minutes (at 20°C)
- can be covered by the majority of primers and paint systems

Prod. Nr.	Description
3270-0,8	Resin 800 g, hardener, glass fibre mat, mixing stick and cup





PRIMERS



7120 M12 SFR Superfast™ HS Ultra Rapid Surfacers

NEW

Ultra fast drying HS acrylic primer suitable for small or big repairs. The primer is air dry in 15 minutes at 20°C. For application to bare metal, aluminium, zinc-plated surfaces and plastic parts. The surface is smooth, sanding 15 minutes after the application is very easy without paper clogging.

- very fast drying times (15 min/20°C or 5 min at 60°C/IR)
- sanding possible immediately after drying (in case of baking wait until cooling down)
- direct to metal application, adhesion on zinc-plated and aluminium substrates
- easy to sand - saves time, effort and sanding paper
- possible to apply on plastic parts (in combination with 5175 4Plastic additive)
- VOC compliant
- hardener: 7125 (vol. 5:1)



Prod. Nr.	Description	Content	Colour
7120-A-3,5	HS Ultra Rapid Surfacers	3.5 L	White
7120-B-3,5	HS Ultra Rapid Surfacers	3.5 L	Dark grey
7120-C-1	HS Ultra Rapid Surfacers	1 L	Grey
7120-C-3,5	HS Ultra Rapid Surfacers	3.5 L	Grey

Prod. Nr.	Description	Type	Mix Ratio
7125	HS Acrylic Hardener	Standard	5:1
7030	Premium Acrylic Thinner	Fast	-
7050	Premium Acrylic Thinner	Standard	-
7070	Premium Acrylic Thinner	Slow	-

5 MINUTES DRYING TIME @ 60°C/IR
EASY TO SAND - SAVES TIME, EFFORT AND SANDING PAPER



9900 M9 Surfacers

Universal HS Primer Filler

Universal high build HS acrylic primer filler suitable for spot repair or larger surfaces. Possibility to choose among two different hardener types to achieve fast or normal drying speeds.

- improved filling power
- fast drying, easy to sand - saves time, effort and sanding paper
- smooth surface: superb topcoat appearance
- direct to metal application, adhesion on Zinc-platted and Aluminium substrates
- possible to apply on plastic parts (in combination with 5175 4Plastic additive)
- VOC compliant
- hardener (vol. 5:1; standard overnight drying): 9220, 9230, 9250 or 9270
- hardener (vol. 3:1; 60 minute drying @20°C): 3950

Prod. Nr.	Description	Content	Colour
9900-A-1	HS Primer Filler	1 L	White
9900-A-3,5	HS Primer Filler	3.5 L	White
9900-C-1	HS Primer Filler	1 L	Grey
9900-C-3,5	HS Primer Filler	3.5 L	Grey
9900-B-1	HS Primer Filler	1 L	Dark grey
9900-B-3,5	HS Primer Filler	3.5 L	Dark grey

Prod. Nr.	Description	Type	Mix Ratio
9220	HS Acrylic Hardener	Extra fast	5:1
9230	HS Acrylic Hardener	Fast	5:1
9250	HS Acrylic Hardener	Standard	5:1
9270	HS Acrylic Hardener	Slow	5:1
3950	HS Acrylic Hardener	-	3:1 NEW

Prod. Nr.	Description	Type
7030	Premium Acrylic Thinner	Fast
7050	Premium Acrylic Thinner	Standard
7070	Premium Acrylic Thinner	Slow

NEW HARDENER
60 min @20°C
5 min @60°C



3900 Air Surfacers

Air Dry Fast Primer Filler

Top-quality fast drying acrylic primer-filler suitable for small or big repairs. The filler is air dry in 60 minutes at 20°C. The surface is smooth, sanding 1 h after application is easy.

- fast drying (60 min/20°C or 5-7 min at 60°C)
- sanding possible immediately after drying (in case of baking wait until it has cooled down)
- direct to metal application, adhesion on Zinc-platted and Aluminium substrates
- easy to sand - saves time, effort and sanding paper
- no clogging of the sanding paper
- smooth surface: superb topcoat appearance
- possible to apply on plastic parts (in combination with 5175 4Plastic additive)
- VOC compliant
- hardener: 3950 (vol. 3:1)

Prod. Nr.	Description	Content	Colour
3900-A-3	Air Dry Fast Primer Filler	3 L	White
3900-C-3	Air Dry Fast Primer Filler	3 L	Grey
3900-B-3	Air Dry Fast Primer Filler	3 L	Dark grey

Prod. Nr.	Description	Type	Mix Ratio
3950-1	HS Acrylic Hardener	-	3:1
7030	Premium Acrylic Thinner	Fast	-
7050	Premium Acrylic Thinner	Standard	-
7070	Premium Acrylic Thinner	Slow	-



5900 3-2-1 Surfacor

Multipurpose HS Primer Filler

HS top-quality acrylic primer-filler can be used as normal, high-build or wet-on-wet filler. Suitable for spot repair or large surfaces. Product is very easy to apply even in higher thickness. The surface appears smooth and is easy to sand.

- wet-on-wet or normal application
- fast drying, easy to sand - saves time, effort and sanding paper
- direct to metal application, adhesion on Zinc-platted and Aluminium substrates
- adhesion to plastic surfaces (in combination with 5175 4Plastic additive)
- smooth surface: superb topcoat appearance
- VOC compliant
- hardener: 9220, 9230, 9250 or 9270 (vol. 5:1)

Prod. Nr.	Description	Content	Colour
5900-A-3,5	Multipurpose HS Primer Filler	3.5 L	White
5900-B-3,5	Multipurpose HS Primer Filler	3.5 L	Dark grey
5900-C-1	Multipurpose HS Primer Filler	1 L	Grey
5900-C-3,5	Multipurpose HS Primer Filler	3.5 L	Grey

Prod. Nr.	Description	Type	Mix Ratio
9220	HS Acrylic Hardener	Extra fast	5:1
9230	HS Acrylic Hardener	Fast	5:1
9250	HS Acrylic Hardener	Standard	5:1
9270	HS Acrylic Hardener	Slow	5:1
7030	Premium Acrylic Thinner	Fast	-
7050	Premium Acrylic Thinner	Standard	-
7070	Premium Acrylic Thinner	Slow	-



7020 M2 Compact

Rapid 1K Acrylic Primer Filler

1K acrylic sandable primer characterized by quick drying and strong adhesion to substrates.

- overpaintable with acrylic, synthetic or nitro coatings
- quick drying
- high covering power

Prod. Nr.	Content	Colour
7020-C-1	1 L	Grey
7020-C-3,5	3.5 L	Grey



NEW



1818 Fast-Prime

High Build Primer Filler Spray


One component high fill quick drying primer filler in aerosol for small repairs.

- suitable substrate for all kinds of topcoats
- resistant to anti-silicone degreaser
- high filling power; easy to sand; fast drying
- wet-on-wet application
- supplied with two sprayheads (round and flat spray pattern)

Prod. Nr.	Content	Colour
1818-A-0,4	400 ml	White
1818-B-0,4	400 ml	Dark grey
1818-C-0,4	400 ml	Grey



Available spraying patterns:



2100 Epo-Prime

1K Epoxy Primer Spray

1K aerosol epoxy primer is fast drying, provides excellent adhesion, corrosion protection and can be used for insulating sanded-through areas. Suitable to be applied on various substrates like galvanized metal, steel, stainless steel, aluminium, polyester putties, sanded factory coats and old paint layers, various plastics, glass fibre materials ...

- to be used as a welding primer, rust protection primer
- resistant to moisture
- for sand-through areas, spot repair and refinishing parts
- high stability; can be sanded immediately

Prod. Nr.	Content	Colour
2100-0,5	500 ml	Grey



2110 Epo-Prime

2K High Build Epoxy Primer

Corrosion protective epoxy based primer with high filling power offers excellent adhearance and high resistance to chemicals.

- excellent corrosion protection
- superb adhesion properties on various substrates (steel, aluminium, galvanized steel, glass ...)
- suitable also for application over old paints or polyester putties
- polyester putty could be applied over it
- sanding possible only 90 minutes from application (using 2130 hardener)
- easy to spray, easy to sand wet or dry
- suitable for wet-on-wet application, followed by sanding primer or topcoat
- hardener: 2120 (vol. 3:1); 2130 (vol. 2:1)

Prod. Nr.	Description	Content	Colour
2110-1	2K High Build Epoxy Primer	1 L	Grey
2110-5	2K High Build Epoxy Primer	5 kg	Grey
2110-20	2K High Build Epoxy Primer	20 kg	Grey

Prod. Nr.	Description	Type	Mix Ratio
2130	Epoxy Hardener	Fast	2:1
2120	Epoxy Hardener	Standard	3:1

Prod. Nr.	Description	Type
2115	Premium Epoxy Thinner	Standard
7030	Premium Acrylic Thinner	Fast
7050	Premium Acrylic Thinner	Standard
7070	Premium Acrylic Thinner	Slow



4110 Etch-Prime

Etch Primer Spray

1K aerosol etch primer delivers even application, good fill, excellent corrosion protection and fast drying time.

- perfect adhesion to steel, zinc and aluminium surfaces
- to be used as a welding primer, rust protection primer
- for sand-through areas, spot repair and parts refinishing

Prod. Nr.	Content	Colour
4110-0,4	400 ml	Grey



4020 Z-Prime

Zinc Protection Spray

Quick-drying protection against corrosion with excellent long-term effects. Contains 99% pure zinc.

- protection of scratches and welding points
- corrosion protection of galvanized surfaces
- conductive intermediate layers in spot welding

Prod. Nr.	Content	Colour
4020-0,4	400 ml	Zinc



5170 Uni-Prime Silver

High Performance Plastic Primer

One component adhesion promoter for plastic substrates. Appropriate for most types of plastic being used in automotive industry like bumpers, trims etc.

- improved formulation
- excellent adhesion
- quick drying
- slightly silver dyed for easier assessment of application

Prod. Nr.	Content	Colour
5170-1	1 L	Transparent/Silver



5175 4Plastic

Adhesion Additive for 2K Primer Fillers

Adhesion additive for 2K Primer Fillers on plastic substrates.

- excellent adhesion on various plastic substrates (PP-EPDM, PP, ABS, PE)
- primer filler can be applied as wet-on-wet or as sandable filler
- additive does not affect the features of the primer filler (sagging, sandability, papper clogging, adhesion of basecoat and clear coat)
- easy to use (adding instead of thinner to the mix)
- to be used with (7120, 9900, 3900, 5900) primer-fillers

Prod. Nr.	Content	Colour
5175-1	1 L	Transparent/Yellow



4940 Uni-Prime Silver Spray

Plastic Primer Spray

One component adhesion promoter in aerosol for plastic substrates. Appropriate for most plastic being used in automotive industry like bumpers, trims etc.

- excellent adhesion
- slightly silver dyed for easier assessment of application
- quick drying

Prod. Nr.	Content	Colour
4940-0,4	400 ml	Transparent/Silver



Characteristics of HS Primer Fillers

	Dry Film Thickness	Drying Speed	Sandability	Wet on Wet	Multi Colour
7120 M12 SFR Superfast™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	No	Yes
9900 M9 Surfacer	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	No	Yes
3900 Air Surfacer	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	No	Yes
5900 3-2-1 Surfacer	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	Yes	Yes
7020 M2 Compact	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	No	No



silco
AUTOMOTIVE

MASKING PRODUCTS

4100 Aquatop Permeable Masking Film

Top quality PE masking film. Its special structure prevents formation of stains on paint due to the residual humidity.

- high thickness and resistance to tearing
- excellent adhesion of any kind of paint or fillers
- electrostatically loaded – holds on the car and holds paint mist
- resistant up to 110°C object temperature
- thickness 17 µm

Prod. Nr.	Dimensions	Colour
4100-4-150	4 x 150 m	Green



4200 Top-Mask Masking Film

Top quality PE masking film enables the easiest and fastest way of protecting car body or parts of it before painting.

- high thickness and resistance to tearing
- excellent adhesion of paint or fillers
- electrostatically loaded – holds on car and holds paint mist
- thickness 11 µm

Prod. Nr.	Dimensions	Colour
4200-4-150	4 x 150 m	Blue
4200-5-120	5 x 120 m	Blue



4500 Easy-Mask Masking Film

Top quality PE masking film enables the easiest and fastest way of protecting car body or parts of it before painting.

- high thickness and resistance to tearing
- excellent adhesion of paint or fillers
- electrostatically loaded – holds on car and holds paint mist
- thickness 9 µm

Prod. Nr.	Dimensions	Colour
4500-4-150	4 x 150 m	Translucent

Prod. Nr.	Dimensions	Colour
4500-5-120	5 x 120 m	Translucent
4500-6-150	6 x 150 m	Translucent



5096 Film Cutter

Special cutter for cutting PE masking film.

Prod. Nr.	Description
5096	Cutter



1030 Paper-Mask Premium Kraft Masking Paper

High strength kraft masking paper. High density makes it impermeable to paints.

- good adhesion of paint and paint mist
- specific weight: 40 g/m²
- manufactured from 100% virgin grade cellulose

Prod. Nr.	Dimensions	Prod. Nr.	Dimensions	Prod. Nr.	Dimensions
1030-0,6-350	60 cm x 350 m	1030-0,85-350	85 cm x 350 m	1030-1,2-350	120 cm x 350 m



1035 Paper-Mask Kraft Masking Paper

High strength kraft masking paper. High density makes it impermeable to paints.

- good adhesion of paint and paint mist
- specific weight: 40 g/m²
- manufactured from partially recycled cellulose

Prod. Nr.	Dimensions	Prod. Nr.	Dimensions	Prod. Nr.	Dimensions
1035-0,6	60 cm x 350 m	1035-0,85	85 cm x 350 m	1035-1,2	120 cm x 350 m



1020 Poly-Mask Plastified Masking Paper

Professional masking paper laminated with polyethylene layer in order to make it impermeable even to waterborne paints.

- good adhesion of paint and paint mist
- resistant to solvents

Prod. Nr.	Dimensions
1020	85 cm x 200 m



1680 Fine-Line Tape Flexible Masking Tape

Highly flexible tape for multi-colour and design paint jobs.

- easy to curve
- temperature resistant up to 130°C

Prod. Nr.	Dimensions	Colour
1680	6 mm x 55 m	Yellow



1040 Foam-Mask Masking Foam

Quality flexible adhesive foam tape for sealing the gaps between the car body and for example the doors, the hood etc. to reduce the ingress of paint during the refinish process.

- temperature resistant up to 95°C
- soft paint transition
- highly absorbent foam
- no adhesive residue



Prod. Nr.	Dimensions
1040	13 mm x 50 m




1060 Foam-Edge Premium Masking Foam

Advanced adjustable adhesive foam tape for masking all gaps on the vehicles (incl. moving parts) to remove the formation of paint edges.

- temperature resistant up to 95°C
- soft paint transition
- adjustable length and fingertip depth
- no adhesive residue



Prod. Nr.	Dimensions
1060	20 mm x 50 m



1080 Q-Edge Foam Tape

Flexible No Edge Masking Foam Tape

Advanced adjustable adhesive foam tape for masking of seamless blending of new paint on round panel lines.

- temperature resistant up to 95°C
- flexible
- adjustable for curved lines
- no adhesive residue

Prod. Nr.	Dimensions
1080	15 mm x 25 m



1090 T-Edge Foam Tape


No Edge Masking Foam Tape

Specially designed adhesive foam tape for effortless masking of edges. Quick and easy placement on edges due to flat design of semi-rigid foam.

- perfect edge finish
- temperature resistant up to 95°C
- no adhesive residue
- with protective paper roll



Prod. Nr.	Dimensions
1090	15 mm x 25 m



7660 Mount Tape

Heavy Duty Adhesive Tape

Masking - mounting tape reinforced with textile.

- strong adhesion and strength
- resistant to water, sandblasting etc.

Prod. Nr.	Description	Dimensions
7660-B	Silver tape	50 mm x 50 m
7660-C	Black tape	50 mm x 50 m



3857 S-Cover

Protective Car Seat Covers

Protective car seat covers. Made of PE, thickness 10 microns. Packaged in roll of 250 pcs.

Prod. Nr.	Description
3857	Packaged in roll of 250 pcs.



1560 Flex-Tape

Flexible Masking Tape

Very thin, flexible and waterproof masking tape.

- resistant up to 100°C
- perfect adhesion even to plastic and rubber
- no glue residues

Prod. Nr.	Dimensions
1560	18 mm x 50 m



2160 X-Mask

Polyester Edge Masking Tape

Masking tape with polyester edge designed for masking rubber window trims.

- non-adhesive edge for easier removal
- temperature resistant up to 100°C
- perforated for easier masking
- suitable also for waterborne paints

Prod. Nr.	Dimensions
2160	50 mm x 10 m



1980 Dura-Tape WR

WR Masking Tape 100°C

NEW

Water resistant professional grade masking tape for the automotive refinishing application.

- highly resistant to moisture and water
- suitable for solvent and water based paints due to special impregnated paper
- very flexible and adaptable to irregular surfaces
- no residues due to the special natural rubber glue
- perfectly balanced amount of adhesion (high initial tack / secure adhesion)
- no tearing upon removal
- adhesion at least 4,8 N/25 mm on a variety of surfaces
- elongation to break 8,5%
- resistant up to 100°C for 30 min and 80°C for 60 min

Prod. Nr.	Dimensions	Prod. Nr.	Dimensions
1980-18	18 mm x 50 m	1980-36	36 mm x 50 m
1980-24	24 mm x 50 m	1980-48	48 mm x 50 m



1880 Dura-Tape Premium

Premium Masking Tape 100°C

NEW

Professional grade masking tape for the automotive refinishing application.

- suitable for solvent and water based paints due to special impregnated paper
- very flexible and adaptable to irregular surfaces
- no residues due to the special natural rubber glue
- perfectly balanced amount of adhesion (high initial tack / secure adhesion)
- no tearing upon removal
- adhesion 4,5 N/25 mm on a variety of surfaces
- elongation to break 8,5%
- resistant up to 100°C for 30 min and 80°C for 60 min



Prod. Nr.	Dimensions
1880-18	18 mm x 50 m
1880-24	24 mm x 50 m

Prod. Nr.	Dimensions
1880-36	36 mm x 50 m
1880-48	48 mm x 50 m

1780 Dura-Tape

Professional Masking Tape 80°C

NEW

High quality masking tape for the automotive refinishing application.

- suitable for solvent and water based paints due to special impregnated paper
- special natural rubber glue does not leave any residues
- very flexible and adaptable to irregular surfaces
- easy to remove without breaking
- adhesion 4,3 N/25 mm on a variety of surfaces
- elongation to break 7,5%
- resistant up to 80°C for 30 min and 60°C for 60 min



Prod. Nr.	Dimensions
1780-18	18 mm x 50 m
1780-24	24 mm x 50 m

Prod. Nr.	Dimensions
1780-36	36 mm x 50 m
1780-48	48 mm x 50 m



CLEAR COATS & PAINTS

9600 SFR X-Cure™

UHS 420 Ultra Rapid Clear Coat

Highly productive UHS air dried clear coat with perfect gloss. No Hardener/Activator in the base coat needed. Easy and quick application. Very fast drying without oven baking allows fuel and electricity savings.

- air drying (20°C): 50-60 min
- forced drying (60°C): 3-5 min
- if necessary, polishing immediately after cooling
- long potlife (60 min)
- lower material consumption compared to UHS and HS clear coats
- no fear of overspray in case of larger surfaces (long open time)
- excellent deep gloss
- high UV protection
- VOC compliant (<420 g/L)
- hardener 9650, 9670 (vol. 1:1), no thinner

Prod. Nr.	Description	Content
9600-1	UHS 420 Ultra Rapid Clear Coat	1 L
9600-2,5	UHS 420 Ultra Rapid Clear Coat	2.5 L
9600-5	UHS 420 Ultra Rapid Clear Coat	5 L

Prod. Nr.	Description	Type	Mix Ratio
9650	UHS Acrylic Hardener	Standard	1:1
9670	UHS Acrylic Hardener	Slow	1:1 NEW



5 MINUTES DRYING TIME
NO HARDENER/ACTIVATOR IN THE BASE COAT



CERTIFIED QUALITY

**FROM SPOT REPAIR TO
COMPLETE RESPRAY**



EXCELLENT GLOSS



9120 X12 Supreme™

UHS 420 Mirror Look Clear Coat

Superior high gloss and »wet-look« acrylic UHS clear coat specially designed for demanding refinish projects. Clear coat delivers outstanding gloss and DOI results.

- outstanding wet-look appearance and brilliant deep gloss
- unique DOI results
- easy application, excellent overflow
- drying time 25-35 minutes at 60°C
- polishing is possible immediately after cooling down or next day in case of air drying
- superior gloss retention and UV protection
- VOC compliant (<420 g/L)
- hardener (vol. 2:1; 9122, 9123, 9125, 9127)
- hardener (vol. 3:1; 9132, 9133, 9135, 9137)

Prod. Nr.	Description	Content
9120-1	UHS 420 Mirror Look Clear Coat	1 L
9120-5	UHS 420 Mirror Look Clear Coat	5 L

Prod. Nr.	Description	Type	Mix Ratio
9122	UHS Acrylic Hardener	Extra fast	2:1
9123	UHS Acrylic Hardener	Fast	2:1
9125	UHS Acrylic Hardener	Standard	2:1
9127	UHS Acrylic Hardener	Slow	2:1
9132	UHS Acrylic Hardener	Extra fast	3:1
9133	UHS Acrylic Hardener	Fast	3:1
9135	UHS Acrylic Hardener	Standard	3:1
9137	UHS Acrylic Hardener	Slow	3:1

Prod. Nr.	Description	Type
7030	Premium Acrylic Thinner	Fast
7050	Premium Acrylic Thinner	Standard
7070	Premium Acrylic Thinner	Slow



NEW



9100 X10 System Clear™

UHS 420 Wide Range Clear Coat

Top quality acrylic UHS clear coat distinguished by its extra fast drying time without diminishing its superior appearance. Suitable for all kinds of applications, regardless the size of the job or spraying conditions. A true "all-rounder"!

- possibility to choose from 4 hardener speeds and 3 thinner speeds
- drying times: 10 - 25 minutes (60°C)
- polishing is possible immediately after cooling down or next day in case of air drying
- superior gloss retention and UV protection
- very easy application with excellent overflow
- VOC compliant (<420 g/L)
- hardener (vol. 2:1; 9122, 9123, 9125, 9127)
- hardener (vol. 3:1; 9132, 9133, 9135, 9137)

Prod. Nr.	Description	Content
9100-1	UHS 420 Wide Range Clear Coat	1 L
9100-5	UHS 420 Wide Range Clear Coat	5 L

Prod. Nr.	Description	Type	Mix Ratio
9122	UHS Acrylic Hardener	Extra fast	2:1
9123	UHS Acrylic Hardener	Fast	2:1
9125	UHS Acrylic Hardener	Standard	2:1
9127	UHS Acrylic Hardener	Slow	2:1
9132	UHS Acrylic Hardener	Extra fast	3:1
9133	UHS Acrylic Hardener	Fast	3:1
9135	UHS Acrylic Hardener	Standard	3:1
9137	UHS Acrylic Hardener	Slow	3:1

Prod. Nr.	Description	Type
7030	Premium Acrylic Thinner	Fast
7050	Premium Acrylic Thinner	Standard
7070	Premium Acrylic Thinner	Slow



NEW



9070 X7 Superfast Clear™

HS SR High Speed Clear Coat

Ultra fast HS air dried clear coat specially suitable for spot repair. No Hardener/Activator in the base coat needed. Easy and very quick application.

- fast drying without oven baking allows fuel and electricity savings
- air drying (20°C): 50-60 min
- forced drying (60°C): 3-5 min
- if necessary, polishing immediately after cooling
- short flash-off times enable very fast spot repairs
- long potlife (60 min)
- high UV protection
- hardener 9075 (vol. 2:1), no thinner



NEW



Prod. Nr.	Description	Content
9070-1	HS SR High Speed Clear Coat	1 L
9070-5	HS SR High Speed Clear Coat	5 L

Prod. Nr.	Description	Type	Mix Ratio
9075	HS Acrylic Hardener	Standard	2:1

5 MINUTES DRYING TIME
NO HARDENER/ACTIVATOR IN THE BASE COAT

9050 X5 HS Clear Coat™

HS SR High Gloss Clear Coat

Very popular high quality HS scratch resistant clear coat characterized by its short drying time, high gloss and long lasting gloss retention.

- very easy application with excellent overflow
- drying time (60°C): 15-30 min
- brilliant and long lasting gloss
- high durability and resistance to yellowing
- hardener: 9220, 9230, 9250 or 9270 (vol. 2:1), no thinner



Prod. Nr.	Description	Content
9050-1	HS SR High Gloss Clear Coat	1 L
9050-5	HS SR High Gloss Clear Coat	5 L

Prod. Nr.	Description	Content
9050-0,75-M	HS SR High Gloss Clear Coat + HS Acrylic Standard Hardener	500 ml + 250 ml

Prod. Nr.	Description	Type	Mix Ratio
9220	HS Acrylic Hardener	Extra fast	2:1
9230	HS Acrylic Hardener	Fast	2:1
9250	HS Acrylic Hardener	Standard	2:1
9270	HS Acrylic Hardener	Slow	2:1

9500 Maxx Matt™

HS Matt Clear Coat

HS acrylic matt clear coat, designed for specialised repair of areas requiring matt finish and particularly suitable for finishes on plastic parts like bumpers etc.

- easy to apply, easy to reach uniform finish without clouds
- high degree of opacity, high scratch resistance
- smooth surface
- can be applied over waterbase or solvent base coat
- VOC compliant
- hardener: 9220, 9230, 9250 or 9270 (vol. 3:1)



Prod. Nr.	Description	Content
9500-1	HS Matt Clear Coat	1 L

Prod. Nr.	Description	Type	Mix Ratio
9220	HS Acrylic Hardener	Extra fast	3:1
9230	HS Acrylic Hardener	Fast	3:1
9250	HS Acrylic Hardener	Standard	3:1
9270	HS Acrylic Hardener	Slow	3:1

Prod. Nr.	Description	Type
7030	Premium Acrylic Thinner	Fast
7050	Premium Acrylic Thinner	Standard
7070	Premium Acrylic Thinner	Slow

9700 DTM Clear Coat™ HS Enhanced Adhesion Coat

This clear coat is developed particularly for application directly on metal substrates. The coating emphasizes metal appearance and protects the surface from weather influences at the same time.

- excellent adhesion to aluminum, galvanized steel, steel ...
- easy application and fast drying
- perfect gloss
- VOC compliant
- hardener: 9075 (vol. 2:1), no thinner



NEW



Prod. Nr.	Description	Content
9700-1	HS Enhanced Adhesion Coat	1 L

Prod. Nr.	Description	Type	Mix Ratio
9075	HS Acrylic Hardener	Standard	2:1

Characteristics of Clear Coats

	Drying Speed	Gloss	Dry Film Thickness	VOC
9600 SFR X-Cure™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	420 g/L
9120 X12 Supreme™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	420 g/L
9100 X10 System Clear™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	420 g/L
9070 X7 SFR Superfast™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	Scratch-resistant
9050 X5 HS Clear Coat™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	Scratch-resistant
9500 Maxx Matt™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	Scratch-resistant
9700 DTM Clear Coat™	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	Scratch-resistant

9004 Clear Finish

High Gloss Acrylic Clear Coat

High quality, glossy clear coat in aerosol for spot repair in automotive painting. Suitable also for waterborne base coats. Special formulation enables high durability and anti-yellowing protection.

- quick drying
- glossy acrylic finish

Prod. Nr.	Content
-----------	---------

9004-0,4	400 ml
----------	--------



9005 Black Finish Spray

Acrylic Black Matt Paint

High quality acrylic black matt paint in aerosol for general use.

- good adhesion
- high covering power
- economic in use
- quick drying

Prod. Nr.	Content
-----------	---------

9005-0,4	400 ml
----------	--------



7170 Black Finish

Black Matt Paint

1K black matt paint based on quality nitrocellulose resin.

- high covering power
- quick drying
- durability

Prod. Nr.	Content
-----------	---------

7170-0,75	750 ml
-----------	--------



7007 Rim Restore Spray

Silver Wheel Sprayable Paint

High gloss silver paint in aerosol for restoring the appearance of wheel rims and decorative wheel covers. Based on nitrocellulose resin with high quality aluminium pigments.

- very good adhesion to a variety of substrates
- suitable for chrome, metal and plastic parts
- quick drying, high covering power, economical in use

Prod. Nr.	Content
-----------	---------

7007-0,4	400 ml
----------	--------



7080 Rim Restore

Silver Wheel Paint

A high gloss silver paint for restoring the appearance of wheel rims and decorative wheel covers. Based on nitrocellulose resin with high quality aluminium pigments.

- very good adhesion to a variety of substrates
- suitable for chrome, metal and plastic parts
- quick drying, high covering power, economical in use

Prod. Nr.	Content
7080-0,75	750 ml



1072 HT Paint Spray

Thermo Paint

Paint in aerosol designed to protect surfaces exposed to high temperatures (exhaust, engine parts etc.).

- excellent adhesion to different metal substrates
- temperature resistant up to 600°C
- anti-corrosion protection
- high covering power

Prod. Nr.	Content	Colour	Prod. Nr.	Content	Colour
1072-A-0,4	400 ml	Silver	1072-B-0,4	400 ml	Black



6116 B-Paint

Bumper Paint

1K special structured coating for plastic body parts.

- direct application (without primer)
- quick drying
- structure regulation with spraying distance

Prod. Nr.	Content	Colour	Prod. Nr.	Content	Colour
6116-A-0,75	750 ml	Anthracite	6116-B-0,75	750 ml	Black



2584 Prefill DME

Prefill Spraycan DME

Spray can pre-filled with suitable propellant and thinner for filling with paint.

- special aerosol head for paint application

Prod. Nr.	Content	Description
2584-0,4	400 ml	Pre-fill for solvent based coatings





UNIMIX PAINT SYSTEM

UniMix is a colour system of 24 highly concentrated tinters and 14 binders. The colour system is distinguished by high covering power, colour accuracy, extensive colour portfolio, quick drying and ease of use.

- compact colour system developed to meet market demands of automotive, metal, transport and other industries
- depending on the binder, different coatings can be prepared: primers, DTM or top coats in 1K or 2K
- over 8.000 formulas

COAT TYPE	DESCRIPTION	BINDERS	HARDENERS	THINNERS
PRIMER	UniMix 1K Nitro Primer	90.100 Binder UniMix 1K Nitro Primer	-	5555/7050
	UniMix 2K Epoxy Primer	90.200 Binder UniMix 2K Epoxy Primer	2120	7030/7050/7070
			2130	2115
	9900 M9 Surfacers <i>For standard application</i>	-	9220/9230/9250/9270 3950	7030/7050/7070
	5900 3-2-1 Surfacers <i>For standard or wet-on-wet application</i>	-	9220/9230/9250/9270	7030/7050/7070
DTM	UniMix 2K DTM 80 % Glossy	90.300 Binder UniMix 2K DTM 80 % Glossy	9220/9230/9250/9270	7030/7050/7070
	UniMix 2K DTM 100 % Glossy	90.310 Binder UniMix 2K DTM 100 % Glossy	9220/9230/9250/9270	7030/7050/7070
	UniMix 2K DTM Semimatt	90.320 Binder UniMix 2K DTM Semimatt	9220/9230/9250/9270	7030/7050/7070
	UniMix 2K DTM Matt	90.330 Binder UniMix 2K DTM Matt	9220/9230/9250/9270	7030/7050/7070
TOP COAT	UniMix 1K Synthetic Glossy	90.400 Binder UniMix 1K Synthetic Glossy	-	7030/7050/7070
	UniMix 2K Polyacryl Glossy	90.510 Binder UniMix 2K Polyacryl Glossy	9220/9230/9250/9270	7030/7050/7070
	UniMix 2K Polyacryl Semimatt	90.520 Binder UniMix 2K Polyacryl Semimatt	9220/9230/9250/9270	7030/7050/7070
	UniMix 2K Polyacryl Matt	90.530 Binder UniMix 2K Polyacryl Matt	9220/9230/9250/9270	7030/7050/7070
	UniMix 2K UHS Acryl	90.900 Binder UniMix 2K UHS Acryl	9132/9133/9135/9137	7030/7050/7070
	UniMix 2K UHS Ultra Fast Acryl	90.910 Binder UniMix 2K UHS Ultra Fast Acryl	90.915/90.917	7030/7050/7070
	UniMix 2K HS Ultra Fast Acryl Semimatt	90.920 Binder UniMix 2K HS Ultra Fast Acryl Semimatt	90.915/90.917	7030/7050/7070
	UniMix 2K HS Ultra Fast Acryl Matt	90.930 Binder UniMix 2K HS Ultra Fast Acryl Matt	90.915/90.917	7030/7050/7070

UniMix Tinters

List of high concentrated tinters.

Prod. Nr.	UniMix Pigment	Pack	Prod. Nr.	UniMix Pigment	Pack
90.001-6	UniMix White	6 kg	90.016-1	UniMix Violet	1 kg
90.002-6	UniMix Neutral	6 kg	90.017-1	UniMix Amaranth	1 kg
90.003-3,5	UniMix Tinting Black	3.5 kg	90.018-3,5	UniMix Pink Red	3.5 kg
90.006-3,5	UniMix Red	3.5 kg	90.019-3,5	UniMix Blue Red	3.5 kg
90.007-3,5	UniMix Deep Black	3.5 kg	90.020-3,5	UniMix Orange *	3.5 kg
90.008-5	UniMix Yellow Oxide	5 kg	90.022-3,5	UniMix Solid Warm Yellow *	3.5 kg
90.009-3,5	UniMix Alu Fine	3.5 kg	90.023-3,5	UniMix Lemon Yellow HC *	3.5 kg
90.011-3,5	UniMix Blue Green	3.5 kg	90.024-3,5	UniMix Warm Yellow HC *	3.5 kg
90.012-3,5	UniMix Green	3.5 kg	90.025-3,5	UniMix Solid Lemon Yellow *	3.5 kg
90.013-3,5	UniMix Matt Agent	3.5 kg	90.056-3,5	UniMix Lemon Yellow BV *	3.5 kg
90.014-6	UniMix Oxi Red	6 kg	90.057-3,5	UniMix Warm Yellow BV *	3.5 kg
90.015-3,5	UniMix Scarlet Red	3.5 kg	90.058-3,5	UniMix Orange BV *	3.5 kg



* - Replacement for lead pigments

UniMix Binders, Hardeners and Additives



High quality binders, hardeners and additives.

Prod. Nr.	UniMix Binder	Pack	Prod. Nr.	UniMix Hardener	Pack
90.100-21,3	Binder UniMix 1K Nitro Primer	21.3 kg	90.915-0,5 90.915-2,5	Hardener for 2K Ultra Fast Acryl	500 ml 2.5 L
90.200-20 90.200-6	Binder UniMix 2K Epoxy Primer <i>Hardener: 9120 (vol. 3:1); 9130 (vol. 2:1)</i>	20 kg 6 kg	90.917-0,5 90.917-2,5	Hardener Slow for 2K Ultra Fast Acryl	500 ml 2.5 L
90.300-20	Binder UniMix 2K DTM 80% Glossy <i>Hardener: 9220, 9230, 9250 or 9270 (vol. 3:1)</i>	20 kg	9220-2,5	HS Hardener Extra Fast	2.5 L
90.310-20	Binder UniMix 2K DTM 100% Glossy <i>Hardener: 9220, 9230, 9250 or 9270 (vol. 2:1)</i>	20 kg	9230-2,5	HS Hardener Fast	2.5 L
90.320-20	Binder UniMix 2K DTM Semimatt <i>Hardener: 9220, 9230, 9250 or 9270 (vol. 4:1)</i>	20 kg	9250-2,5	HS Hardener Standard	2.5 L
90.330-20	Binder UniMix 2K DTM Matt <i>Hardener: 9220, 9230, 9250 or 9270 (vol. 5:1)</i>	20 kg	9270-2,5	HS Hardener Slow	2.5 L
90.400-20	Binder UniMix 1K Synthetic Glossy	20 kg	9132-1	UHS Hardener Extra Fast	1 L
90.510-20 NEW	Binder UniMix 2K Polyacryl Glossy <i>Hardener: 9220, 9230, 9250 or 9270 (vol. 2:1)</i>	20 kg	9133-1	UHS Hardener Fast	1 L
90.520-20 NEW	Binder UniMix 2K Polyacryl Semimatt <i>Hardener: 9220, 9230, 9250 or 9270 (vol. 2:1)</i>	20 kg	9135-1	UHS Hardener Standard	1 L
90.530-20 NEW	Binder UniMix 2K Polyacryl Matt <i>Hardener: 9220, 9230, 9250 or 9270 (vol. 2:1)</i>	20 kg	9137-1	UHS Hardener Slow	1 L
90.900-20 NEW	Binder UniMix 2K UHS Acryl <i>Hardener: 9132, 9133, 9135, 9137 (vol. 4:1)</i>	20 kg	2120-0,33 2120-1 2120-5	Epoxy hardener Standard	330 ml 1 L 5 L
90.910-20 90.910-4	Binder UniMix 2K UHS Ultra Fast Acryl <i>Hardener: 90.915 or 90.917 (vol. 2:1)</i>	20 kg 4 kg	2130-0,5 2130-5	Epoxy hardener Fast	500 ml 5 L
90.920-20	Binder UniMix 2K HS Ultra Fast Acryl Semimatt <i>Hardener: 90.915 or 90.917 (vol. 3:1)</i>	20 kg			
90.930-20	Binder UniMix 2K HS Ultra Fast Acryl Matt <i>Hardener: 90.915 or 90.917 (vol. 3:1)</i>	20 kg			

Prod. Nr.	UniMix Additive	Pack
90.650-1	UniMix Glass Additive	1 L
90.660-1	UniMix Texture Additive Fine	1 L
90.665-1	UniMix Texture Additive Coarse	1 L



Mixing Machine

Compact mixing machine for 20 cans with 3.5 L volume.

- easy installation and use
- mixing with timer

Prod. Nr.	Description
12465-7035	Mixing machine module; 8 x 3.5 L
12495-7035	Mixing machine module; 12 x 3.5 L



Stirring Lids

Lids for 1 L and 3.5 L can for stirring and easy closing.

Prod. Nr.	Description
1567	Stirring lid fork 1 L
1569	Stirring lid fork 3.5 L



Scale

Precision type scale for accurate weighing of pigments.

Prod. Nr.	Description
5660	Scale Mettler 7.1 kg



Spectrophotometer X-Rite Ci61

Portable, handheld sphere spectrophotometer delivers fast, accurate color matches.

- rugged yet ergonomic design
- blue-enhanced silicon photodiodes spectral analyzer
- battery-powered
- long-lasting lamp
- includes a calibration tile

Prod. Nr.	Description
5655	Spectrophotometer



Colour Box

For easier colour identification beside software and different colour charts, a handy colour box is available (colours in chromatic order). More than 1300 colours are available.

Prod. Nr.	Description
1572	Colour Box UniMix



RAL Colour Swatch

RAL colour swatch.

Prod. Nr.	Description
5760	RAL Catalogue



Industrial Colour Swatch

Colour swatch with vans, trucks, agricultural and metal industry codes.

Prod. Nr.	Description
5651	Colour cards UniMix Trucks





HARDENERS



Acrylic hardeners

Quality, multi-purpose HS and UHS acrylic hardeners for 2K primer fillers, clearcoats, etc. Based on high quality isocyanate and filled with nitrogen to extend the shelf life.

Epoxy hardeners

Quality epoxy hardeners for fast and standard drying epoxy primers and UniMix epoxy based primers.

9220 - 9270 Hardener HS Acrylic Hardener

Prod. Nr.	Description	Type	Content
9220-0.2	9220 HS Acrylic Extra Fast Hardener	Extra Fast	200 ml
9220-0.5			500 ml
9220-0.7			700 ml
9220-2.5			2.5 L
9230-0.2	9230 HS Acrylic Fast Hardener	Fast	200 ml
9230-0.5			500 ml
9230-0.7			700 ml
9230-2.5			2.5 L
9250-0.2	9250 HS Acrylic Standard Hardener	Standard	200 ml
9250-0.5			500 ml
9250-0.7			700 ml
9250-2.5			2.5 L
9270-0.5	9270 HS Acrylic Slow Hardener	Slow	500 ml
9270-2.5			2.5 L



3950 Hardener HS Acrylic Hardener

Prod. Nr.	Description	Type	Content
3950-0.33	3950 HS Acrylic Hardener	-	330 ml
3950-1			1 L



7125 Hardener

HS Acrylic Hardener

Prod. Nr.	Description	Type	Content
7125-0,7	7125 HS Acrylic Standard Hardener	Standard	700 ml



2120 - 2130 Epoxy Hardener

Epoxy Hardener

Prod. Nr.	Description	Type	Content
2120-0.33	2120 Epoxy Standard Hardener	Standard	330 ml
2120-1			1 L
2120-5			5 L
2130-0.5	2130 Epoxy Fast Hardener	Fast	500 ml
2130-5			5 L



9650 - 9670 Hardener

UHS Acrylic Hardener

Prod. Nr.	Description	Type	Content
9650-1	9650 UHS Acrylic Standard Hardener	Standard	1 L
9650-2.5			2.5 L
9670-2.5	9670 UHS Acrylic Slow Hardener	Slow	2.5 L



9122 - 9127 Hardener

UHS Acrylic Hardener

Prod. Nr.	Description	Type	Content
9122-0.5	9122 UHS Acrylic Extra Fast Hardener	Extra Fast	500 ml
9122-2.5			2.5 L
9123-0.5	9123 UHS Acrylic Fast Hardener	Fast	500 ml
9123-2.5			2.5 L
9125-0.5	9125 UHS Acrylic Standard Hardener	Standard	500 ml
9125-2.5			2.5 L
9127-0.5	9127 UHS Acrylic Slow Hardener	Slow	500 ml
9127-2.5			2.5 L





9132 - 9137 Hardener

UHS Acrylic Hardener

Prod. Nr.	Description	Type	Content
9132-1	9132 UHS Acrylic Extra Fast Hardener	Extra Fast	1 L
9133-1	9133 UHS Acrylic Fast Hardener	Fast	1 L
9135-1	9135 UHS Acrylic Standard Hardener	Standard	1 L
9137-1	9137 UHS Acrylic Slow Hardener	Slow	1 L



9075 Hardener

HS Acrylic Hardener


Prod. Nr.	Description	Type	Content
9075-0,5	9075 HS Acrylic Standard Hardener	Standard	500 ml
9075-2,5			2.5 L



HARDENER OVERVIEW

	9220 9230 9250 9270	3950	7125	2120	2130	9650 9670	9122 9123 9125 9127	9132 9133 9135 9137	9075	90.915 90.917
FILLERS										
7120 M12 SFR Superfast HS Ultra Rapid Surfacers	—	—	○	—	—	—	—	—	—	—
9900 M9 Surfacers Universal HS Primer Filler	○	○	—	—	—	—	—	—	—	—
3900 SFR Air Surfacers Air Dry Fast Primer Filler	—	○	—	—	—	—	—	—	—	—
5900 3-2-1 Surfacers Multipurpose HS Primer Filler	○	—	—	—	—	—	—	—	—	—
2110 Epo-Prime 2K High Build Epoxy Primer	—	—	—	○	○	—	—	—	—	—
CLEAR COATS										
9600 SFR X-Cure™ UHS 420 Ultra Rapid Clear Coat	—	—	—	—	—	○	—	—	—	—
9120 X12 Supreme™ UHS 420 Mirror Look Clear Coat	—	—	—	—	—	—	○	○	—	—
9100 X10 System Clear™ UHS 420 Wide Range Clear Coat	—	—	—	—	—	—	○	○	—	—
9070 X7 Superfast Clear™ HS SR High Speed Clear Coat	—	—	—	—	—	—	—	—	○	—
9050 X5 HS Clear Coat™ HS SR High Gloss Clear Coat	○	—	—	—	—	—	—	—	—	—
9500 Maxx Matt™ HS Matt Clear Coat	○	—	—	—	—	—	—	—	—	—
9700 DTM Clear Coat™ HS Enhanced Adhesion Coat	—	—	—	—	—	—	—	—	○	—
UNIMIX PAINT MIXING SYSTEM										
90.200 Binder UniMix 2K Epoxy Primer*	—	—	—	○	○	—	—	—	—	—
90.300 Binder UniMix 2K DTM 80 % Glossy*	○	—	—	—	—	—	—	—	—	—
90.310 Binder UniMix 2K DTM 100 % Glossy*	○	—	—	—	—	—	—	—	—	—
90.320 Binder UniMix 2K DTM Semimatt*	○	—	—	—	—	—	—	—	—	—
90.330 Binder UniMix 2K DTM Matt*	○	—	—	—	—	—	—	—	—	—
90.510 Binder UniMix 2K Polyacryl Glossy*	○	—	—	—	—	—	—	—	—	—
90.520 Binder UniMix 2K Polyacryl Semimatt*	○	—	—	—	—	—	—	—	—	—
90.530 Binder UniMix 2K Polyacryl Matt*	○	—	—	—	—	—	—	—	—	—
90.900 Binder UniMix 2K UHS Acryl*	—	—	—	—	—	—	—	○	—	—
90.910 Binder UniMix 2K UHS Ultra Fast Acryl*	—	—	—	—	—	—	—	—	—	○
90.920 Binder UniMix 2K HS Ultra Fast Acryl Semimatt*	—	—	—	—	—	—	—	—	—	○
90.930 Binder UniMix 2K HS Ultra Fast Acryl Matt*	—	—	—	—	—	—	—	—	—	○

* The hardeners mix with mixed coat prepared on the base of the specific binder



POLISHING SYSTEM



3200 Moxi-Blue One-Step Polishing Compound

Advanced professional rubbing compound based on nano technology enables one-step polishing process.

- polishing in one step (one compound, one pad)
- abrasive material: AIO
- for polishing with conventional (rotary) or random orbital polishing machines
- for machine or manual polishing
- removal of P1200 sanding paper scratches
- compounding of fresh coatings and worn-out OEM coatings
- suitable for ceramic clear coats



Prod. Nr.	Content	Colour
3200-1	1 kg	Blue
3200-0,25	250 g	Blue



SIMPLE - FAST - EFFECTIVE
DISCOVER NEW ADVANCED SOLUTION!

3202 Moxi AH Anti-Hologram Compound

Advanced professional anti-hologram polishing compound based on nano technology. Specially formulated for removal of holograms.

- suitable for the newest scratch resistant clear coats
- abrasive material: AIO
- for machine or manual polishing
- optimal proportion between resin and abrasive powder reduces dust building
- removal of P3000 sanding paper scratches
- use with orange or yellow Moxi Pad

Prod. Nr.	Content	Colour
3202-1	1 L	Orange



3205 - 3215 Moxi Pads

Polishing Pads

High quality polishing pads of different structure and hardness intended for all types of polishing (from rough to fine) in the automotive, nautic and other industrial sectors.

- usable with classic rotary polishers and polishers with random orbital movement
- 3 sizes of polishing sponges (90, 145 and 170 mm)
- extremely durable and compact material with open cut structure for better cooling
- sliced structure (white and yellow sponge) for more efficient polishing
- velcro fastening



































Use:

- white sponge with white or blue compound
- yellow sponge with white or blue or orange compound
- orange sponge with orange compound



Prod. Nr.	Description	Colour	Dimensions	Prod. Nr.	Description	Colour	Dimensions
3205-90	Coarse	White	90 x 25 mm	3215-145	Fine	Orange	145 x 30 mm
3205-145	Coarse	White	145 x 30 mm	3215-170	Fine	Orange	170 x 30 mm
3205-170	Coarse	White	170 x 30 mm				
3210-90	Medium	Yellow	90 x 25 mm				
3210-145	Medium	Yellow	145 x 30 mm				
3210-170	Medium	Yellow	170 x 30 mm				

Moxi System Process Guide

Process Guide	3200 Moxi	3202 Moxi AH
3205 Moxi Pad coarse - white	       	
3210 Moxi Pad medium - yellow	       	       
3215 Moxi Pad fine - orange		       

 - Cut  - Gloss

Rotary polisher



Pad size ø 90mm, ø 145 mm

Random orbital polisher



Pad size ø 170 mm

3250 Moxi Wool Pad

Lambskin Polishing Pad

Premium quality polishing lambskin for all types of clear coats polishing to final sealing. Suitable for automotive, nautical and other industries.

- very firm and durable material
- velcro backing
- 150 mm x 32 mm

Prod. Nr.	Description
3250-150	Lambskin polishing pad, 150 x 32 mm



NEW

9581 Electrical rotary polisher

PERFIN

NEW

This heavy duty tool is designed for professional automotive polishing users where durability and performance are expected. Its features are the following:

- ergonomic body design
- lightweight 2.2 kg
- high torque
- 800 W long-life motor
- speed regulation 700-2500 RPM with Soft-Start
- carbon brushes
- 5 m power cord
- 125 mm (5") backing pad and M14 thread



Prod. Nr.	Description
9581	Rotary polisher, 125 mm

9582 Electrical orbital polisher

PERFIN

NEW

This orbital polisher is a compact, sturdy and durable option for the partial and smaller polishing jobs. It is designed to eliminate vibrations in order to reduce the fatigue and increase the quality of the finish. It features:

- orbit 12 mm
- 75 mm backing pad
- compact design
- speed regulation 2500-5500 RPM
- carbon brushes
- 500 W long-life motor
- 5 m long power cord



Prod. Nr.	Description
9582	Random orbital polisher, 75 mm

9583 Electrical orbital polisher

PERFIN

NEW

This orbital polisher offers the maximum efficiency on bigger surfaces and large polishing jobs. With the 15mm orbit you are sure to get a fast and swirl-free finish everytime. It is designed to eliminate vibrations in order to reduce the fatigue and increase the quality of the finish. It features:

- orbit 15 mm
- 150 mm backing pad with M8 thread
- sturdy and durable body
- speed regulation 2500-4500 RPM with Soft-Start
- carbon brushes
- 500 W long-life motor
- 5 m long power cord



Prod. Nr.	Description
9583	Random orbital polisher, 150 mm

3125 Backing Plate

High quality backplate for polishing made from impact resistant synthetic nylon, which is bonded to microcellular polyurethane with excellent resistance to tearing, oil and ageing.

- M14 thread
- velcro fastening



Prod. Nr.	Diameter
3125	125 mm

4600 Citrus Cleaner

Heavy Duty Cleaner-Degreaser Spray



A heavy duty, highly effective all-purpose cleaner for cleaning and degreasing, suitable for different surfaces. Quick acting, does not harm treated surface. Suitable as polish inspection. Allows an objective assessment of surface quality after polishing.

- effective removal of labels or adhesive residues
- cleans and removes residual grease, oil, silicones ...
- based on 100% vegetable solvents (contains no chlorinated hydrocarbons or petroleum based solvents)
- pleasant citrus scent



Prod. Nr.	Content
4600-0,5	500 ml

2060 Sanding Disc Finish

Special sanding disc for removal of small imperfections in the final coating, paint runners or dust particles. Particular "wave" shape in combination with self adhesive attachment of the disc enables effective work without leaving any scratches on the surface.

- sanding material: silicon carbide
- to be used wet or dry
- to be used manually or by a sanding machine
- diameter: 32 mm



Prod. Nr.	Description	Grit	Prod. Nr.	Description
2060-2000	Self adhesive	P 2000	2065	Finish sanding block
2060-2500	Self adhesive	P 2500		
2060-3000	Self adhesive	P 3000		

6180 Fine-Cut

Abrasive Knitted Fabric Discs on Foam Backing

This abrasive material on knitted fabric with foam backing can be used to create a smooth sanding pattern on angled surfaces and edges, while minimizing the risk of pressure marks.

- sanding material: silicon carbide
- to be used wet or dry
- to be used manually or by a sanding machine
- diameter: 150 mm



Prod. Nr.	Grit	Prod. Nr.	Grit
6180-500	P 500	6180-2000	P 2000
6180-1000	P 1000	6180-3000	P 3000

3055 Poli-Clay

Cleaning Clay Disc

Foam backed, special clay mastic for deep cleaning and removal of decontaminations in lacquered surfaces.

- fast easy and safe way of cleaning the surface
- manual or machine application
- velcro fastening
- diameter: 150 mm



Prod. Nr.	Description
3055	150 mm

3025 Fast-Clay Cleaning Clay

Special clay mastic for deep cleaning and removal of irregularities in lacquered surfaces.



Prod. Nr.	Description
3025	2 x 100 g

3080 Finish Inspection Polish Inspection Cleaner

Finish Inspection removes grease and dust and allows an objective assessment of surface quality after polishing.

Prod. Nr.	Content	Colour
3080	500 ml	Transparent



3050 Wax Ultima P50 Spray Wax

Long-term protection based on valuable carnauba wax.

- easy machine or manual application
- wet look, deep gloss

Prod. Nr.	Content	Colour
3050-0,5	500 ml	Transparent



3035 Paint Blade

Easy removal of imperfections after painting, like dust nibs and paint runners.

- does not harm painted surface
- velcro fastening at the back of the holder to be used with mini sanding discs



Prod. Nr.	Description
3035	Paint blade holder
3037	Replacement blade

2555 Ultra-Soft Soft Polishing Cloth

Lint-free, very soft polishing cloth for polishing fresh or old coatings.

- extremely soft and absorbent
- supplied in a dispensing box

Prod. Nr.	Description
2555-320	32 x 38 cm, 320 pcs, box
2560	Wall holder for dispenser boxes



WHAT DO OUR CUSTOMERS SAY ABOUT US?

Serbia - Jasenje

owner of MV Extreme Garage, Mr Marko Veselinović

"I'm Marko Veselinović from Serbia, I am 31 years old and I have been in this business since I was 19. I love this job, as I get involved in the service, tools as well as materials. When using Silco materials I am very satisfied, which means that, in return, my clients are happy in every aspect because they get their vehicles by the middle of the day serviced with high quality and subsequently my profits have increased considerably. Silco products are easy to apply and to handle and the finished look is beautiful. I would not change anything about the material, because with Silco, I have pushed all the boundaries in this business."



" WITH SFR 9600 CLEAR COAT, I CHANGED THE BOUNDARIES, REDUCED TIME AND INCREASED PROFIT, WHICH JUSTIFIES HIGH QUALITY! "

" I WILL DEFINITELY CONTINUE TO USE THIS PRODUCT FOR FUTURE JOBS. THANK YOU FOR AN AMAZING PRODUCT! "



USA - California

owner of Auto Body Services 2000, Mr Frank Rabba

"I would like to thank Silco Automotive and share my experience with trying out their product. Silco is a high-quality clear coat with excellent gloss. We used Silco Clear on this expensive classic Shelby Cobra 196 and our customer was happy with the shine.

I will definitely continue to use this product for future jobs. Thank you for an amazing product!"





BONDING & SEALING PRODUCTS

7005 Underbody Bitumen Spray

Bitumen Underbody Protection

Bitumen based underbody protection in spray.

- strong adhesion on raw or painted metal, plastic materials or old underbody protection
- builds protective film against stone chips, salt, noise etc.
- not overpaintable

Prod. Nr.	Content	Colour
7005-0,5	500 ml, aerosol	Black



7010 Underbody Bitumen

Bitumen Underbody Protection

Bitumen based underbody protection.

- strong adhesion on raw or painted metal, plastic materials or old underbody protection
- builds protective film against stone chips, salt, noise etc.
- not overpaintable

Prod. Nr.	Content	Colour
7010-1	1 L	Black



2005 Underbody Elastil Spray

Stone Chip Protection Spray

Quick drying, overpaintable underbody protection in spray.

- strong adhesion on raw or painted metal, plastic materials or old underbody protection
- elasticity, durability
- builds protective film against stone chips, salt, noise etc.
- regulation of structure with pressure and distance
- quick drying

Prod. Nr.	Content	Colour
2005-A-0,5	500 ml, aerosol	Grey
2005-B-0,5	500 ml, aerosol	Black



2030 Underbody Elastil

Stone Chip Protection

NEW

Quick drying, overpaintable underbody protection.

- strong adhesion on raw or galvanized metal or old underbody protection
- elasticity, durability
- builds protective film against stone chips, salt, noise etc.
- regulation of structure with pressure and distance
- quick drying

Prod. Nr.	Content	Colour
2030-A-1	1 kg	White
2030-B-1	1 kg	Black
2030-C-1	1 kg	Grey




3780 Sound-Deadening Pads

Flexible, Laminated Bitumen-Elastomere Pads

Flexible, sound-deadening, antivibration, overpaintable plates. Useful for protection of floors, doors, package and engine compartment.

- self adhesive, easy to cut and shape
- very elastic

Prod. Nr.	Dimensions
3780	50 cm x 50 cm x 2 mm



3005 Cavity Coat Spray

Cavity Protection

Protective coating based on special waxes in spray. High melting-point prevents draining off at higher summer temperatures.

- strong adhesion and penetration into all vehicle cavities
- long-term protection from corrosion and noise

Prod. Nr.	Content	Colour
3005-0,5	500 ml, aerosol	Transparent



3010 Cavity Coat

Cavity Protection

Protective coating based on special waxes. High melting-point prevents draining off at higher summer temperatures.

- strong adhesion and penetration into all vehicle cavities
- long-term protection from corrosion and noise

Prod. Nr.	Content	Colour
3010-1	1 L	Transparent



2006 UBS Gun

High Quality Gun with Pattern Regulation

Professional application gun with spray regulation for stone chip protection, underbody bitumen or cavity waxes.

- body of nickel-plated aluminium
- 900 mm probe for wax dosing
- regulation of spray pattern and structure

Prod. Nr.	Description
2006	Application gun with spray regulation



5080 Multi Seal MSP

MSP Seal & Bond Mastic

One-component, permanently elastic sealing and bonding mastic based on the newest generation of high-quality hybrid polymers.

- two different applications: bonding, brush application
- excellent reproduction of all original structures
- strong adhesion to almost every surface (steel, galvanized steel, alu, plastic etc.) without any primer
- fast curing under the influence of air humidity
- silicone, isocyanate, solvents free
- UV resistant; overpaintable wet-on-wet

Prod. Nr.	Content	Colour	Prod. Nr.	Content	Colour
5080-B-0,29	290 ml	Black	5080-C-0,29	290 ml	Grey



5030 Power-Seal

PU Seal & Bond Mastic

One-component, overpaintable, permanently elastic sealing and bonding polyurethane mastic.

- strong adhesion to most of constructional materials (steel, galvanized steel, alu, wood, ceramics, plastic etc.)
- resistant to atmospheric influences and temperature
- strong and elastic bonding
- quick drying
- overpaintable with almost any paint

Prod. Nr.	Content	Colour	Prod. Nr.	Content	Colour	Prod. Nr.	Content	Colour
5030-A-0,31	310 ml	Grey	5030-B-0,31	310 ml	Black	5030-C-0,31	310 ml	White



1410 Seam-Seal

Brushable Seam Sealer

1K brushable seam sealer on the PU basis. After curing builds a strong elastic layer with excellent sealing and bonding performances.

- overpaintable with solvent and water based paints
- resistant to water, oil, gasoline etc.
- quick drying

Prod. Nr.	Description	Colour
1410-0,85	0.85 kg	Grey
5003	Nylon brush	-



3109 Mount-Tape

Double Sided Mounting Tape

Double-sided heavy duty acrylic mounting tape. Special acrylate adhesive activates when exposed to pressure.

- strong permanent adhesion and resistance to vibrations
- resistant to gasoline, oils, UV, weather, etc.

Prod. Nr.	Dimensions
3109-6	6 mm x 10 m
3109-12	12 mm x 10 m



1111 X-Glue

Low Viscosity CA Adhesive

Low viscosity cyanoacrylate adhesive particularly designed for use in car body repair.

- instant adhesion under influence of air humidity
- high-strength bonding
- solvent free

Prod. Nr.	Content	Colour
1111-0,02	20 g	Transparent



1643 Activator

Activator for CA Adhesive

Activator for even faster curing of CA adhesives. Principally for use with high viscosity adhesives.

- also cleans the surface
- economical in use

Prod. Nr.	Content	Colour
1643-0,2	200 ml	Transparent



5050 Power-Fix

2K PU Adhesive

A unique polyurethane adhesive repair-material for plastic components. For structural or cosmetic repair of plastic-bumpers, fenders, spoilers, lamp-housings, radiators, etc. in the automotive and other industries, where quick cure time on almost any type of plastic material is needed.

- curing time 1-2 min
- further working (sanding, thread cutting, etc.) after 10-30 min
- overpaintable after 60 min
- resistant to oils, solvents, acids, etc.
- solvent free

Prod. Nr.	Description
5050-0,05	PU Adhesive, 50 ml
4942	Mixing tips, 12 pcs



QUICK AND EFFICIENT REPAIR

4905 Application Gun

Application Gun for 2K PU Adhesive

Professional application gun for 2K polyurethane adhesive.

Prod. Nr.	Description
4905	Application gun



9520 Seal Master Multi

Professional Air Powered Dispensing Gun

Universal pneumatic system for application of sealants and adhesives in cartridges or soft-pack.

- spraying or seam application
- telescopic piston prevents air intake into material
- regulation of spraying pressure and application quantity
- enclosed adapters for cartridges and sausages



Prod. Nr.	Description
9520	Gun with accessories

2860 Manual Sealant Gun

Quality Dispensing Gun for Cartridges and Soft-Pack

Quality manual gun for application of sealants and adhesives in cartridges or soft-pack. Special mechanism ensures even outflow of material.



Prod. Nr.	Description
2860	Gun

9510 Seal Master

Pneumatic Application Gun

Pneumatic applicator for drip-less application of sealers and adhesives in cartridges or soft-packs.

- pneumatic extrusion for cartridges
- integrated pressure reducer (4-8 bar)
- enclosed adapters for cartridges and soft-pack



NEW

Prod. Nr.	Description
9510	Gun with accessories

3002 Proseal

High Temperature Silicone Sealant

Permanently elastic, high quality black coloured silicone sealant.

- good adhesion on many substrates
- resistant to high temperatures (up to 230°C)
- resistant to vibrations, excellent chemical resistance
- suitable for sealing car lights, sumps, motor covers, etc.



Prod. Nr.	Content
3002-0,2	200 ml

2552 Liquid Metal

2K Adhesive

Specially formulated two-part adhesive for use on metals, fibreglass and some plastics.

- it can be used to repair broken parts, fill holes and cracks and build up surfaces
- resistant up to 120°C; when fully cured, it can be painted, drilled or cut



Prod. Nr.	Content	Prod. Nr.	Content
2552-0,05	50 ml	4942	Mixing tips, 12 Pcs

4515 Fast 30 UHM

UHM Primerless Windshield Adhesive

Top quality, ultra high modulus, low conductivity, fast-curing polyurethane adhesive for the bonding of vehicle glass. It is specifically designed to give a fast and safe drive-away time on vehicles fitted with airbags. Fast 30 has been crash-tested to the most rigorous US safety standards FMVSS 208/212.

- cold application, good stability/workability – non sagging
- capable of withstanding high dynamic mechanical stress
- resistant to ageing and weathering
- no need for black primer (only Activator 5090)
- prevents contact corrosion in aluminium-body vehicles
- suitable for use with integral aerals
- open time: 15-20 min
- drive away time: 60 min (23 °C and 50% relative humidity)



Prod. Nr.	Content	Description
4515-0,31	310 ml	Cartridge



5090 Cleaner - Activator

Surface Cleaner/Activator. It is used to clean and at the same time prepare the substrate (painted surface, ceramic coating on windshield) for the application of Silco Fast 30 UHM.

Prod. Nr.	Content	Colour
5090-0,25	250 ml	Transparent
5090-0,03	30 ml	Transparent



5082 Adhesion Primer

Black Adhesion Primer

Primer that promotes the adhesion of the Silco PU windscreen adhesives and sealants to glass, gives added protection by creating a total barrier against UV and is ideal as a base layer on windshields, for the first assembly and repairs in the automotive industry.

Prod. Nr.	Content	Colour
5082-0,25	250 ml	Black
5082-0,03	30 ml	Black



5701 Applicator Brush

Applicator brush for applying Activator or Black Primer.

Prod. Nr.	Description
5701-12	Applicator brush, 12 pcs



5025 Wire Handles

Handles for Cut-Out Wire

Kit of high quality wire gripping handles for use with cut-out wire.

Prod. Nr.	Description
5025	Handles



5020 Braided Wire

Braided wire. Composed of three super-strong stainless steel wires braided to form one wire. Anodized to a smooth finish and a distinctive gold color. Diameter: 0.8 mm.

Prod. Nr.	Description
5020	Braided wire, 22 m

IMPROVED QUALITY



5040 Square Wire

Square cut-out wire. As the square wire's flat side is drawn against the urethane, it tilts and begins cutting with the V-corner of the wire. This gives it a cutting ability that is superior to any wire in the world. Made of high tensile strength stainless steel. Thickness: 0.6 mm.

Prod. Nr.	Description
5040	Square wire, 22 m

IMPROVED QUALITY



5035 Inserting Tool

Tool with hollow stainless steel tube for inserting cutting wire through adhesive to be cut-out.

Prod. Nr.	Description
5035	Inserting tool



5015 Super Scraper

Pinchweld Preparation Tool

Lightweight aluminium shaft with a quick-change collet. Heavy duty plastic handle with an innovative flip-top handle that stores extra blades. Thin, surgically sharp blades.

Prod. Nr.	Description	Prod. Nr.	Description
5015	Pinchweld preparation tool	5016	10 replacement blades, 20 mm
		5017	10 replacement blades, 13 mm



5065 Wide Scraper

Pinchweld Preparation Tool

Thin, surgically sharp wide blade for removal of adhesive from the windshield. Does not damage ceramic coating or glass.

Prod. Nr.	Description	Prod. Nr.	Description
5065	Pinchweld preparation tool	5066	10 replacement blades



2340 Vacuum Cups

Double Suction Pads

2 quality double suction pads and 1 nylon belt with jack.

Prod. Nr.	Description
2340	2 suction pads + belt





*More than 1.000 reasons
for Silco to become your
No.1 CHOICE.*



BODYSHOP CONSUMABLES



3030 Soft-3

Soft 3-Ply Cleaning Paper Towel

3-ply lint-free soft paper towels for cleaning and degreasing of cars, tools and body parts.

- suitable for degreasing before painting
- 100% cellulose, excellent absorption
- extra strong, lint free
- resistant to solvents
- 26 cm x 195 m

Prod. Nr.	Description
3030	3-ply paper, 3.2 kg
3913	Wall holder for rolls



9515 Anti-Sil

Antisilicone Degreaser

High quality, antisilicone degreaser for degreasing and cleaning of surfaces before painting. Effective removal of residual grease, oil, wax, silicones, etc. Cleaning and degreasing of:

- bare steel, aluminium, zinc-coated steel
- plastic parts, primers, surfacers and fillers
- all kinds of existing coatings

Prod. Nr.	Content	Prod. Nr.	Content
9515-1	1 L	9515-5	5 L



5203 Anti-Sil Sprayer

Antisilicone Sprayer

Professional sprayer with PP pump, for application of antisilicone degreaser.

Usable volume: 1 L, operating pressure: 3 bar.

- seals: Viton

Prod. Nr.	Content
5203	Sprayer, 1 L



2205 Towel TNT

Antisilicone Cleaning Towel

Towel made of special non-woven material intended for use with antisilicone degreaser.

- high absorption
- resistant to solvents, lynt free
- very soft
- packed in a dispenser box

Prod. Nr.	Description
2205-450	30 x 38 cm, 450 pcs, box
2205-500	30 x 38 cm, 500 pcs, roll
3913	Wall holder for rolls
2560	Wall holder for dispenser boxes



2531 Blue-Tex

Antisilicone Towel

Highly absorbent solvent resistant cleaning cloth, particularly designed for antisilicone degreasers.

- high absorption
- resistant to solvents
- packed in a dispenser box

Prod. Nr.	Description
2531-300	32 x 36 cm, 300 pcs, box
2560	Wall holder for dispenser boxes



2206 Wave-Rag

Wave Tack Rag

Universal, resinous wave shaped tack rag with excellent dust absorbent abilities. It is made of abrasion-proof small meshed spun rayon gauze; it causes no residues if used properly. Easy to unfold.

- soft structure and high dust absorption power
- leaves no residues

Prod. Nr.	Description
2206	Tack rag wave, 1 pcs



2210 WB-Rag

Tack Rag WB

Tack cloth essentially indicated to be used in water-based painting processes, as it assures zero transfer of resin over the surface. Its composition guarantees maximum security when eliminating imperfections and dust particles, as well as before the application of paint between coats.

- pressure sensitive adhesion
- soft structure and high dust absorption power
- leaves no residues

Prod. Nr.	Description
2210	Tack rag WB, 25 pcs



2215 Anti-Static Wipe

Antistatic Degreasing Wipe

Water based wipe with a unique 80 g microfilament cloth impregnated with very low VOC degreaser.

- especially recommended for cleaning and degreasing new plastic parts (bumpers, fenders, etc.) because it neutralizes substrate static charge what enables correct orientation of metal pigments during lay down
- unique microfilament wipe serves for a homogeneous and ultra-efficient wiping - only one wipe for anykind degreasing process
- time saving

Prod. Nr.	Description
2215-25	Wipe, 32x40 cm, 25 pcs



5555 Nitro Thinner

High quality anti-bleaching nitrocellulose thinner for use in car refinishing. Suitable for diluting nitrocellulose coatings and as a cleaning agent.

- improves elasticity and gloss of paint
- does not contain recycled solvents
- special additives prevent bleaching
- high quality, pure raw materials
- VOC compliant

Prod. Nr.	Content	Prod. Nr.	Content	Prod. Nr.	Content
5555-1	1 L	5555-5	5 L	5555-25	25 L



7030 - 7070 Maxx™ Thinner

Premium Acrylic Thinner

High quality thinner for diluting acrylic and polyurethane coatings in car refinishing. Also suitable for solvent based base coat.

- does not contain recycled solvents
- high quality and extremely pure raw materials

Formulation of thinner contains particular valuable solvents which considerably improve the flow and gloss of the direct gloss paint or clear coat.

Prod. Nr.	Content	Description	Prod. Nr.	Content	Description
7030-5	5 L	Fast	7050-5	5 L	Standard
7050-0,5	500 ml	Standard	7070-5	5 L	Slow
7050-1	1 L	Standard			



2115 Epoxy Thinner

Premium Epoxy Thinner

Quality epoxy thinner for use in combination with 2110 Epo-Prime and 2130 Epoxy Hardener (fast).

Prod. Nr.	Content
2115-5	5 L



6070 Fade-Thinner

Fade Out Thinner

Specially formulated thinner for dissolving the overspray and to fade out any edges created during spot repairs or blending, to make fading and blending of clear coats easy.

- no more dry, patchy edges or visible repairs

Prod. Nr.	Content
6070-1	1 L



6055 Fade-Thinner Spray

Fade Out Thinner Spray

Specially formulated thinner for dissolving the overspray and to fade out the edge created during spot repairs or blending, to make fading and blending of clear coats easy.

- no more dry, patchy edges or visible repairs

Prod. Nr.	Content
6055-0,4	400 ml



3130 Accelerator

2K Accelerator

Universal accelerator for 2K polyurethane or acrylic car refinishing materials.

- add: 1-3 % (10-30 ml/ 1000 ml)

Prod. Nr.	Content
3130-0,5	500 ml



2403 Mix-Sticks

Plastic Mixing Sticks

NEW

Prod. Nr.	Description
2403	Plastic mixing stick, 200 mm, 500 pcs, dispenser box



2404 - 2408 Mix-Sticks

Aluminium Mixing Sticks

Prod. Nr.	Description
2404	Mixing ruler Silco with ratio 2:1 / 3:1
2405	Mixing ruler Silco with ratio 4:1 / 5:1
2406	Mixing ruler Silco mini with ratio 2:1 / 3:1
2407	Mixing ruler Silco mini with ratio 4:1 / 5:1
2408	Mixing ruler Silco SFR with ratio 1:1 / 3:1



1846 - 1851 Mix-Cup

Paint Mixing Cup

Graduated mixing cups made of high quality flexible plastic.

- different mixing ratios
- stable construction

Prod. Nr.	Description	Prod. Nr.	Description
1846	Mixing cup, 385 ml; 200 pcs/box	1850	Mixing cup, 1.400 ml; 200 pcs/box
1846-P	Lid, 385 ml; 200 pcs/box	1850-P	Lid, 1.400 ml; 200 pcs/box
1848	Mixing cup, 750 ml; 200 pcs/box	1851	Mixing cup, 2.300 ml; 100 pcs/box
1848-P	Lid, 750 ml; 200 pcs/box	1851-P	Lid, 2.300 ml; 200 pcs/box



1830 Uni-Cup

Paint Mixing Cup

Disposable transparent polypropylene mixing cup. Suitable for waterbased and solvent based paint. Enables mixing by volume or by weight.

- mirror-printed mixing ratios

Prod. Nr.	Description
1830	600 ml



8053 Metal Paint Cans

Prod. Nr.	Description
8053-0,25	250 ml
8053-0,5	500 ml
8053-1	1 L
8053-3	3 L
8053-5	5 L
8053-10	10 L
8053-20	20 L



5010 Silco Spraygun

NEW

Top quality DeVilbiss spraygun with Silco logo used in car refinishing for spraying all kinds of solvent or waterborne base and clear coats.

- designed with Trans-Tech (Transfer-efficient Technology)
- high efficient spraying process perfectly combines speed of working with large spray pattern sizes and fine atomisation
- homogeneous distribution in a longer pattern enables a good material lay-down
- enclosed aircap and nozzles 1.2 and 1.3 mm

Prod. Nr.	Description
5010-10	Base coat gun with TE10 aircap and 1,2-1,3 nozzles
5010-20	Clear coat gun with TE20 aircap and 1,2-1,3 nozzles



2930 Soft-Cup Paint Mixing Cups

Efficient and economical solution for professional lacquerer - soft, flexible paint mixing cup with built-in paint filter to simplify the spraying. Paint can be mixed in the Soft-Cup and sprayed from all angles. Better, cleaner and faster solution.

- easy to use
- fits directly on the spraygun
- quick coupler for fast change of Soft-Cups
- reusable after storage
- less waste of material



Prod. Nr.	Description
2930-125-0,3	Soft-Cup with 125 micron strainer, 300 ml
2930-125-0,6	Soft-Cup with 125 micron strainer, 600 ml
2930-190-0,6	Soft-Cup with 190 micron strainer, 600 ml
2931	Hard cup with mix. ratios, 650 ml
2932	Closure for Soft-Cup
2933	Soft-Cup adaptor for DeVilbiss spraygun
2934	Soft-Cup adaptor for Sata spraygun
2936	Soft-Cup adaptor for Iwata spraygun
2937	Soft-Cup adaptor for Sagola spraygun
2938	Soft-Cup adaptor for Iwata W400 spraygun



3372 Gravity cup filter

Polyamide (nylon) filter for gravity cup sprayguns.

Prod. Nr.	Description
3372	Gravity cup filters, 5 pcs



3366 - 3368 Touch-Up Bottle Bottle for paint

Plastic touch-up bottle with brush and mixing ball.


- solvent resistant

Prod. Nr.	Description
3366-20	volume 20 ml, box of 100 pcs
3368-50	volume 50 ml, box of 50 pcs



3365 Micro Tip Applicator Brush

Applicator set with 100 retouch brushes, very handy for touch up of small paint defects.
Can be used as a pen to draw very fine lines.



Prod. Nr.	Description
3365-100	1 set

3330 Dust Needle

Dust needle for removal of dust particles on wet paint.



Prod. Nr.	Description
3330-10	1 set

4220 Paint Strainers

Top quality disposable paint strainer with woven nylon mesh.

- very fast through-flow
- accurate straining
- suitable for both solvent or water based paints

Prod. Nr.	Description	Color
4220-125	125 µ	Blue
4220-190	190 µ	Red



2401 Testcolor Cards

Pre-primed metal cards for testing accuracy and covering power.
Dimensions: 10.5 x 15 cm.



Prod. Nr.	Description
2401-25	Testcolor card, 25 pcs

2080 Anti-Dust

Dust and Overspray Protection

Clear, anti-dust, waterbased surface coating for spraying cabins and lights.

- attracts dust and paint overspray
- resistant up to 85°C
- does not affect light spectrum
- removable with water

Prod. Nr.	Content
-----------	---------

2080-5	5 L
--------	-----



2300 Cabin Filter

Paint mist separator for spray booths according to EN 779. Low compressibility of the filter prevents compression in a pressurized state - this way the whole depth of the filter remains available for collecting the paint mist.

- temperature resistant up to max. 180°C
- contains no silicone or other lacquer harming substance
- fire prevention requirements according to DIN 53438
- lacquer separation arrestance: 95%
- colour: green
- thickness: 2.5", approx. 60 mm

Prod. Nr.	Description
-----------	-------------

2300-0,75-20	0.75 x 20 m
--------------	-------------

2300-1-20	1 x 20 m
-----------	----------





TOOLS & ACCESSORIES



7310 Surface Stripper

Pneumatic bristle tool

PERFIN

NEW

Ideal tool for stripping any surface of corrosion, paint, chip-guard, sound-proofing plates, polyurethane wires, wood, etc. The tool including various range of accessories can be used as a brush grinder, rubber eraser or stripping tool.

Technical information:

- free speed 3.500 rpm
- air inlet: 1/4"
- average air consumption: 113 L/min
- noise 83 dB (A)
- weight: 1,5 kg

The set is packed in a carrying case and includes: bristle brushes, rubber erasers, stripping wheels, adaptors for bristle brushes, rubber erasers and stripping wheels.



Prod. Nr.	Description
7310	Pneumatic bristle tool
7311	Bristle brush, coarse, 11 mm
7312	Bristle brush, coarse, 23 mm
7313	Bristle brush, fine, 11 mm

Prod. Nr.	Description
7314	Bristle brush, fine, 23 mm
7315	Rubber eraser
7316	Black strip wheel, 100 mm

7703 X-Stand

Heavy Duty X-Stand

PERFIN

A heavy-duty stand for windshields with foam around the tubing.

- adjustable working height



Prod. Nr.	Description
7703	X-stand

7704 Premium X-Stand

Multipurpose Panel Stand

PERFIN

The bumper stand has a sturdy galvanised design with fixtures and is height adjustable. The plastic caps on the ends of the carrier arms enable working on the parts safely and damage-free.



Prod. Nr.	Description
7704	Premium X-stand

7707 Roto Stand

Rotating Multi Parts Spray Stand

Fully adjustable, universal panel support stand over a wide range of panels and parts. Easy and quick to move.

- 180° swivel to adjust to required angle
- four adjustable hooks to fit different panels and parts
- 2 swivel castors with brakes and 2 fixed wheels

Prod. Nr.	Description
7707	Roto stand

PERFIN



7705 Multi Stand

Multi Parts Spray Stand

High quality mobile turnable stand for painting of diverse car body parts.

- big wheels
- stable construction
- single hand operation

Prod. Nr.	Description
7705	Stand

PERFIN



7708 WR Holder

Wheel Rim Holder

Specially designed handle for rim painting. Suitable for different spray stands. Universal for all types of rims.

- easy to use and assemble
- perfect positioning of wheel rim while spraying
- supplied with a buckle

Prod. Nr.	Description
7708	Wheel rim holder

PERFIN



7709 Multi-Mask

Multi Roll Masking Dispenser

Convenient, mobile multi roll masking machine.

- wide base design for stability
- easy to load positive paper & tape alignment
- holds 30, 60 and 90 cm rolls

Prod. Nr.	Description
7709	Multi roll masking dispenser

PERFIN



7706 Film Trolley

Mobile Masking Film Dispenser

Dispenser for masking film is able to hold rolls up to 100 cm in width. Enables one person to easily and efficiently mask the complete vehicle.

Prod. Nr.	Description
7706	Dispenser for masking film

PERFIN



8810 SG Holder

Spray Gun Holder

Portable bench top or table top spray gun holder for gravity feed spray gun.

- lightweight sturdy design
- wide stable base
- securely holds full size or smaller spray guns



Prod. Nr.	Description
8810	Spray gun holder

8820 Mag-Hold

Magnetic Spray Gun Holder

Handy, portable gravity feed spray gun holder. Securely attaches to spray booth walls, mixing rooms, other metal surfaces ...

- ideal for keeping your spray gun ready to use
- powerful magnet keeps it from sliding or tilting out of position when loaded
- wide steel hook with protective rubber coating



Prod. Nr.	Description
8820	Magnetic spray gun holder

5010 Silco Spraygun

Top quality DeVilbiss spraygun with Silco logo used in car refinishing for spraying all kinds of solvent or waterborne base and clear coats.

- designed with Trans-Tech (Transfer-efficient Technology)
- high efficient spraying process perfectly combines speed of working with large spray pattern sizes and fine atomisation
- homogeneous distribution in a longer pattern enables a good material lay-down
- enclosed aircap and nozzles 1.2 and 1.3 mm



NEW

Prod. Nr.	Description
5010-10	Base coat gun with TE10 aircap and 1.2-1.3 nozzles
5010-20	Clear coat gun with TE20 aircap and 1.2-1.3 nozzles

5130 SG Filtration System

Triple Stage Spraygun Air FR Unit

Compressed air filtration system suitable for installation in the spray booth. Assembled from 3 separate units: filter regulator, depurator and dryer. Filter regulator enables the air to be cleaned of impurities and humidity and downstreams the pressure. Depurator has the same function as filter of a higher level. It's coalescent cartridge allows a higher filtration rate. The dryer removes humidity residues from the system thanks to the "silica gel" adsorption agent.

- filtration rate of 99,97% at 0,01 µm
- air inlet/outlet thread 3/8"
- max inlet pressure 12/10 Bar
- flow rate at 6 bar: 2600 NI/min
- set includes: ball valve, manometer, holder for wall fixation

PERFIN

NEW



Prod. Nr.	Description
5130	Air filtration regulation unit
5131	Filter insert for 20 micron filter
5132	Filter insert for depurator
5133	Filter insert for dryer

5330 IR-Dry Infrared Dryer

Powerful, high quality, micro-processor controlled, short wave IR dryer. Stable and versatile construction. Dryer is equipped with high quality, durable IR emitters, specially designed for car paint curing. Powerful heat penetration directly into inner paint layers accelerates molecular reaction of paint. Remarkably saves drying time of all kinds of body shop materials.

- digital LCD display
- longest baking duration max. 20 min
- max. power: 3x1100 W
- 3 IR lamps with individual ON-OFF control
- light, wide-angle, fully focused reflector with automatic overload protection
- uniform, focused cure area: no hot or cold spots
- easily adjustable cassette assembly height with gas shock strut and 360° rotation
- curing area: 1200 x 1000 mm
- temperature: 35 - 80 °C
- min. curing distance: 30 cm

Prod. Nr.	Description	kW	Weight	Power Supply
5330	IR dryer	3.3	39.5 kg	230 V
5331	Replacement bulb			



5111 IR-Dry Infrared Dryer

Powerful, high quality, short wave IR dryer. Stable and versatile construction. Dryer is equipped with high quality, durable IR emitter, specially designed for car paint curing. Powerful heat penetration directly into inner paint layers accelerates molecular reaction of paint.

- unique adjustable timer
- max. power: 1x1100 W
- 1 IR lamp with ON-OFF control
- light, wide-angle, fully focused reflector
- uniform, focused cure area
- easily adjustable cassette assembly height
- curing area: 800 x 500 mm
- min. curing distance: 30 cm

Prod. Nr.	Description	kW	Weight	Power Supply
5111	IR dryer	1.1	20 kg	230 V
5112	Replacement bulb			



5702 Air-Blow Gun

Blow gun with air screen safety nozzle, progressive air jet and nickel-plated aluminium body.

Prod. Nr.	Description
5702	Air-blow gun



5703 Dry-Jet Air-Dry Gun

Venturi effect gun, specially designed to speed up the drying times of waterborne or solvent based coatings. Creates extremely even air flow pattern for substantial reduction of drying time.

- variable air flow – fitted with a slide valve for precise air volume control
- working pressure: 2 - 6 bar; max. pressure: 12 bar
- air consumption (at 6 bar): 160 l/ min; air flow out: 740 l/ min
- blowing distance: 40 - 50 cm

Prod. Nr.	Description
5703	Air-dry gun



5705 Dry-Jet Station

Portable Dry-Blowing Stand

PERFIN

NEW

A stable stand to securely hold 2 air-dry guns (not included), enabling them to be exactly directed to the object. Once the air supply has been opened, the system is completely self-sufficient.

- 360° rotation of the guns possible
- locking of desired position
- two-way adjustment in heights (from 30 cm to 210 cm)
- supplied with two straight 6 bar air hoses

Prod. Nr.	Description
5705	Portable dry-blowing stand



5460 Sunlight

Portable LED Colourmatching lamp

NEW

LED lamp Sunlight with its special LED technology is perfect for any paint, polish, cleaning or prep-zone operation.

- Ultra high 5W COB LED; 95 CRI+; 4500 K
- 400/200 lm (step 1/step 2)
- 2h/4h operating time

Prod. Nr.	Description
5460	Portable LED lamp



5310 Coat-Control

Coating Thickness Gauge

Compact gauge, enables reliable and accurate coating thickness measurements of non-magnetic coatings, e.g. paint, enamel, chrome on steel, and insulating coatings, e.g. paint and anodizing coatings on non-ferrous metals. The internal probe can work on both principles, magnetic induction (F-probe) and the eddy currents (N-probe).

- automatic detection of the substrates type; large buttons ideal for gloved hands
- fast and accurate calculation of the coating thickness
- measuring range: 0 to 1300 µm; accuracy: ± (3% of readings + 2 µm)

Prod. Nr.	Description
5310	Coating thickness gauge



4460 Assembling Tools

5 specially shaped sticks for prying, smoothing, spreading and removing. Made of tough, flexible, polycarbonate material.

Prod. Nr.	Description
4460	Set of tools



9180 Palm Sander

Pneumatic Excentric Palm Sander

PERFIN

Quality single hand air driven palm sander.

- efficient dust absorption system; low vibration and noise; 5 mm orbit, air consumption: 360 l/min
- dust extraction connection: Ø 27 mm, pressure connection: 1/4"
- pad diameter: 150 mm, 15 holes; weight: 980 g

Prod. Nr.	Description
9180	Palm sander



9581 Electrical rotary polisher

PERFIN

NEW

This heavy duty tool is designed for professional automotive polishing users where durability and performance are expected. Its features are the following:

- ergonomic body design
- lightweight 2.2 kg
- high torque
- 800 W long-life motor
- speed regulation 700-2500 RPM with Soft-Start
- carbon brushes
- 5 m power cord
- 125 mm (5") backing pad and M14 thread



Prod. Nr.	Description
9581	Rotary polisher, 125 mm

9582 Electrical orbital polisher

PERFIN

NEW

This orbital polisher is a compact, sturdy and durable option for the partial and smaller polishing jobs. It is designed to eliminate vibrations in order to reduce the fatigue and increase the quality of the finish. It features:

- orbit 12 mm
- 75 mm backing pad
- compact design
- speed regulation 2500-5500 RPM
- carbon brushes
- 500 W long-life motor
- 5 m long power cord



Prod. Nr.	Description
9582	Random orbital polisher, 75 mm

9583 Electrical orbital polisher

PERFIN

NEW

This orbital polisher offers the maximum efficiency on bigger surfaces and large polishing jobs. With the 15mm orbit you are sure to get a fast and swirl-free finish everytime. It is designed to eliminate vibrations in order to reduce the fatigue and increase the quality of the finish. It features:

- orbit 15 mm
- 150 mm backing pad with M8 thread
- sturdy and durable body
- speed regulation 2500-4500 RPM with Soft-Start
- carbon brushes
- 500 W long-life motor
- 5 m long power cord



Prod. Nr.	Description
9583	Random orbital polisher, 150 mm

3045 Snap Off Knife

Snap off knife with 18 mm blade

Plastic Snap Off knife with high quality tool steel blade.

- blade 18 mm x 0,5 mm

Prod. Nr.	Description
3045	Knife
3046	Blade, 10 pcs



NEW



HEALTH & SAFETY PRODUCTS



5550 Full Mask X-plore Full Face Mask

Made from durable EPDM, it ensures safe protection, a secure fit and great level of wearing comfort for almost all face shapes, even during prolonged use. It features scratch-proof and chemical-resistant Triplex glass with distortion-free lens.



Prod. Nr.	Description
5550	Full Face Mask
5553	Protective film for the full face mask
3505	Filter for X-plore masks A2P3 RD, pair
3504	Prefilters for masks X-plore P3 RD, 20 pairs
3507	Prefilter holder, pair

3500 Half Mask X-plore Half Face Mask

Made from material which combines hypoallergenic properties with excellent chemical resistance and protection. The two bayonet filters have a swept-back position which guarantees a wide field of vision.



Prod. Nr.	Description
3500	Half Face Mask
3505	Filter for X-plore masks A2P3 RD, pair
3504	Prefilters for masks X-plore P3 RD, 20 pairs
3507	Prefilter holder, pair

1720 Dust Mask X-plore Foldable Respirator FFP2

Disposable dust respirator with exhalation valve. Easy and comfortable breathing and wearing in accordance with EN149:2001.



Prod. Nr.	Description
1720	Disposable dust respirator with exhalation valve

7800 Prep-Hand Protective Gloves

Professional high quality glove, quality checked and certified. Resistance properties to mechanical injuries.

- comfortable, elastic glove
- optimal grip and sense due to rubber coated surface
- conforms to EN 420, EN 388 standards
- length: 240-265 mm

Prod. Nr.	Description
7800-L	Size L, pair
7800-XL	Size XL, pair
7800-XXL	Size XXL, pair

IMPROVED QUALITY



7820 Soft-Grip Protective Gloves

Professional superior quality glove, quality checked and certified. Resistance properties to mechanical injuries.

- comfortable, elastic and breathable glove
- soft rubber coated surface provides outstanding grip, high feeling for small particles and durability
- suitable for car refinishers or car mechanics
- conforms to EN 420, EN 388 standards
- length: 240-255 mm

Prod. Nr.	Description
7820-L	Size L, pair
7820-XL	Size XL, pair

NEW



6800 Dura Glove-Pro Protective Gloves

Professional glove without lubricating powder, texturized, with increased thickness and length, quality checked and certified.

- multi purpose
- conforms to EN 455 1-2-3 standards
- length: 280 mm

Prod. Nr.	Description
6800-L-50	Size L, 50 pcs
6800-XL-50	Size XL, 50 pcs



5800 Dura Glove Protective Gloves

High quality single use glove, quality checked and certified.

- resistant to detergents and solvents
- powder free
- optimal elasticity and comfort
- conforms to EN 240 ASTM D3578
- length: 240 mm

Prod. Nr.	Description
5800-L	Size L, 100 pcs
5800-XL	Size XL, 100 pcs

IMPROVED QUALITY



1465 Orange Action Hand Cleaner Gel

Dermohand cleaner gel for removing the toughest dirt. Completely removes varnish, putty, silicone, enamel and other similar products from the hands. It is not aggressive thanks to the wheat germ proteins and plant based detergents.

- helps to reduce the symptoms of dry, cracked skin
- skin friendly cleaning, contains premium skin conditioners
- pleasant orange scent
- pH neutral

Prod. Nr.	Description
1465-5	5 L; can with dispenser
9917	Wall holder



1435 Paste+ Liquid Hand Cleaner Paste

Dermohand solvent free cleaner gel. Very rich in plant-based detergents with wheat germ substances and proteins.

Suitable for all industrial sectors, especially for car mechanics.

- helps to reduce the symptoms of dry, cracked skin
- contains micro grains
- pH neutral

Prod. Nr.	Description
1435-3	Can, 3 L
1435-10	Refill, 10 L
1436	Wall holder
1437	Metal pump



1445 Easy Paste Hand Cleaner Abrasive Paste

Hand cleaner abrasive paste is able to remove thick and strong industrial dirt thanks to its unique combination of detergents and natural soaps.

- contains no sand
- pH slightly alkaline

Prod. Nr.	Description
1445-5	Bucket, 5 L



2311 Carbo-Master Antistatic Polyester Paint Overalls

High quality, ventilated polyester overall woven with carbon fiber to avoid any electrical static. Elastic waist, sleeve and adjustable hood with chest and back pocket.

- mesh underarm panels
- protected zipper
- sewn-in knee pads
- anti-static
- lint-free

Prod. Nr.	Description
2311-M	Overalls, size M
2311-L	Overalls, size L
2311-XL	Overalls, size XL
2311-XXL	Overalls, size XXL
2311-XXXL	Overalls, size XXXL



2245 Carbo-Master Coat

Antistatic Polyester Paint Coat

High quality, ventilated polyester coat wovnen with carbon fiber to avoid any electrical static. Two front pockets, elastic sleeve and adjustable hood.

- mesh underarm panels
- waist cord-lock system
- protected zipper
- anti-static
- lint-free

Prod. Nr.	Description
2245-M	Overalls, size M
2245-L	Overalls, size L
2245-XL	Overalls, size XL
2245-XXL	Overalls, size XXL



2310 Shield-Master

Polyester Paint Overalls

Durable polyester overall. Tear resistant, breathable fabric.

- machine washable
- anti-static
- lint-free

Prod. Nr.	Description
2310-M	Overalls, size M
2310-L	Overalls, size L
2310-XL	Overalls, size XL
2310-XXL	Overalls, size XXL



2309 Spray-Master

Antistatic Paint Overalls

High quality overall with ventilated areas in the back, the neck and the back of the legs. Made of a new revolutionary non-woven fabric which is soft and breathable, antistatic, and resistant to noxious dust and splash in accordance with CE Cat. III Type 5 & 6. With hood and zipper, a separate self-adhesive pocket is included.

- protected zipper
- anti-static material
- lint-free
- sleeves with elastic band

Prod. Nr.	Description
2309-M	Overalls, size M
2309-L	Overalls, size L
2309-XL	Overalls, size XL
2309-XXL	Overalls, size XXL



2313 F1 Overalls

High quality, heavy-duty cotton, durable working overall with adjustment to fit.

- comfortable cut
- overlap on the back for easy movement
- elastic waist, ankles
- protected zipper

Prod. Nr.	Description
2313-M	Overalls, size M
2313-L	Overalls, size L
2313-XL	Overalls, size XL
2313-XXL	Overalls, size XXL



2316 Trousers Dynashield

Stretchable Working Trousers

NEW

Premium quality, modern, polycotton durable working trousers.

- ergonomic cut with sporty modern silhouette
- fabric 260 g/m2 of polyester, cotton and elasthane
- knee zone of extra durable material
- stretchable and light
- subtle reflection inserts
- multifunctional pockets with closures

Prod. Nr.	Description
2316-S	Trousers, size S
2316-M	Trousers, size M
2316-L	Trousers, size L
2316-XL	Trousers, size XL
2316-XXL	Trousers, size XXL





*The fastest car painters use
the fastest refinishing products!*



CAR CLEANING PRODUCTS



8005 Multiwash Turbo Highly Concentrated Detergent


Highly concentrated powerful general purpose alkaline prewash detergent/degreaser. Mainly meant for private vehicles. For the most stubborn dirt.

- removes fat, oil, waxes and other traffic film residues
- pre-washing, rim and motor cleaning
- insect residue removal

Dilution with water:

- 1:20 (5%) degreasing, engine cleaning
- 1:33 (3%) rim cleaning
- 1:50 (2%) - 1:67 (1.5%) prewashing, insect removal.

Prod. Nr.	Content
8005-5	5 kg
8005-28	28 kg



100% Alkalinity 100% Foaming



8025 Rim Power Concentrated Acidic Cleaner

Powerful acid based cleanser for wheels and alloy tyre rims. Very high content of active ingredient.

- degreases, easily removes brake dust residues, tar
- removes limestone
- does not harm the air valve

Dilution with water:

- 1:1 (50%) - 1:5 (20%).

Prod. Nr.	Content
8025-5	5 L
8025-25	25 L



100% Acidity



8030 Twister Turbo

Concentrated Car Shampoo

Highly concentrated premium shampoo for manual cleaning of bodywork and plastic parts.

- high viscosity, high foaming power
- tender to skin

Dilution with water:

- 1:50 (2%) - 1:20 (5%).

Prod. Nr.	Content
8030-1	1 L
8030-5	5 L
8030-25	25 L



0% Alkalinity 100% Foaming



8048 Rubber Black

Rubber Cleaner & Conditioner

Premium quality, solvent based product for cleaning, nourishing and protecting rubber surfaces, especially car tyres.

- easy to apply with sprayer
- quick drying, antistatic effect
- excellent gloss which lasts up to 14 days

Dilution with water:

- ready to use (not soluble in water).

Prod. Nr.	Content
8048-5	5 L



4005 S.View -40°C

Windshield Winter Cleaner -40°C

Prevents glass surfaces and water nozzles from frosting. Effectively cleans, removes bug stains, dissolves smog. Ensures optimal visibility.

- special addition prevents wipers from creaking
- does not act aggressively on lacquered or rubber surfaces and water nozzles
- pleasant scent

Prod. Nr.	Content
4005-5	5 L
4005-25	25 L
4005-200	200 L



3003 Dashpro

Cockpit Polish Matt Spray

Cockpit spray for cleaning, polishing and preserving the cockpit and for plastic surfaces, rubber ... Based on quality ingredients.

- silicone free, leaves pleasant matt appearance
- cleans, polishes and protects
- antistatic effect, refreshes surface appearance
- pleasant orange scent

Prod. Nr.	Content
3003-0,6	600 ml



3008 Dashpro Sil

Glossy Cockpit Polish Spray

Cockpit polish, produced on basis of quality cleaning and nourishing components.

- cleans, polishes and nourishes at the same time
- protects from dust, dirt and moisture
- colour refreshing
- antistatic
- pleasant orange scent

Prod. Nr.	Content
3008-0,6	600 ml



8064 Tex+

Foaming Power Textile Detergent

Universal, concentrated mild detergent for machine cleaning of car seats, covers, upholstery, carpets and most hard surfaces.

- dry stable foam, easy to remove
- effective in use with vacuum cleaners
- colour refreshing, pleasant scent

Dilution with water:

- 1:20 - 1:30 machine cleaning.

Prod. Nr.	Content
8064-5	5 L



4004 Ultra+ Clean

Universal Foaming Cleaner Spray

Universal, active foam cleaner quickly and effectively removes stains on all kinds of surfaces.

- active foam with pleasant scent
- quick and active functioning
- for all kinds of surfaces (glass, textile etc.)

Prod. Nr.	Content
4004-0,5	500 ml



5202 Sprayer HD 360+

Adjustable Sprayer

Robust and resistant construction. Patented system allows spraying independently of position or fullness of the sprayer.

Ergonomic handle and adjustable nozzle for spraying squirt or fine mist. Suitable for car body and interior cleaning.

Prod. Nr.	Description
5202	Sprayer, 1 L



5204 Sprayer RIM ACD

Professional Sprayer for Acidic Detergents

Professional sprayer with PP pump, for applying acid based detergents.
Usable volume: 1.5 L, operating pressure: 3 bar.

- safety valve
- plastic jacket wand to protect the non-return valve
- specially coated spring
- seals: FPM (Viton®)

Prod. Nr.	Description
5204	Sprayer, 1.5 L



6421 PVA Wipe

PVA Drying Cloth

Synthetic cloth made of revolutionary PVA foam. Chemical and solvent resistant.

- phenomenal liquid absorbing properties
- long-lasting
- for car body and glass surfaces

Prod. Nr.	Dimensions
6421	44 x 32 cm

IMPROVED QUALITY



1063 Super-Soft MC

Microfibre Cloth Supersoft

High performance, high tech cloth, with millions of ultra fine fibres, providing exceptional power for cleaning dust and shine.

- washable up to 90°C
- super absorbent
- leaves no micro scratches

Prod. Nr.	Description
1063-3	40 x 40 cm, 3 pcs

IMPROVED QUALITY



3030 Soft-3

Soft 3-Ply Cleaning Paper Towel

3-ply lint-free soft paper towels for cleaning and degreasing of cars, tools and body parts.

- suitable for degreasing before painting
- 100% cellulose, excellent absorption
- extra strong, lint free
- resistant to solvents
- 26 cm x 195 m

Prod. Nr.	Description
3030	3-ply paper, 3.2 kg
3913	Wall holder for rolls



8390 Telescopic Brush

Professional, heavy duty wash brush. Cleans hard-to-reach areas.

- strong telescopic flow through handle
- easy grip handles
- scratch free removal of stubborn dirt
- big brush head -28 cm, extends to 245 cm
- brass quick coupler for water pipe

Prod. Nr.	Description
8390	Telescopic Brush
8391	Replacement Brush Head



2450 Jumbo-Vac Multipurpose Sponge

Compressed sponge from polyurethane foam for car wash and other cleaning purposes.

- highly water-absorbent
- long-lasting

Prod. Nr.	Description
2450	Wash sponge, 22 x 12 x 7 cm

IMPROVED QUALITY



2236 Bucket Silco Plastic bucket 10L

Prod. Nr.	Volume
2236	10 L

NEW



2550 Cyclon Gun High Performance Cleaning Gun

Specially designed, air driven cleaning device to remove the most stubborn dirt on hard and soft surfaces even on hard-to-reach areas. Powerful cleaning and drying due to cyclonic action generated by the special nozzle.

- adjustable dosing valve
- durable construction
- supplied with hard density plastic cone

Prod. Nr.	Description
2550	Cleaning gun



TRAINING CENTER



SHARING IS CARING!

*Get a complete experience & knowledge.
Train your team with »How-to« guide.
Test the best solution for your own customers.
Exploit all advantages of Silco products.*

Make your bodyshop team experts in latest technologies and maximize your customer satisfaction.

We'll gladly setup & organize training for your team. Contact us now!

☎ +386 (0) 703 31 80

✉ info@silco-automotive.com

SILCO WEBSITE

Check our newly updated website at www.silco-automotive.com, full of important and interesting information about Silco:

- *Product range & Categories, with the latest version of our Catalogue*
- *Easily search by Item number to read or download all data sheets (TDS, MSDS, Product Usage info)*
- *The story about Silco brand & company (R&D, Production, Training Center etc.)*
- *Contact information & online contact form*
- *Clips, Freebies & Marketing materials*
- *Top news & blog posts*

Visit us on
www.silco-automotive.com
and find out even more!





TECHNICAL AEROSOLS

1010 Brake Cleaner High Performance Assembling Cleaner

Highly active special cleaning agent for cleaning oily and greasy machine parts, disc brakes, brake parts and other surfaces. Does not contain recycled raw materials.

- high cleaning effect, contains high share of pure acetone
- does not leave any residue
- not corrosive and does not harm rubber or plastic parts

Prod. Nr.	Content
1010-0,6	600 ml



1050 Brake Cleaner Assembling Cleaner

Highly active special cleaning agent for cleaning oily and greasy machine parts, disc brakes, brake parts and other surfaces. Does not contain recycled raw materials.

- high cleaning effect, contains acetone
- does not leave any residue
- not corrosive and does not harm rubber or plastic parts

Prod. Nr.	Content
1050-30	30 L



5208 Sprayer BC

Professional sprayer with nylon pump, for applying brake cleaner. Usable volume: 1.5 L, operating pressure: 3 bar.

- safety valve
- plastic jacket wand to protect the non-return valve
- plastic, adjustable nozzle
- seals: FPM (Viton®)

Prod. Nr.	Description
5208	Sprayer, 1.5 L



4540 Rust Solvent

Rust Solvent MoS2

Versatile, efficient lubricant and rust remover for loosening of corroded and stuck bonds.

- cleans and removes rust
- offers lasting protection from corrosion
- supplants moisture (also in electrical contacts and conductors)

Prod. Nr.	Content
4540-0,5	500 ml



4550 Rust Shock

Rust Shock Remover

The "chemical screwdriver" loosens all kinds of rusted screw connections. It works within seconds due to its two-fold function:

- the special composition of the materials generates a "chill effect" on the corroded workpiece
- Rust Shock penetrates deep into the small spaces created by this cold shrinking process due to its high capillary effect

It loosens the rust in seconds and thus neutralises the connection between the rust layers. Rust Shock is free of mineral oil, silicone, and grease and thus works completely without residue and leaves no traces.

Prod. Nr.	Content
4550-0,4	400 ml



4600 Citrus Cleaner

Heavy Duty Cleaner-Degreaser Spray

A heavy duty, highly effective all-purpose cleaner for cleaning and degreasing, suitable for different surfaces. Quick acting, does not harm treated surface. Suitable as polish inspection. Allows an objective assessment of surface quality after polishing.

- effective removal of labels or adhesive residues
- cleans and removes residual grease, oil, silicones ...
- based on 100% vegetable solvents (contains no chlorinated hydrocarbons or petroleum based solvents)
- pleasant citrus scent

Prod. Nr.	Content
4600-0,5	500 ml



3300 Lubriten

HSM Adhesive Lubricant

An effective lubricant, based on special mixture of solvents, additives and special oils. Allows long-term internal and external lubrication of chains, bearings, gear mechanisms, O-ring seals and all sorts of joints, clutches, wire cables.

- high pressure resistant
- excellent penetration properties
- protects against corrosion
- water, dust repellent
- temperature resistant from -40°C to +200°C

Prod. Nr.	Content
3300-0,4	400 ml



5500 Thyxo Lube

Universal Lubricant

Fat-free, non dripping lubricant with exceptional penetrating effect. Suitable for greasing and preventing squeaking of different rails, gaskets, locks, hinges, runners ... Ideal for visible applications where total cleanliness and good lubrication are required (repels dust).

- penetrating effect
- resistant against pressure
- temperature resistant from -50°C to +210°C

Prod. Nr.	Content
5500-0,5	500 ml



3004 Coppex

Anti-Seize Lubricant

A premium, high temperature anti-seize lubricant, parting and anti-corrosion agent. Prevents seizing and sticking, cold welding, wearing and tearing, rust.

- high adhesive power
- silicone free
- heat-resistant up to +1300°C

Prod. Nr.	Content
3004-0,5	500 ml



4400 Multi 6

Multipurpose 6in1 Aerosol

A multipurpose aerosol 6-in-1, with instant effect.

- unfastens rusted screw joints
- drives out moisture in electrical contacts and fine cracks
- prevents squeaking and creaking noises
- long-lasting corrosion protection
- removes rust
- lubricates runners, hinges ...

Prod. Nr.	Content
4400-0,5	500 ml





Developed with professionals.



PROMOTIONAL ARTICLES



2244 Winter Jacket Silco

High Performance Winter Jacket

Insulated wintersport jacket with 3-layer functional fabric including TPU membrane. Detachable padded hood with size adjustment, two side pockets, a small pocket on the sleeve and inner pocket (all with zip), inside pocket for mobile phone and elasticized inner waist.

Wind- and waterproof material with 5.000 mm water column and 2.000 g/m² in 24 h.

Prod. Nr.	Description
2244-S	Winter jacket, size S
2244-M	Winter jacket, size M
2244-L	Winter jacket, size L
2244-XL	Winter jacket, size XL
2244-XXL	Winter jacket, size XXL



2234 Softshell Jacket Silco

High Performance Softshell Jacket

Detachable balaclava hood with adjustable drawstrings and trendy stoppers. Full zip opening with chin protector, 2 front side pockets with zip, 1 front chest pocket, extended rear part with embroidered Silco logo.

Lining: 100 % polyester mesh lining on front panels

Waterproof: 5000 mm.

Breathability: 1000 MVP.

Prod. Nr.	Description
2234-S	Softshell jacket, size S
2234-M	Softshell jacket, size M
2234-L	Softshell jacket, size L
2234-XL	Softshell jacket, size XL
2234-XXL	Softshell jacket, size XXL



2248 Bodywarmer Silco

High Performance Softshell Bodywarmer

Full zip opening with chin protector, 2 front side pockets with zip, 1 front chest pocket, extended rear part with embroidered Silco logo.

Lining: 100 % polyester mesh lining on front panels

Waterproof: 5000 mm.

Breathability: 1000 MVP.

Prod. Nr.	Description
2248-S	Softshell bodywarmer, size S
2248-M	Softshell bodywarmer, size M
2248-L	Softshell bodywarmer, size L
2248-XL	Softshell bodywarmer, size XL
2248-XXL	Softshell bodywarmer, size XXL



2230 Sweater Silco

Full Zip Cotton Sweater

Soft, easy-care, breathable fabric, compact and durable material. Front zip, 2 side pockets without zip, high collar, Silco embroidered logo on the back and Silco patch on the front.

Material: 70% cotton, 30% polyester.

Prod. Nr.	Description
2230-S	Sweater, size S
2230-M	Sweater, size M
2230-L	Sweater, size L
2230-XL	Sweater, size XL
2230-XXL	Sweater, size XXL



2323 Silco SFR T-shirt

Cotton Fitted T-shirt

SFR T-shirt is made of 100 % combed cotton with a two coloured printed logo Silco and SFR on the front side and the Silco logo on the back. Alert your environment to your use of Silco SFR materials.

Special Silco SFR T-shirt for special materials. Slim fit with blue side inserts for a more attractive look.

- weight: 190 g/m²
- fit: Slim Fit
- washable at 30°C

Prod. Nr.	Description
2323-S	SFR T-shirt, size S
2323-M	SFR T-shirt, size M
2323-L	SFR T-shirt, size L
2323-XL	SFR T-shirt, size XL
2323-XXL	SFR T-shirt, size XXL



2322 Silco SFR Limited Edition T-shirt

Polycotton Fitted T-shirt

SFR T-shirt Limited Edition is made of 35% cotton and 65% polyester what makes it breathable, light and very elastic. Alert your environment to your use of Silco SFR materials.

Special Silco SFR T-shirt for special materials. Slim fit and a more attractive look.

- weight: 165 g/m²
- grey color
- washable at 30°C

Prod. Nr.	Description
2322-S	SFR T-shirt, size S
2322-M	SFR T-shirt, size M
2322-L	SFR T-shirt, size L

Prod. Nr.	Description
2322-L	SFR T-shirt, size L
2322-XL	SFR T-shirt, size XL
2322-XXL	SFR T-shirt, size XXL



2321 T-shirt Silco

Cotton T-shirt

Crew neck T-Shirt made of 100 % ring-spun cotton with printed logo Silco on the front side. Available in black colour.

- weight: 150 g/m²
- fit: Casual Fit
- washable at 40°C



Prod. Nr.	Description
2321-S	T-shirt, size S
2321-M	T-shirt, size M
2321-L	T-shirt, size L
2321-XL	T-shirt, size XL
2321-XXL	T-shirt, size XXL

2242 Polo shirt Silco

Polo Shirt with Elastane

Polo shirt made of 96 % cotton and 4 % elastane micro pique with printed logo Silco on front side. For a comfortable fit, this polo shirt has a fold down collar with a two-button placket and short sleeves.

- weight: 200 g/m²
- fit: Casual Fit
- washable at 40°C



Prod. Nr.	Description
2242-S	Polo shirt, size S
2242-M	Polo shirt, size M
2242-L	Polo shirt, size L
2242-XL	Polo shirt, size XL
2242-XXL	Polo shirt, size XXL

2540 Beanie Silco

Warm Cap

Quality and comfortable cap.

Prod. Nr.	Description
2540	Warm cap, black



2326 Flying Banner Silco

Flexible Advertising Stand

High-quality color printed Silco logo on polyester fabric, resistant to different weather conditions. Flying banner consists of printed flag, multi-sectional bendable stick and foldable metal base.

The entire system is packed into a small carry bag for convenient transport. Easy to set up and use, suitable for indoor and outdoor use.

The dimension of the flying banner: 92 x 165 cm.

Prod. Nr.	Description
2326	Flexible advertising stand



2327 L-Banner Silco

Advertising L Stand

The structure is made of lightweight and durable carbon fiber, easy to set up. The entire system is packed into a carry bag for convenient transport.

The dimension is 85 x 200 cm.

Prod. Nr.	Description
2327	Advertising L stand



2328 Flag Silco

Advertising Flag

Advertising flag, suitable for outdoor or indoor use.

High-quality color printed Silco logo on polyester fabric, resistant to different weather conditions. Metal eyelets and reinforced corners for easy fixing of the flag.

The dimension of the flag: 200 x 80 cm.

Prod. Nr.	Description
2328	Advertising flag



2243 Bag Silco

Gift Bag

A matte finished high quality rope handled shopper made of processed laminated paper with a soft look.

Prod. Nr.	Description	Dimensions
2243	Gift bag	245 x 367 x 85 mm



2231 Notebook Silco

Notebook Journal

Notebook with hard cover and a soft touch PVC cover features an elastic band closure. Includes approximately 100 lined sheets, with perforation and two holes for easier archiving.

Prod. Nr.	Description
2231	Notebook



2246 Writing Pad Silco

A4 Writing Pad

Writing pad A4. Contains 50 lined sheets of paper with printed color logo, with glued header, with perforation and two holes for easier archiving.

Prod. Nr.	Description
2246	Writing Pad



2232 Ballpoint Pen Silco

Prodir Pen

The icon of a classic writing instrument. Functional right down to the last detail. Relaxed writing with a self-confident, high-quality ballpoint pen.

- push ball pen

Prod. Nr.	Description
2232	Ballpoint pen



2330 Table Flag Silco

Advertising Table Flag

Mini table flag consists of two parts: a metal base and a compact flag made of textile with Silco logo.

Dimension of table flag 10.5 x 24 cm.

Prod. Nr.	Description
2330	Table flag



2233 Lighter Silco

BIC Lighter

Quality and safety are built into every step of the lighter production process. Every BIC® lighter undergoes more than 50 separate, automatic quality checks during the manufacturing process.

- quality
- reliability
- user-friendly shape

Prod. Nr.	Description
2233	Lighter



2239 Lanyard Silco

Satin Neck Strap

Silky smooth surface printed in full color and on both sides. Includes a metal swivel lobster clasp for keys or ID badge holder.

Prod. Nr.	Description
2239	Lanyard



2241 Calculator Silco

12 digit silver calculator made from plastic. This calculator runs with solar energy and also includes a back-up battery.

Prod. Nr.	Description
2241	Calculator



2240 Mouse Pad Silco

PVC Mouse Pad

The upper part is fine-grained and translucent on its underside and completely smooth on its upper side. Complete printing from screen printing to offset printing is also carried out on the smooth side, thus eliminating potential shedding of color and the associated accumulation of dirt in the mouse. The roughness of this material enables high-quality sliding of the mouse on the pad.

Prod. Nr.	Description
-----------	-------------

2240	Mouse pad
------	-----------



2336 USB Stick Silco

USB Stick

USB stick Silco is the size of a credit card and printed on both sides with the Silco logo.

- capacity 16 GB
- standard USB 2.0

Prod. Nr.	Description
-----------	-------------

2336	USB stick
------	-----------



2325 Clock Silco

Wall Clock

Round white/ black and chrome wall clock with printed logo inside. Batteries are not included.

- dimensions: clock diameter, ø 34.7 cm
- hygrometer
- thermometer

Prod. Nr.	Dimensions
-----------	------------

2325	ø 34.7 cm
------	-----------



2335 Protective Spectacles Silco

Lightweight Protective Glasses

Protective glasses Silco weighing only 25 g and providing 99% protection against UVA, UVB and UVC rays. Polycarbonate lenses are exceptionally scratch resistant and therefore suitable for various activities. Glasses meet the EN166 standard. Sachet for storing and cleaning included.

Prod. Nr.	Description
-----------	-------------

2335-A	Clear lenses
--------	--------------

2335-B	Smoked lenses
--------	---------------



2247 Sticker Silco

Logotype Sticker

Two-tone combination Silco logotype sticker in different sizes.

Prod. Nr.	Dimensions
-----------	------------

2247-S	8 cm
--------	------

2247-M	25 cm
--------	-------

2247-L	75 cm
--------	-------



PRODUCTS

THE BRAND FOR CLEVER REFINISHING!

Carfix represents products and solutions, which were made following the needs of professionals as well as the highest production standards in refinishing industry. Only a perfect coordination of all materials ensures a perfect repair. Carfix materials stand for a quality, quick and cost-efficient end result that will impress you and your customers.

Discover Carfix products for refinishing.

210

Universal Soft Putty

Universal soft polyester putty.

- good adhesion; very easy to spread; non-porous, smooth surface; easy sanding

Prod. Nr.	Content	Colour
210-1,8	1.8 kg	-



410

HS Surfacers

HS quality sanding primer-filler in a set (hardener included). Suitable for spot repair or larger surfaces, easy to apply even in higher thickness. The surface appears smooth and is easy to sand.

- ready for use (no thinner needed); hardener 613 or 615 (vol. 4:1)
- fast drying; easy to sand; direct to metal application; high filling power; smooth surface; VOC compliant

Prod. Nr.	Description	Content	Colour	Prod. Nr.	Description	Content	Type	Mix Ratio
410-G-2	HS Surfacers	2 L	Grey	613-0,2		200 ml		
410-G-0,8	HS Surfacers	800 ml	Grey	613-0,5	HS Acrylic Hardener	500 ml	Fast	4:1
				613-2,5		2.5L		
				615-0,5	HS Acrylic Hardener	500 ml	Standard	4:1
				615-2,5		2.5 L		



610

HS Anti-scratch Clear Coat

Quality economical acrylic scratch resistant clear coat.

- quick drying; hardener 613 or 615 (vol. 2:1); no thinner needed
- easy application, excellent overflow; brilliant gloss, resistance to yellowing

Prod. Nr.	Description	Content	Prod. Nr.	Description	Content	Type	Mix Ratio
610-1	HS Anti-scratch Clear Coat	1 L	613-0,2		200 ml		
610-5	HS Anti-scratch Clear Coat	5 L	613-0,5	HS Acrylic Hardener	500 ml	Fast	2:1
			613-2,5		2.5L		
			615-0,5	HS Acrylic Hardener	500 ml	Standard	2:1
			615-2,5		2.5 L		



640

UHS Clear Coat

Superior acrylic, UHS clear coat with superior appearance.


- to be used without a thinner; hardener: 643 or 645 (vol. 2:1); quick drying (15-20 min/60°C)
- easy application, excellent overflow, brilliant gloss; polishing immediately after cooling possible; suitable also for larger surfaces; high durability, resistance to yellowing; compliant to VOC requirements (<420 g/L)

Prod. Nr.	Description	Content	Prod. Nr.	Description	Content	Type	Mix Ratio
640-5	UHS Clear Coat	5 L	643-2,5	UHS Acrylic Hardener	2.5 L	Fast	2:1
			645-2,5	UHS Acrylic Hardener	2.5 L	Standard	2:1



Perfect Refinish Within Minutes™

silco[®]
AUTOMOTIVE



SILCO - MORE THAN 1.000 REASONS

Basic data about the products from the standard product range are stated in this catalogue.

For any additional products and packaging units please feel free to contact us.

We reserve the rights for printing errors. Silco is a registered trademark.

Any kind of reproduction of this catalogue or its parts without written consent is prohibited.

All rights reserved. Photos of some products might be symbolic.



Silco d. o. o.

Šentrupert 5a, 3303 Gomilsko, Slovenia

Tel.: +386 (0)3 703 31 80

info@silco-automotive.com

www.silco-automotive.com

2019

Prod. Nr. 5239-EN



Distributor:



CarFIX

PERFIN

www.silco-automotive.com